

OVERHEAD SUBMITTAL CHECKLIST

PROJECT INFORMATION:

HWY / STREET NAME:
 CITY AND STATE:
 COUNTY / PARISH:
 PROJECT NO.
 DATE:

**FILE:
 GRADE SEPARATION:**

STATE: LOCATION:
 STREET/HWY:
 RTE: M.P.: SUB.:
 DOT No.:
 AWO:

Item	Required Information	Min. Req'd	As Submitted	Railroad Remarks	
				A/R	A=APPROVED R=REJECTED
Abutment or Bent #					
1	Horizontal Clearance (Left) (CL to face)	18'-0"			
2	Horizontal clearance (Right) (CL to face)	18'-0"			
3	Vertical clearance (from Top of Rail)	23'-0"			
4	Horizontal clearance to footing from CL	26'-0"			
5	Depth top of footing below base of rail	6'-0"			
6	Pier Protection wall required for < 25'	26'-0"			
7	Shoring required (CL to nearest Pt.)	12'-0"			
Bent #					
1	Horizontal Clearance (Left) (CL to face)	18'-0"			
2	Horizontal clearance (Right) (CL to face)	18'-0"			
3	Vertical clearance (from Top of Rail)	23'-0"			
4	Horizontal clearance to footing from CL	26'-0"			
5	Depth top of footing below base of rail	6'-0"			
6	Pier protection wall required for < 25'	26'-0"			
7	Shoring required (CL to nearest point)	12'-0"			
Bent #					
1	Horizontal Clearance (Left) (CL to face)	18'-0"			
2	Horizontal clearance (Right) (CL to face)	18'-0"			
3	Vertical clearance (from Top of Rail)	23'-0"			
4	Horizontal clearance to footing from CL	26'-0"			
5	Depth top of footing below base of rail	6'-0"			
6	Pier protection wall required for < 25'	26'-0"			
7	Shoring required (CL to nearest point)	12'-0"			
Bent #					
1	Horizontal Clearance (Left) (CL to face)	18'-0"			
2	Horizontal clearance (Right) (CL to face)	18'-0"			
3	Vertical clearance (from Top of Rail)	23'-0"			
4	Horizontal clearance to footing from CL	26'-0"			
5	Depth top of footing below base of rail	6'-0"			
6	Pier protection wall required for < 25'	26'-0"			
7	Shoring required (CL to nearest point)	12'-0"			

OVERHEAD SUBMITTAL CHECKLIST

Item	Required Information	Min. Req'd	As Submitted	Railroad Remarks	
				A/R	A=APPROVED R=REJECTED
Track Requirements					
1	Existing track centers	Required			
2	Track spreading taken into consideration	Required			
3	Future track centers	20'-0"			
Safety Requirements					
1	Splashboards or barrier rail Near Side(NS)	5'-0"/3'-6"			
2	Splashboards Far Side (FS)	5'-0"/3'-6"			
3	Splashboards limits adequate	R/W to R/W			
4	Fence (w/pedestian walkway)(NS or FS)	8'-0" or 10'-0"			
5	Fence (w/o pedestian walkway)(NS or FS)	10'-0"			
6	Fence limits adequate	R/W to R/W			
Drainage Requirements					
1	Adequate drainage (Left)	Required			
2	Adequate drainage (Right)	Required			
3	Drain from str. / Leaders at Bents				
General Requirements					
1	Access road (25' from CL to face)	25'-0"			
2	RR R/W shown correctly	Required			
3	ALL tracks labeled correctly	Required			
4	Existing utilities aereal or underground	Required			
5	Maximum gap between structures	2'-0"			
6	Lights required for width of str. over 80'	80'-0"			
7	Track profile for 1000' on each side of str.	1000'			
8	Demolition required				
9	Abutment slope protection	> 2:1			
10	Temp. construction vertical clearance	21'-0"			
11	Temp. construction horizontal clearance	12'-0"			
12	Milepost number & direction of increase	Required			
13					
14					
15					
16					
17					
18					

INSTRUCTIONS:

Milepost and direction of Milepost must be shown in the plans. Left and Right is the orientation of structure elements facing the direction of increasing milepost.
 FILL ALL APPLICABLE PARTS OF TABLE ABOVE: In Column "As Submitted" INSERT ALL APPLICABLE VALUES FROM PLANS, or any exception to the minimum requirements on the checklist, a detailed explanation/reason why the minimum requirements cannot be provided.

PRELIMINARY PLAN REVIEW:

IF ITEMS ON ABOVE TABLE SHOW DEFICIENCIES, ACCEPTANCE OF PRELIMINARY PLANS WILL NOT BE GRANTED UNTIL DEFICIENCIES ARE RESOLVED.

FINAL PLAN REVIEW:

PRIOR TO STRUCTURE CONSTRUCTION SIGNED FINAL PLANS, SPECIAL PROVISIONS, AND HYDRAULIC CALCULATIONS IF REQUIRED & SUBMITTED FOR FINAL REVIEW. IF ALL ITEMS ARE RESOLVED AND PLANS COMPLY, WILL RELEASE STRUCTURE FOR CONSTRUCTION.

REMARKS:

REMARKS FOR THE ABOVE CHECKLIST TO BE IN ENGLISH.

XXI APPENDIX B

ITEM	DRAWING
• Barrier and Clearances to Be Provided at Highway, Street, and Pedestrian Overpasses	0035
• General Shoring Requirements	106613
• Splashboards and Barrier Railing Details	UP - OH1
• Abutment Slopes and Minimum Drainage Ditches	UP - OH2