

**ILLINOIS COMMERCE COMMISSION
STIPULATED AGREEMENT
CROSSING DATA FORM**

GENERAL INFORMATION: See Location Sketch

RAILROAD	BNSF
USDOT#, MILEPOST	072 890K, 202.91-Q
STREET, CITY, COUNTY	Jackson Street [US136], (I) Macomb, McDonough County
JURISDICTION (RDWY)	State
LOCATION	Urban, Commercial
STREET SURFACE	57' Asphalt, Good Condition

CROSSING DATA: Also see Location Sketch for roadway profile and track centers

TRACK (W-E or N-S)	SURFACE TYPE	SURFACE WIDTH	SURFACE CONDITION
Main	Concrete	220'	New

ROADWAY DATA: See Location Sketch

INTERSECTING ROADS:	Pvt.
TRAFFIC CONTROL	None
ADT & SPEED	14,900 Vehicles Per Day @ 30 MPH (%Trucks)
TRAFFIC TYPE	Passenger, School Buses, Hazardous Materials, all possible
ADVANCE WARNING	Yes
PAVEMENT MARKING	Yes [faded]

RAILROAD DATA: See Location Sketch

FREIGHT TRAFFIC	16 Per day @ 60 MPH, Day & Night? Yes
PASSENGER TRAFFIC	2 per day @ 79 MPH
WARNING DEVICES	Cant. AFLS/Gates

NOTES:

VISIBILITY STUDY: See Location Sketch

Train Speed	79	MPH
Roadway Speed	30	MPH
Required Stopping Sight Distance (SSD)		
Along Roadway		FEET
Along Tracks		FEET
Required Clearing Sight Distance (CSD) (Along Tracks)		FEET

Distances calculated per American Association of State Highway and Transportation Officials (AASHTO), A Policy on Geometric Design of Highways and Streets, 2001, Fourth Edition.

QUADRANT	CSD (FT)	OBSTRUCTION	SSD (FT)	OBSTRUCTION
NE	*		*	
NW	*		*	
SE	*		*	
SW	*		*	


*Note: The existing automatic flashing light signals and gates eliminate the need to satisfy minimum Sight Distance criteria.

APPROACH GRADES: See Location Sketch


DIRECTION: EAST			DIRECTION: WEST		
DISTANCE (FT)	ELEVATION (FT)	GRADE (%)	DISTANCE (FT)	ELEVATION (FT)	GRADE (%)
Meets	92	ILL	Adm	Code	1535
"	"	"	"	"	"

Distance measured from outermost rail.

COMMENTS:



c:\mcdonough\072890K\072890K.DWG 08/09/00 14:02 JLA



Crossing #:	072890K
Location:	McDonough Co., City of Macomb (In)
Lat/Long:	40°27'32" / 90°40'56"
Railroad:	BNSF
Street:	Jackson Street
Railroad Milepost:	202.91
Crossing Protection:	Train Activated Devices

**ILLINOIS COMMERCE COMMISSION
STIPULATED AGREEMENT
CROSSING DATA FORM**

GENERAL INFORMATION: See Location Sketch

RAILROAD	BNSF
USDOT#, MILEPOST	072 892Y, 202.68-Q
STREET, CITY, COUNTY	Carroll Street, (I) Macomb, McDonough County
JURISDICTION (RDWY)	City
LOCATION	Urban, Commercial/Residential
STREET SURFACE	33' Asphalt, Fair Condition [West bound/one way]

CROSSING DATA: Also see Location Sketch for roadway profile and track centers

TRACK (W-E or N-S)	SURFACE TYPE	SURFACE WIDTH	SURFACE CONDITION
Main	Rubber/timber	87'	Fair

ROADWAY DATA: See Location Sketch

INTERSECTING ROADS:	Charles Street
TRAFFIC CONTROL	None
ADT & SPEED	1,200 Vehicles Per Day @ 30 MPH (%Trucks)
TRAFFIC TYPE	Passenger, School Buses, Hazardous Materials, All possible
ADVANCE WARNING	Yes
PAVEMENT MARKING	Yes

RAILROAD DATA: See Location Sketch

FREIGHT TRAFFIC	16 Per day @ 60 MPH, Day & Night? Yes
PASSENGER TRAFFIC	2 per day @ 79 MPH
WARNING DEVICES	AFLS/Gates [One way]

NOTES:

VISIBILITY STUDY: See Location Sketch

Train Speed	79	MPH
Roadway Speed	30	MPH
Required Stopping Sight Distance (SSD)		
Along Roadway		FEET
Along Tracks		FEET
Required Clearing Sight Distance (CSD) (Along Tracks)		FEET

Distances calculated per American Association of State Highway and Transportation Officials (AASHTO), A Policy on Geometric Design of Highways and Streets, 2001, Fourth Edition.

QUADRANT	CSD (FT)	OBSTRUCTION	SSD (FT)	OBSTRUCTION
NE	*		*	
NW	*		*	
SE	*		*	
SW	*		*	


*Note: The existing automatic flashing light signals and gates eliminate the need to satisfy minimum Sight Distance criteria.

APPROACH GRADES: See Location Sketch


DIRECTION: EAST			DIRECTION: WEST		
DISTANCE (FT)	ELEVATION (FT)	GRADE (%)	DISTANCE (FT)	ELEVATION (FT)	GRADE (%)
Meets	92	ILL	Adm	Code	1535
"	"	"	"	"	"

Distance measured from outermost rail.

COMMENTS:



J:\MCDONOUGH\072892Y\072892Y.DWG 03/08/01 13:57 HHB



Crossing #:	072892Y
Location:	McDonough Co., City of Macomb (In)
Lat/Long:	40°27'36" / 90°40'40"
Railroad:	BNSF
Street:	Carol Street
Railroad Milepost:	202.68
Crossing Protection:	Train Activated Devices