

**ILLINOIS COMMERCE COMMISSION
STIPULATED AGREEMENT
CROSSING DATA FORM**

GENERAL INFORMATION: See Location Sketch

RAILROAD	BNSF Railway Company
USDOT#, MILEPOST	079 526W, MP 17.47
STREET, CITY, COUNTY	Monroe Street, in Hinsdale, DuPage County
JURISDICTION (RDWY)	Village of Hinsdale
LOCATION	Residential
STREET SURFACE	Rubber and Asphalt - 27'

CROSSING DATA: See Location Sketch for roadway profile and track centers

TRACK (W-E or N-S)	SURFACE TYPE	SURFACE WIDTH	SURFACE CONDITION
1	Rubber Panel	54'	Fair
2	Rubber Panel	54'	Fair
3	Rubber Panel	54'	Fair

ROADWAY DATA: See Location Sketch

INTERSECTING ROADS:	Yes
TRAFFIC CONTROL	2-Way Stop/Right-of-Way off of Tracks SB
ADT & SPEED	1500 @ 25 MPH
TRAFFIC TYPE	Cars
ADVANCE WARNING	Yes
PAVEMENT MARKING	Yes

RAILROAD DATA: See Location Sketch

FREIGHT TRAFFIC	54 Per day @ 45 MPH
PASSENGER TRAFFIC	102 @ 70 MPH
WARNING DEVICES	Automatic Flashing Light Signals and Gates with pedestrian gates on three quadrants.

NOTES:

VISIBILITY STUDY: See Location Sketch



Train Speed	70	MPH
Roadway Speed	25	MPH
Required Stopping Sight Distance (SSD)		
Along Roadway	167	FEET
Along Tracks	692	FEET
Required Clearing Sight Distance (CSD) (Along Tracks)	1680	FEET

Distances calculated per American Association of State Highway and Transportation Officials (AASHTO), A Policy on Geometric Design of Highways and Streets, 2001, Fourth Edition.

QUADRANT	CSD (FT)	OBSTRUCTION	SSD (FT)	OBSTRUCTION
NE	*	NA	*	NA
NW	*	NA	*	NA
SE	*	NA	*	NA
SW	*	NA	*	NA

*Note: The installation of automatic flashing light signals and gates eliminates the need to satisfy minimum Sight Distance criteria.

APPROACH GRADES: See Location Sketch, Page 3 for a Location Sketch (Aerial Photo) of the crossing.



Crossing #:	079526W
Location:	DuPage Co., City of Hinsdale (I)
Lat/Long:	41°48'02" / 87°56'21"
Railroad:	BNSF
Street:	Monroe Street
Railroad Milepost:	17.48
Crossing Protection:	Train Activated Devices