4.0 Responsibilities of the Parties

4.1 Each Party is responsible for submitting the appropriate Exchange Message Interface (EMI) End User billable record (as defined in the Telcordia Technologies NICS System Specifications document) to Telcordia CMDS for inclusion in the NICS report when an alternately billed call originates from its End User.

5.0 Limitation of Liability

5.1 Except as otherwise provided herein, Limitation of Liability will be governed by the General Terms & Conditions of this Agreement:

5.1.1 **AT&T MIDWEST REGION 5-STATE** and/or **AT&T SOUTHEAST REGION 9-STATE** assume no liability for any LEC's or CLEC's receipt of appropriate revenues due to it from any other entity. CLEC agrees that **AT&T MIDWEST REGION 5-STATE** and/or **AT&T SOUTHEAST REGION 9-STATE** will not be liable to it for damages (including, but not limited to, lost profits and exemplary damages) which may be owed to it as a result of any inaccurate or insufficient information resulting from any entity's actions, omissions, mistakes, or negligence and upon which **AT&T MIDWEST REGION 5-STATE** and/or **AT&T SOUTHEAST REGION 9-STATE** may have relied in preparing settlement reports or performing any other act under this Attachment.

5.1.2 **AT&T MIDWEST REGION 5-STATE** and/or **AT&T SOUTHEAST REGION 9-STATE** will not be liable for any losses or damages arising out of errors, interruptions, defects, failures, or malfunction of services provided pursuant to this Attachment, including those arising from associated equipment and data processing systems, except such losses or damages caused by the sole negligence of **AT&T MIDWEST REGION 5-STATE** and/or **AT&T SOUTHEAST REGION 9-STATE**. Any losses or damage for which **AT&T MIDWEST REGION 5-STATE** and/or **AT&T SOUTHEAST REGION 9-STATE** is held liable under this Attachment will in no event exceed the amount that CLEC would have billed **AT&T MIDWEST REGION 5-STATE** and/or **AT&T SOUTHEAST REGION 9-STATE** per CLEC's existing tariff for the services provided hereunder during the period beginning at the time **AT&T MIDWEST REGION 5-STATE** and/or **AT&T SOUTHEAST REGION 9-STATE** receives notice of the error, interruption, failure or malfunction, to the time service is restored.

5.1.3 **AT&T MIDWEST REGION 5-STATE** and/or **AT&TSOUTHEAST REGION 9-STATE** assumes no responsibility with regard to the correctness of the data supplied by CLEC when this data is accessed and used by a Third Party.

ATTACHMENT 11 - DAILY USAGE FILE

Table of Contents

1.0 INTRODUCTION **3**
2.0 GENERAL PROVISIONS **3**

1.0 Introduction

1.1 Upon written request from CLEC, **AT&T-22STATE** will provide CLEC a Daily Usage File (DUF) for services provided hereunder. A DUF will be provided by **AT&T-22STATE** in accordance with Exchange Message Interface (EMI) guidelines supported by the Ordering and Billing Forum (OBF). Any exceptions to the supported formats will be noted in the DUF implementation requirements documentation. The DUF will include (i) specific daily usage, including both Section 251(b)(5) Traffic (if and where applicable) and LEC-carried IntraLATA Toll Traffic, in EMI format for usage sensitive services furnished in connection with each service to the extent that similar usage sensitive information is provided to retail End Users of **AT&T-22STATE** within that state, (ii) with sufficient detail to enable CLEC to bill its End Users for usage sensitive services furnished by **AT&T-22STATE** in connection with service provided by **AT&T-22STATE**, and (iii) operator handled calls provided by **AT&T-22STATE**. Procedures and processes for implementing the interfaces with **AT&T-22STATE** will be included in implementation requirements documentation.

2.0 General Provisions

2.1 Where available, DUF may be requested on flat-rated Resale lines as well as measured-rated Resale lines. DUF provided in this instance is labeled as Enhanced DUF (EDUF). In order to receive EDUF on flat-rated Resale lines, CLEC must also request and receive DUF on its measure-rated Resale lines.

2.2 File transmission for DUF is requested by each unique State and OCN combination. CLEC must provide to **AT&T-22STATE** a separate written request for each unique State and OCN combination no less than sixty (60) calendar days prior to the desired first transmission date for each file.

2.3 **AT&T-22STATE** will bill CLEC for DUF in accordance with the applicable rates set forth in the Pricing Schedule under "Electronic Billing Information Data (Daily Usage) per message", "Provision of Message Detail a.k.a. Daily Usage File (DUF), "FB-CLEC Operator Recording (Daily Usage) per message", and "Daily Usage File (DUF) Data Transmission, per Message." There will be individual rates listed for DUF provided for measure-rated Resale lines and for EDUF provided on flat-rated Resale lines.

2.4 Call detail for LEC-carried calls that are alternately billed to CLEC End Users' lines provided by **AT&T-22STATE** through Resale will be forwarded to CLEC as rated call detail on the DUF.

2.5 Interexchange call detail on Resale Services that is forwarded to **AT&T-22STATE** for billing, which would otherwise be processed by **AT&T-22STATE** for its retail End Users, will be returned to the IXC and will not be passed through to CLEC. This call detail will be returned to the IXC with a transaction code indicating that the returned call originated from a resold account. Billing for Information Services and other ancillary services traffic on Resale Services will be passed through when **AT&T-22STATE** records the message.

2.6 Where CLEC is operating its own switch-based service and has contracted with **AT&T-22STATE** to provide operator services, upon written request from CLEC, **AT&T-22STATE** will provide CLEC a DUF for operator handled calls handled by **AT&T-22STATE**.

ATTACHMENT 12 - COLLOCATION

Table of Contents

1.0 INTRODUCTION 3
2.0 DEFINITIONS 4
3.0 GENERAL 7
4.0 LIMITATION OF LIABILITY 15
5.0 COLLOCATION SPACE 19
6.0 REPORTS 22
7.0 APPLICATION PROCESS 23
8.0 AUGMENT APPLICATION 25
9.0 CANCELLATION PRIOR TO DUE DATE 25
10.0 OCCUPANCY – PHYSICAL COLLOCATION ONLY 25
11.0 EFFICIENTLY USED 27
12.0 RELOCATION 27
13.0 COMPLETE SPACE DISCONTINUANCE 28
14.0 FIBER OPTIC CABLE AND DEMARCATION POINT 30
15.0 ENTRANCE FACILITY CONDUIT TO VAULT, PER CABLE SHEATH 31
16.0 VIRTUAL COLLOCATION – COOPERATIVE RESPONSIBILITIES 31
17.0 INTERCONNECTION TO OTHERS WITHIN THE SAME ELIGIBLE STRUCTURE 32
18.0 EXTRAORDINARY CHARGES, SPECIAL CONSTRUCTION AND CUSTOM WORK / ICB CHARGES: 33
19.0 DC POWER ARRANGEMENT PROVISIONING AND POWER REDUCTION 33
20.0 COLLOCATION IN CEV'S, HUTS AND CABINETS 35

1.0 Introduction

1.1 This Attachment sets forth the terms and conditions pursuant to which the applicable AT&T-owned Incumbent Local Exchange Carrier (ILEC) will provide Physical and Virtual Collocation pursuant to 47 U.S.C. § 251(c)(6). **AT&T-22STATE** will provide Collocation arrangements at the rates, terms and conditions set forth herein. Collocation is available to CLEC for the placement of Telecommunications Equipment as provided for in this Attachment solely for the purposes of (i) transmitting and routing Telephone Exchange Service or Exchange Access pursuant to 47 U.S.C. § 251(c)(2) of the Act and applicable effective FCC regulations and judicial rulings, or (ii) obtaining access to **AT&T-22STATE**'s 251(c)(3) Unbundled Network Elements (UNEs) for the purpose of providing Telecommunications Service pursuant to 47 U.S.C. § 251(c)(3) of the Act and effective FCC rules and associated and effective FCC and judicial orders.

1.2 Unless otherwise specified, the terms and conditions in this Attachment apply to both Virtual and Physical Collocation Arrangements. This Attachment provides for the placing of certain Collocator Telecommunications Equipment and facilities on **AT&T-22STATE** property for the purposes set forth in Section 1.1.

1.3 The terms and conditions expressly set forth in this Attachment shall control in the event of an irreconcilable conflict with any of the following: the Terms and Conditions of the Interconnection Agreement between the Collocator and **AT&T-22STATE** and all appendices and/or other Attachments, the Collocation Services Handbook, **AT&T-22STATE**'s standards and requirements for equipment and facility installations, documentation on the AT&T CLEC Online website as it may change from time to time, or **AT&T-22STATE**'s TP-76300 which can be found on the AT&T CLEC Online website. References to "this Agreement" herein include the General Terms and Conditions and the other Attachments which comprise Collocator's Interconnection Agreement.

1.4 Unless otherwise specified, intervals and processes are described online in the Collocation Services Handbook and/or the appropriate Technical Publication (TP) found on AT&T CLEC Online website.

1.5 The rates, terms and conditions contained within this Attachment shall only apply when Collocator is physically or virtually collocated as a sole occupant or as a Host within an **AT&T-22STATE** Premises pursuant to this Attachment.

1.6 This Attachment is only applicable to **AT&T-22STATE** Premises owned or controlled by **AT&T-22STATE**.

1.7 Scope:

1.7.1 The Parties intend that this Attachment contain the sole and exclusive terms and conditions by which CLEC will obtain Collocation from **AT&T-22STATE** pursuant to 47 U.S.C. § 251(c)(6), except to the extent CLEC may also have a Microwave Entrance Facility Collocation Attachment.

1.7.2 **AT&T-22STATE** will process any order for 251(c)(6) Collocation submitted by Collocator in accordance with this Attachment.

1.7.3 The Collocation terms and conditions within this Attachment are contingent upon Collocator doing its own work through the use of an **AT&T-22STATE** Approved Installation Supplier (AIS).

1.7.4 Physical Collocation provides actual space (hereinafter referred to as Dedicated Space) within **AT&T-22STATE** Eligible Structures as defined in Section 2 below. The Physical Collocator will lease the Dedicated Space from **AT&T-22STATE** and install its own Telecommunications Equipment within the Dedicated Space that is necessary for the purposes set forth in Section 1.1 above.

1.7.5 The Physical Collocator will provision, install and maintain its Collocation arrangement using the applicable **AT&T-22STATE** AIS. When space is Legitimately Exhausted inside an Eligible Structure, **AT&T-22STATE** will permit Collocation in Adjacent On-Site Structures located on **AT&T-22STATE**'s property in accordance with this Attachment.

1.7.6 Virtual Collocation is separate and distinct from Physical Collocation. Virtually collocated Telecommunications Equipment is purchased by the Collocator and is engineered and installed by an **AT&T-22STATE** AIS Tier 1. The Collocator's vendor is paid directly by the Collocator. Virtual Collocated equipment is maintained by **AT&T-22STATE** at the direction of the Collocator.

1.8 Billing Conversions:

1.8.1 Billing Conversions on previously provided Collocation under tariff will apply to all monthly recurring charges (MRCs) contained in the Collocation section of the Pricing Schedule attached. **AT&T-22STATE** will initiate all orders for such Billing Conversion and no non-recurring charges (NRCs) shall apply to CLEC for Billing Conversion orders.

1.8.2 Prospective Effect:

1.8.2.1 Any Billing Conversions made pursuant to this Section shall be effective on a prospective basis only for recurring charges. The rates implemented via this Agreement shall apply to all existing Collocation arrangements that were established under the terms and conditions established pursuant to 47 USC 251(c)(6) without the need for a specific request by the CLEC that such new rates be implemented for each such Collocation arrangement. Adoption of a new rate structure shall not by itself require purchaser to incur any new non-recurring Collocation area modification or application charges. In the event that any order for any 251(c)(6) Collocation submitted by Collocator is pending as of the Effective Date of the Agreement, any NRCs then due and owing or otherwise then contemplated by such pending order shall be assessed in accordance with the rates set forth in the arrangement (e.g., tariff or prior interconnection agreement) under which the order was originally submitted; provided, however, that any MRCs arising out of such order shall be subject to the rates set forth in this Agreement from the Effective Date forward.

2.0 Definitions

2.1 "Adjacent Structure" means when a Physical Collocator provided structure is placed on **AT&T-22STATE** property (Adjacent On-site) adjacent to an Eligible Structure. This arrangement is only permitted when space is legitimately exhausted inside the Eligible Structure and to the extent adjacent space is available and Technically Feasible to use for this purpose.

2.2 "**AT&T-22STATE** Premises" means all buildings falling under the FCC's definition of "premises", including **AT&T-22STATE** ILEC Central Offices (COs) and Remote Terminals.

2.3 "Augment" means a request from a Collocator to add or modify space, equipment, and/or cable to an existing Collocation arrangement.

2.4 "Billing Conversions" means that any 251(c)(6) Collocation previously provided under tariff to CLEC, prior to the Effective Date of this Agreement, will be subject to the pricing contained within this Agreement upon the Effective Date of this Agreement.

2.5 "Cable Records Charges" in **AT&T SOUTHEAST REGION 9-STATE** only: means the applicable charges for work activities required to build or remove existing cable records assigned to Collocators in **AT&T SOUTHEAST REGION 9-STATE**'s database systems. The applicable rates and charges are shown in the Pricing Schedule.

2.6 "Circuit Facility Assignments (CFAs)" means the information provided to show the point of Interconnection between the Collocator and **AT&T-22STATE**.

2.7 "Collocator" is the CLEC who places Telecommunications Equipment on **AT&T-22STATE**'s Premises, within designated Collocation areas, for the sole purpose of Interconnecting with **AT&T-22STATE** and/or accessing **AT&T-22STATE**'s 251(c)(3) UNEs for the purpose described in this Attachment.

2.7.1 A "Physical Collocator" is a CLEC that has a Physical Collocation arrangement on **AT&T-22STATE** Premise.

2.7.2 A "Virtual Collocator" is a CLEC that has a Virtual Collocation arrangement on **AT&T-22STATE** Premise.

2.8 "Collo-to-Collo" (Also known as "Direct Connection" or "Direct Connect"), means the cable connection between a Collocator's collocated equipment in a Physical or Virtual Collocation arrangement and its own or another Collocator's physically or virtually collocated equipment, located within the same Eligible Structure.

2.9 "Cross-Connect" means a service order-generated connection of one or more Collocator's equipment cables using patch cords or jumpers that attach to connecting equipment hardware at the Main Distribution Frame (MDF), Intermediate Distribution Frame (IDF) or Fiber Distribution Frame (FDF).

2.10 "Custom Work Charge" (Also known as special construction), means the charge(s) developed on an ICB basis, solely to meet the construction requirements of the Collocator.

2.11 "Day" means, for purposes of application and/or installation intervals, calendar days unless otherwise specified. However, for any time period equal to or less than five (5) days, day denotes Business Day as defined in the General Terms and Conditions (GT&C) of this Agreement.

2.12 "Delivery Date" (Also known as Space Ready Date) means the date on which **AT&T-22STATE** turns the functional Collocation space over to the requesting Collocator. The space is functional when **AT&T-22STATE** has completed all work, as required by the Collocator's accurate and complete Application, and is not dependent on when or whether the Collocator has completed its work.

2.13 "Dedicated Space" means the space assigned for the Collocator's Physical Collocation arrangement located in **AT&T-22STATE** Eligible Structure.

2.14 "Effective Billing Date" means the date **AT&T-22STATE** completed its work as required by the Collocator's accurate and complete application and made the Collocation space available to the Collocator, regardless of any failure by the Collocator to complete its work.

2.15 "Efficiently Used" means that at least sixty percent (60%) of the Collocator's specific type of CFA (cable pairs, coaxial or fiber facilities) requested is currently being used for the purpose of interconnecting to **AT&T-22STATE**'s network for the transmission and routing of Telephone Exchange Service or Exchange Access and/or means the Collocator is using between sixty (60) and one hundred percent (100%) of the Collocator's existing Collocation space arrangement in a particular Eligible Structure.

2.16 "Eligible Structure" means **AT&T-22STATE**'s Central Office (CO) and Serving Wire Centers, as well as, all buildings or similar structures owned or controlled by **AT&T-22STATE** that house its network facilities, and all structures that house **AT&T-22STATE**'s facilities on public Rights-of-Way (ROW) as ROW is defined in Attachment 03 - Structure Access.

2.17 "Extraordinary Charges" means those costs for requests for construction or maintenance that are beyond what is ordinary, average, usual or normal in degree or measure based upon the terms, conditions, and rates established in this Attachment. Extraordinary costs are one-time expenses **AT&T-22STATE** incurs to meet the specific request of an individual Collocator and will not typically benefit either other CLECs or **AT&T-22STATE**.

2.18 "Guest-Host" (Also known as Sub-leased) means when a Collocator allows other Telecommunications Carriers to share Collocator's caged Collocation arrangement, pursuant to the terms and conditions agreed to by Collocator (Host) and the other Telecommunications Carriers (Guests).

2.19 "Individual Case Basis (ICB)" means the charges based on requests from a Collocator, that are beyond the terms, conditions, and rates established in this Attachment.

2.20 "Infrastructure Systems" means the structural components, such as: floors capable of supporting equipment loads, heating, ventilating and air conditioning (HVAC) systems, electrical systems, power, high efficiency filtration, humidity controls, remote alarms, and smoke purge.

2.21 "**AT&T-22STATE** Approved Installation Supplier (**AT&T-22STATE** AIS)" means the suppliers that are approved to perform CO installation work for **AT&T-22STATE** and for Collocators in **AT&T-22STATE** Eligible Structures.

2.21.1 Approved CO Installation Suppliers Tier 1 (**AT&T-22STATE** AIS Tier 1) - These suppliers are approved by **AT&T-22STATE** to perform CO installation work for **AT&T-22STATE** and for Virtual Collocators in **AT&T-22STATE** CO in all Collocation areas and common areas in the technologies and geographical locations for which they are approved by the **AT&T-22STATE** per the letter codes listed in a table on the Tier 1 list on the AT&T CLEC Online website.

2.21.2 **AT&T-22STATE** Collocation Approved Installation Suppliers Tier 2 (**AT&T-22STATE** AIS Tier 2) - These suppliers have been approved to perform collocation installation work for Physical Collocators in the Caged Collocation area and in the "footprint of the bay" in the cageless (Physical) Collocation area within the CO.

This category of approval does not include access to common areas, installation of cabling outside of the cage or footprint, Virtual Collocation areas, or the Main Distribution Frame (MDF).

2.22 "Interconnector's Collocation Services Handbook for Physical or Virtual Collocation" or like document, is a publication provided to Collocators that provides information on how to order Collocation arrangements and the processes and requirements for Collocation in **AT&T-22STATE**'s CO. This document is located on the AT&T CLEC Online Web-site and is amended from time to time.

2.23 "Legitimately Exhausted" means when all Unused Space (as defined below) in a CO or other Eligible Structure that can be used to locate Telecommunications Equipment via Physical Collocation is completely occupied.

2.24 "Other Collocation Space" means the space within the CO that can be designated for Physical Collocation where infrastructure systems do not currently exist and must be constructed. The designation of Other Collocation Space is applicable to space within the CO only; other Eligible Structures such as CEVs, huts, and vaults are considered "Active" Collocation Space.

2.25 "Physical Collocation" means space that is provided by **AT&T-22STATE** to Collocator for the purpose of interconnecting to **AT&T-22STATE**'s network for the transmission and routing of Telephone Exchange Service or Exchange Access, or both pursuant to 47 U.S.C. §251(c)(2), or for obtaining access to **AT&T-22STATE** UNEs ("UNEs") for provision of a Telecommunications Service pursuant to 47 U.S.C. §251(c)(3) of the Act.

2.26 "Remote Terminals (RT)" means the Controlled Environmental Vaults (CEV's), Huts, Terminals and Cabinets and other **AT&T-22STATE** owned or controlled premises containing **AT&T-22STATE** network facilities where adequate space is available and Collocation is Technically Feasible.

2.27 "Shared Caged Collocation" means when two (2) or more Physical Collocators may initially apply at the same time to share a caged Collocation arrangement. Applicable rates and charges are shown in the Pricing Schedule.

2.28 "Technical Publications (TPs)" means the documents used for installation requirements, which can include network equipment, power, grounding, environmental, and physical design requirements. These documents can be found on AT&T CLEC Online website.

2.29 "Technically Feasible" means that a Collocation arrangement is Technically Feasible if, in accordance with either national standards or industry practice, there is no significant technical impediment to its establishment. Technical impediment shall be determined consistent with the definition of Technically Feasible in 47 CFR Section 51.5 to the extent that definition may be effective at the time of such determination. A rebuttable presumption that a Collocation arrangement is Technically Feasible shall arise if the arrangement has been deployed by any ILEC in the country.

2.30 "Telecommunications Infrastructure Space" means the square footage or linear footage of space, including common areas, used to house Telecommunications infrastructure equipment necessary to support Collocation space used for Interconnection under section 251(c)(2) with **AT&T-22STATE**'s network or access to 251(c)(3) UNEs of **AT&T-22STATE**'s network.

2.31 "Unused Space" means any space (i) existing in **AT&T-22STATE**'s Eligible Structures at the time of a Collocation request, (ii) that is not subject to a valid space reservation by **AT&T-22STATE** or any Third Party, (iii) that is not occupied by **AT&T-22STATE**'s, its Affiliates', or Third Party's equipment, and is not needed for access to, or egress from, work areas (iv) that is not being used by **AT&T-22STATE**'s or its Affiliates for administrative or other functions and (v) on or in which the placement of any equipment or network facilities (**AT&T-22STATE**'s or Requesting Collocator's) would not violate any local or state law, rule or ordinance (e.g., fire, OSHA, or zoning) or technical standards (performance or safety) or would void **AT&T-22STATE**'s warranty on proximate.

2.32 "Virtual Collocation" is provided for the purpose of interconnecting to **AT&T-22STATE** for the transmission and routing of Telephone Exchange Service or Exchange Access, or both, pursuant to 47 U.S.C. §251(c)(2), or for obtaining access to **AT&T-22STATE**'s 251(c)(3) UNEs for the provision of a Telecommunications Service, pursuant to 47 U.S.C. §251(c)(3) of the Act when the virtually collocated Telecommunications Equipment is provided by the Collocator. Virtual Collocation is separate and distinct from Physical Collocation. Virtually collocated Telecommunications Equipment is purchased by the Collocator and is engineered and installed by an

AT&T-22STATE AIS Tier 1. The Collocator's vendor is paid directly by the Collocator. Virtual Collocated equipment is maintained by **AT&T-22STATE** at the direction of the Collocator.

3.0 GENERAL

3.1 Certification:

3.1.1 The Collocator requesting Collocation is responsible for obtaining any necessary certifications or approvals from the Commission prior to provisioning of Telecommunications Service by using the Collocation space. **AT&T-22STATE** shall not refuse to process an Application for Collocation space and shall not refuse to provision the Collocation space submitted by a Telecommunications Carrier while that Telecommunications Carrier's state certification is pending or prior to a final approved Interconnection Agreement.

3.2 The rates and charges in this Attachment are applicable only for Collocation arrangements in Eligible Structures as defined in Section 2 of this Attachment. **AT&T-22STATE** allocates the charges for space preparation and security charges on a prorated basis so the first Collocator will not be responsible for the entire cost of site preparation. However, ancillary charges for unique Collocator requests for Collocation options directly attributable to the requesting Collocator will not be prorated. Examples include power arrangements and POT bay-related options. Rates and charges can be found in the Pricing Schedule.

3.3 Any business telephone services ordered by the Physical Collocator for its administrative use within its Dedicated Space will be provided in accordance with applicable **AT&T-22STATE** retail services.

3.4 Hazardous Waste and Materials:

3.4.1 The Collocator and its **AT&T-22STATE** AIS and/or vendors, shall adhere to all federal, state and local regulations regarding hazardous material/waste. In addition, the **AT&T-22STATE** AIS shall adhere to all **AT&T-22STATE** requirements and shall coordinate with the **AT&T-22STATE** representative before any activity relating to hazardous material/waste is started. Refer to the Interconnector's Collocation Services Handbook for Physical and Virtual Collocation, which may be accessed on the AT&T CLEC Online website.

3.5 Safety:

3.5.1 The Collocator shall be entirely responsible for the safety and instruction of its employees or representatives. The Collocator shall take precautions to avoid harm to personnel, equipment, and building (e.g., cutting installed threaded rod) of **AT&T-22STATE** or other Telecommunications Carriers. The Collocator shall immediately report to the **AT&T-22STATE** CO representative any accident, outside agency inspection or hazardous condition, such as any accident or injury that occurs to employees or subcontractors of the Collocator while on **AT&T-22STATE** premises or any OSHA inspection or citations issued to the Collocator while on **AT&T-22STATE** premises. Refer to Interconnector's Guide(s) for Physical Collocation for further details.

3.6 Americans with Disability Act (ADA):

3.6.1 The rates and charges in this Attachment do not include costs for any ADA construction generated or caused by the Collocation space request. If required, ADA construction will be provided on an ICB.

3.6.2 If **AT&T-22STATE** is required to upgrade an Eligible Structure, or portion of the structure to comply with the ADA which arises as a direct result of Collocator's Collocation arrangement, **AT&T-22STATE** will prorate the total forward-looking economic cost of the upgrade, and allocate the charge to each Collocator located within the Eligible Structure, based on the total space utilized by each Collocator.

3.7 Dispute Resolution – Except as otherwise provided herein, all Dispute Resolutions will be governed by the GT&C's of this Agreement.

3.8 Billing – Except as otherwise provided herein, Billing will be governed by the GT&C's of this Agreement.

3.9 **AT&T-22STATE** will provide a Telephone Inventory Record Keeping System (TIRKS) and/or SWITCH print-out of Circuit Facilities Assignment (CFA) to the CLEC at Collocation space turnover. The CLEC is responsible for payment of all non-recurring charges, where applicable, prior to receiving CFA information.

3.10 Parking at Eligible Structures will be provided on a first-come, first-served basis. Collocator may not park in spaces that are reserved for **AT&T-22STATE** vehicles and which are designated as reserved.

3.11 Collocator shall be allowed to have reasonable use of and access to loading docks.

3.12 Contact Numbers:

3.12.1 **AT&T-22STATE** is responsible for providing the Collocator personnel a contact number for **AT&T-22STATE** personnel who are readily accessible twenty-four (24) hours a day, seven (7) days a week as defined in **AT&T-22STATE**'s Interconnector's Collocation Services Handbook.

3.12.2 The Collocator is responsible for providing to **AT&T-22STATE** personnel a contact number for Collocator personnel who are readily accessible twenty-four (24) hours a day, seven (7) days a week to **AT&T-22STATE**. In addition, for all activities requiring verbal and written notification per this Attachment, the Parties will provide the contact numbers included in the application process.

3.12.3 The Physical Collocator is responsible for the posting and/or updating signage on the inside of its Dedicated Space that contains their emergency contact information.

3.13 Right-to-Use; Multiple Dedicated Spaces:

3.13.1 In accordance with this Attachment, **AT&T-22STATE** grants to the Collocator the right to use a Dedicated Space. Each Dedicated Space within an Eligible Structure will be considered a single Dedicated Space for the application of rates according to this Attachment.

3.14 Trouble Status Reports:

3.14.1 **AT&T-22STATE** and the Collocator are responsible for making best efforts to provide prompt notification to each other of significant outages or operations problems which could impact or degrade **AT&T-22STATE** or the Collocator's network, switches or services, with an estimated clearing time to restore service. When trouble has been identified within the Collocator's network, the Collocator is responsible for providing trouble status reports when requested by **AT&T-22STATE**.

3.15 Service Coordination:

3.15.1 Collocator is responsible for coordinating with its **AT&T-22STATE** AIS to ensure that the Collocator's approved requests are installed in accordance with their Collocation Applications.

3.16 Access to the MDF:

3.16.1 **AT&T-22STATE** will not provide Collocator's personnel with direct access to **AT&T-22STATE**'s MDF, with the exception of the Collocator's hired **AT&T-22STATE**'s AIS Tier 1.

3.17 Equipment List:

3.17.1 A list of all the equipment and facilities, including the associated power requirements, floor loading, and heat release of each piece of equipment ("Equipment List"), that the Collocator will place within its Dedicated Space, or request to be placed in Virtual Collocation Space, must be included on the application for which the Dedicated Space or Virtual Collocation is prepared. The Collocator's equipment and facilities shall be compliant with the standards set out in Section 3.18.1, Minimum Standards, following and meet the requirements for "necessary equipment." The Collocator warrants and represents that the Equipment List is complete and accurate, and acknowledges that any incompleteness or inaccuracy would be a violation of the rules and regulations governing this Attachment. The Collocator shall not place or leave any equipment or facilities within the Dedicated Space not included on the Equipment List without the express written consent of **AT&T-22STATE**, which consent shall not be unreasonably withheld.

3.17.2 **AT&T-22STATE** posts the list of Safety compliant equipment on the "All Equipment List (AEL)" for the Collocator's reference on AT&T CLEC Online website. When the Collocator's equipment is not listed on the approved AEL the equipment will be reviewed for safety by **AT&T-22STATE** and written approval or denial of the equipment will be forwarded to the Collocator. The AEL list is available to Collocators via the AT&T CLEC Online website. Inclusion of the equipment on the AEL does not mean that it meets the requirements of "necessary equipment," and thus does not mean that the equipment may be collocated.

3.17.3 Subsequent Requests to Place Equipment:

3.17.3.1 The Collocator shall furnish to **AT&T-22STATE** a written list in the form of an attachment to the original Equipment List for the subsequent placement of equipment in its Dedicated or Virtual Collocation Space. When the Collocator's equipment is not listed in the approved All Equipment List (AEL) the equipment will be reviewed by **AT&T-22STATE** and written approval or denial of the equipment will be forwarded to the Collocator. The additional equipment will also be reviewed as to whether it is "necessary equipment." Only if the equipment passes both reviews may it be collocated.

3.18 Minimum Standards:

3.18.1 Any network equipment placed in **AT&T-22STATE** network equipment areas of Eligible Structures by **AT&T-22STATE** or Collocator must meet **AT&T-22STATE** minimum safety standards. The minimum safety standards are as follows: (1) Collocator's equipment must meet Telcordia Level 1 safety requirements as set forth in TP- 76200, Network Equipment Building Systems (NEBS); or, (2) Collocator must demonstrate that its equipment has a history of safe operation. Safe operation is demonstrated by the equipment having been installed in any ILEC Eligible Structure (including **AT&T-22STATE**) prior to January 1, 1998 with no known history of safety problems. When engineering and installing equipment, the Collocator will be expected to conform to the same accepted procedures and standards utilized by **AT&T-22STATE** and its contractors.

3.18.2 At an RT all Collocator equipment installation shall comply with **AT&T-22STATE** TP-76416, "Grounding and Bonding Requirements for Network Facilities" as found on AT&T CLEC Online Website. Metallic cable sheaths and metallic strength members of optical fiber cables, as well as, the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.

3.18.3 In the event that **AT&T-22STATE** denied Collocation of Collocator's equipment citing safety standards, **AT&T-22STATE** will provide a list of **AT&T-22STATE** telecommunications equipment which **AT&T-22STATE** locates within the Eligible Structure for which Collocation was denied together with an affidavit attesting that all of such **AT&T-22STATE** equipment met or exceeded the same safety standards for which Collocator's equipment was denied for not meeting that standard. This aforementioned list will be provided within (5) Business Days of Collocator's written request.

3.18.4 In the event **AT&T-22STATE** believes that collocated equipment is not necessary for interconnection or access to 251(c)(3) UNEs or determines that the Collocator's equipment does not meet the minimum safety standards, the Collocator must not collocate the equipment until the dispute is resolved in the Collocator's favor. The Collocator will be given ten (10) Business Days to comply with the requirements and/or remove the equipment from the collocation space if the equipment was already improperly collocated. If it is determined that the Collocator's equipment does not meet the minimum safety standards above, the Collocator must not collocate the equipment and will be responsible for removal of the equipment and all resulting damages if the equipment already was collocated improperly.

3.18.5 Collocation equipment or operating practices representing a significant demonstrable technical or physical threat to **AT&T-22STATE** personnel, network or facilities, including the Eligible Structure or those of others is strictly prohibited. Notwithstanding any other provision herein, the characteristics and methods of operation of any equipment or facilities placed in the Collocation space shall not create hazards for or cause damage to those facilities, the Collocation space, or the Eligible Structure in which the Collocation space is located; impair the privacy of any communications carried in, from, or through the Eligible Structure in which the Collocation space is located; or create hazards or cause physical harm to any individual or the public. Any of the foregoing would be in violation of this Attachment. Any and all disputes shall be governed by the GT&Cs of this Agreement.

3.19 Compliance Certification:

3.19.1 Subject to Section 27 of the GT&Cs of this Agreement, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

3.20 Re-Entry:

3.20.1 If the Collocator shall default in performance of any provision herein, and the default shall continue for sixty (60) calendar days after receipt of **AT&T-22STATE**'s written Notice, or if the Collocator is declared bankrupt or insolvent or makes an assignment for the benefit of creditors, **AT&T-22STATE** may, immediately or at any time thereafter, without notice or demand, enter and repossess the Dedicated Space, expel the Collocator and any claiming under the Collocator, remove the Collocator's property and dispose of such abandoned equipment. Also, services provided pursuant to this Attachment will be terminated without prejudice to any other remedies.

3.20.2 **AT&T-22STATE** may also refuse additional applications for service and/or refuse to complete any pending orders for additional space or service for the Collocator at any time after sending the Notice required by the preceding Section.

3.20.3 Limitations:

3.20.3.1 **AT&T-22STATE** is not obligated to purchase additional plant or equipment, relinquish occupied space or facilities (unless there is obsolete equipment and Collocator requests it be removed or its removal is ordered by the Commission), to undertake the construction of new building quarters or to construct building additions or substantial improvements to the CO infrastructure of existing quarters in order to satisfy a request for space or the placement of additional equipment or facilities by a Collocator. However, when planning renovations of existing facilities or constructing or leasing new facilities, **AT&T-22STATE** would take into account projected demand for Collocation of equipment. Subject to space availability and technical feasibility, **AT&T-22STATE** will ensure that the Collocator is provided Collocation space at least equal in quality to that provided to **AT&T-22STATE**, its Affiliates or other Parties to which it provides interconnection.

3.21 Dedicated Space Use and Access:

3.21.1 **AT&T-22STATE** voluntarily allows Collocator via the **AT&T-22STATE** AIS to place ancillary equipment and facilities, including cross-connect and other simple frames, routers, portable test equipment, equipment racks and bays, and other ancillary equipment and facilities on a non-discriminatory basis, only if **AT&T-22STATE** and Collocator mutually agree to such placement, in **AT&T-22STATE**'s Premises solely to support and be used with equipment that the Collocator has legitimately collocated in the same premises.

3.21.2 **AT&T-22STATE** does not assume any responsibility for the installation, furnishing, designing, engineering, or performance of the Collocator's equipment and facilities.

3.21.3 When the Collocator's Collocation arrangement is within the Eligible Structure, the Collocator may not provide its own DC power plant equipment (with rectifiers or chargers and batteries) or AC power backup equipment (e.g., Uninterruptible Power System with batteries, or standby engine). **AT&T-22STATE** will provide the necessary backup power to help protect against power outages.

3.21.4 Consistent with the environment and purpose of the Dedicated Space, the Collocator shall not use the Dedicated Space for office, retail, marketing, or sales purposes. No signage or marking of any kind by the Collocator shall be permitted on the Eligible Structure or on **AT&T-22STATE** grounds surrounding the Eligible Structure in which the Dedicated Space is located excluding the Emergency contact information that the Collocator is required to place on the inside of its Dedicated Space. Unauthorized use of equipment, supplies or other property by Collocator, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the Collocator, as may be all associated investigative costs.

3.21.5 Physical Collocation: **AT&T-22STATE** will not delay a Physical Collocator employee's entry into an Eligible Structure containing its collocated equipment or its access to its collocated equipment. **AT&T-22STATE** will provide the Physical Collocator with reasonable access to restroom facilities and parking. All access is provided subject to compliance by the Collocator's employees and **AT&T-22STATE** AISs with **AT&T-22STATE**'s policies and practices pertaining to fire, safety and security (e.g. the Collocator must comply with 4.10 below of this Attachment).

3.22 Pre-visits for Physical Collocation Only:

3.22.1 In order to permit reasonable access during construction of the Physical Collocation space, the Physical Collocator may submit a request for its one (1) free accompanied site visit to its designated Physical Collocation space at any time subsequent to **AT&T-22STATE**'s receipt of the BFFO. In the event the Physical Collocator desires access to its designated Physical Collocation Space after the first accompanied free visit and the Physical Collocator's access request form(s) has not been approved by **AT&T-22STATE** or the Physical Collocator has not yet submitted an access request form to **AT&T-22STATE**, the Physical Collocator shall be permitted to access the Physical Collocation space accompanied by a **AT&T-22STATE** security escort, at the Physical Collocator's expense, which will be assessed pursuant to the Security Escort fees contained in the Pricing Schedule. If any travel expenses are incurred, the Physical Collocator will be charged for the time **AT&T-22STATE** employees spend traveling per the rates listed in the Pricing Schedule. The Physical Collocator must request that escorted access be provided by **AT&T-22STATE** to the Physical Collocator's designated Collocation space at a mutually agreed to time. An **AT&T-22STATE** security escort will be required whenever the Physical Collocator or its approved agent or **AT&T-22STATE** AIS requires access to the entrance manhole. **AT&T-22STATE** will wait for one-half (1/2) hour after the scheduled escort time to provide such requested escort service and the Physical Collocator shall pay for such half-hour charges in the event Collocator's employees, approved agent, **AT&T-22STATE** AIS or Guest(s) fails to show up for the scheduled escort appointment.. Prospective Collocator will not be allowed to take photographs, make copies of **AT&T-22STATE** site-specific drawings or make any notations.

3.22.2 The Physical Collocator agrees to comply promptly with all laws, ordinances and regulations affecting the use of the Dedicated Space. Upon the discontinuance of service, the Physical Collocator shall surrender the Dedicated Space or land for an adjacent structure to **AT&T-22STATE**, in the same condition as when first occupied by the Physical Collocator, except for ordinary wear and tear.

3.22.3 **AT&T-22STATE** will not accept delivery of nor responsibility for any correspondence and/or equipment delivered to the Physical Collocator at the Eligible Structure. However, through agreement between **AT&T-22STATE** and the Physical Collocator, a Physical Collocator may make arrangements for receipt and/or securing of its equipment at the Eligible Structure by Physical Collocator's personnel and/or **AT&T-22STATE** AIS.

3.22.4 Upkeep of Physical Collocation Arrangement:

3.22.4.1 The Physical Collocator shall be responsible for the general upkeep and cleaning of the Physical Collocation Arrangement. The Physical Collocator shall be responsible for removing any of Physical Collocator's debris from the Physical Collocation Arrangement and the surrounding area on each visit.

3.23 Security Cards for Physical Collocation:

3.23.1 The Physical Collocator's employees and **AT&T-22STATE** AIS shall be permitted access to its collocated equipment seven (7) days a week, twenty-four (24) hours a day without a security escort. The Physical Collocator shall provide **AT&T-22STATE** with notice at the time of dispatch of its own employee or **AT&T-22STATE** AIS to an Eligible Structure in accordance with applicable AT&T CLEC Online Handbook requirements.

3.23.2 The Physical Collocator will be required to submit a complete and accurate request form for Security Cards, access, keys and/or ID cards (also known as "Access Devices"), for the Physical Collocator's employee and **AT&T-22STATE** AIS utilizing the appropriate request forms located on AT&T's CLEC Online website. The

Physical Collocator must submit to **AT&T-22STATE** the completed form for all employees and AIS requiring access to **AT&T-22STATE**'s Premises at least thirty (30) calendar days prior to the date the Physical Collocator desires to gain access to the Collocation space.

3.23.2.1 In an emergency or other extenuating circumstances (but not in the normal course of business), the Physical Collocator may request that **AT&T-22STATE** expedite the issuance of the access keys/cards and/or ID cards, and **AT&T-22STATE** will issue them as soon as reasonably practical. There may be an additional charge for such expedited requests as reflected in the Pricing Schedule.

3.23.3 Any access key/cards and/or ID cards provided by **AT&T-22STATE** to the Physical Collocator for its employees and **AT&T-22STATE** AIS may not be duplicated under any circumstances.

3.23.4 The Physical Collocator agrees to be responsible for all Access Devices issued to the Physical Collocator for its employees and **AT&T-22STATE** AIS contracted by the Collocator to perform work on the Collocator's behalf. The Physical Collocator is responsible for the return of all Access Devices in the possession of the Physical Collocator's employees and **AT&T-22STATE** AIS after termination of the employment relationship. The contractual obligation with the Physical Collocator ends, upon the termination of this Agreement, or upon the termination of occupancy of Collocation space in a specific **AT&T-22STATE** Premises.

3.23.5 Lost or Stolen Access Devices:

3.23.5.1 The Physical Collocator shall immediately notify **AT&T-22STATE** in writing when any of its Access Devices have been lost or stolen. If it becomes necessary for **AT&T-22STATE** to re-key buildings or deactivate an Access Device as a result of a lost or stolen Access Device(s) or for failure of the Physical Collocator's employees, and **AT&T-22STATE** AIS to return an Access Device(s), the Physical Collocator shall pay for the costs of re-keying the building or deactivating the Access Device(s).

3.23.6 Rates and charges for access keys/cards are found in the Pricing Schedule.

3.23.7 Threat to Personnel, Network or Facilities:

3.23.8 Regarding safety, Collocator's equipment or operating practices representing a significant demonstrable technical or physical threat to **AT&T-22STATE**'s personnel, network or facilities, including the Eligible Structure, or those of others are strictly prohibited.

3.24 Interference or Impairment:

3.24.1 Regarding safety and notwithstanding any other provision hereof, the characteristics and methods of operation of any equipment or facilities placed in the Dedicated Space shall not create hazards for or cause damage to those facilities, the Dedicated Space, or the Eligible Structure in which the Dedicated Space is located; impair the privacy of any communications carried in, from, or through the Eligible Structure in which the Dedicated Space is located; or create hazards or cause physical harm to any individual or the public. Any of the foregoing would be in violation of this Attachment.

3.25 Personal Property and Its Removal:

3.25.1 In accordance with and subject to the conditions of this Attachment, the Physical Collocator may place or install in or on the Dedicated Space such personal property or fixtures ("Property") as are needed for the purpose of Physical Collocation. Property placed by the Physical Collocator in the Dedicated Space shall not become a part of the Dedicated Space even if nailed, screwed or otherwise fastened to the Dedicated Space. Such Property must meet **AT&T-22STATE** standards for flame and smoke ratings, e.g., no combustibles. Such Property shall retain its status as personal and may be removed by the Physical Collocator at any time. Any damage caused to the Collocation Arrangement by the Physical Collocator's employees, **AT&T-22STATE** AIS, agents or Guests during the installation or removal of such property shall be promptly repaired by the Physical Collocator at its sole expense.

3.26 Alterations:

3.26.1 Under no condition shall the Physical Collocator or any person acting on behalf of the Physical Collocator make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the **AT&T-22STATE** Premises, hereinafter referred to individually or collectively as "Alterations", without the expressed written consent of **AT&T-22STATE**, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by Collocator. An Alteration shall require the submission of the appropriate Subsequent Application and/or Augment and will result in the assessment of the applicable application fee associated with the type of alteration requested.

3.27 Maintenance:

3.27.1 **AT&T-22STATE** shall maintain the exterior of the Eligible Structure and grounds, and all entrances, stairways, passageways, and exits used by the Physical Collocator to access the Dedicated Space.

3.27.2 **AT&T-22STATE** shall maintain the Eligible Structure for customary building services, utilities (excluding telephone facilities), including janitorial and elevator services in the common areas.

3.27.3 In Controlled Environmental Vault (CEV), huts and cabinets where Physical Collocation space is not available, a Collocator may opt for Virtual Collocation wherein **AT&T-22STATE** maintains and repairs the virtually collocated equipment as described in 16.0 below following and consistent with the rates, terms and conditions as provided for throughout this entire Attachment. **AT&T-22STATE** may at its option, elect to offer this maintenance alternative in one or more of its COs, and in one or more of its CEVs, huts and cabinets where Physical Collocation space is available.

3.28 Equipment Staging and Storage:

3.28.1 No storage or staging area will be provided outside of the licensed space. Collocation areas may not be used for office administrative space (e.g., filing cabinet, desk, etc.). Fire standards and regulations prohibit the storage of flammable material, e.g., cardboard boxes, paper, packing material, etc. Safety standards prohibit the storage of chemicals of any kind (Refer to Interconnector's Guide for Physical Collocation via the AT&T CLEC Online website).

3.29 **AT&T-22STATE** AIS Requirements:

3.29.1 Collocator shall select a supplier which has been approved as an **AT&T-22STATE** AIS to perform all engineering and installation work. The Collocator's **AT&T-22STATE** AIS must follow and comply with all of **AT&T-22STATE**'s specifications and the following **AT&T-22STATE** Technical Requirements and/or publications, as appropriate: TP-76300, TP-76900, TP-76200, and TP-76400. Unless the **AT&T-22STATE** AIS has met the requirements for all of the required work activities, Collocator must use the applicable **AT&T-22STATE** AIS for the work activities associated with transmission equipment, switching equipment and power equipment. The list of **AT&T-22STATE** AIS is available on AT&T CLEC Online website. The Collocator's **AT&T-22STATE** AIS shall be responsible for installing Collocator's equipment and associated components, performing operational tests after installation is complete and notifying **AT&T-22STATE**'s equipment engineers and Collocator upon successful completion of the installation and any associated work. When an **AT&T-22STATE** AIS is used by Collocator, the **AT&T-22STATE** AIS shall bill Collocator directly for all work performed for Collocator. **AT&T-22STATE** shall have no liability for or responsibility to pay, such charges imposed by Collocator's **AT&T-22STATE** AIS. **AT&T-22STATE** shall make available its supplier approval program to Collocator or any supplier proposed by Collocator and will not unreasonably withhold approval. All work performed by or for Collocator shall conform to generally accepted industry standards.

3.30 Construction Notification:

3.30.1 **AT&T-22STATE** will notify the Physical Collocator prior to the scheduled start dates of all major construction activities (including power additions or modifications) in the general area of the Collocator's Dedicated Space with potential to disrupt the Collocator's services. **AT&T-22STATE** will provide such notification to the Collocator at least twenty (20) Business Days before the scheduled start date of such major construction

activity. **AT&T-22STATE** will inform the Collocator as soon as practicable by telephone of all emergency-related activities that **AT&T-22STATE** or its subcontractors are performing in the general area of the Collocator's Dedicated Space, or in the general area of the AC and DC power plants which support the Collocator's equipment. If possible, notification of any emergency-related activity will be made immediately prior to the start of the activity so that the Collocator may take reasonable actions necessary to protect the Collocator's Dedicated Space.

3.31 Eligible Structure List:

3.31.1 **AT&T-22STATE** shall maintain publicly available documents on AT&T CLEC Online website, indicating its Eligible Structures, if any, that have no space available for Physical Collocation. **AT&T-22STATE** will update this document within ten (10) calendar days of the date at which an Eligible Structure runs out of such Collocation space.

3.31.2 **AT&T-22STATE** will remove obsolete unused equipment from its Eligible Structures that have no space available for Collocation upon reasonable request by a Collocator or upon order of the Commission. **AT&T-22STATE** shall reserve space for switching, MDF and Digital Cross Connect System (DCS) to accommodate access line growth.

3.32 Legitimately Exhausted:

3.32.1 Before **AT&T-22STATE** may make a determination that space in an Eligible Structure is Legitimately Exhausted, **AT&T-22STATE** must have removed all unused obsolete equipment from the Eligible Structure, if requested by CLEC or required by the Commission, and made such space available for Collocation. Removal of unused obsolete equipment shall not cause a delay in **AT&T-22STATE**'s response to a Collocator's application or in provisioning Collocation arrangements. **AT&T-22STATE** may reserve space for transport equipment for the current year plus two (2) years. Additionally, **AT&T-22STATE** may not reserve space for equipment for itself, or advanced or interLATA services Affiliates or other Affiliates of **AT&T-22STATE** or for future use by **AT&T-22STATE** or its Affiliates under conditions that are more favorable than those that apply to other Telecommunications Carriers seeking to reserve Collocation space for their own use. **AT&T-22STATE** may reserve space for switching, power, MDF, and DCS up to anticipated customer growth except as may be restricted in the AT&T CLEC Online Handbook. Additional information is available in the AT&T CLEC Online Handbook.

3.33 **AT&T-22STATE**'s Right of Access:

3.33.1 **AT&T-22STATE**, its employees, and other **AT&T-22STATE** authorized persons shall have the right to enter Dedicated Space at any reasonable time on three (3) calendar days advance notice (unless otherwise negotiated by the Parties) of the time and purpose of the entry to examine its condition, make repairs required to be made by **AT&T-22STATE** hereunder, and for any other purpose deemed reasonable by **AT&T-22STATE**.

3.33.2 **AT&T-22STATE** may access the Dedicated Space for purpose of averting any threat of harm imposed by the Physical Collocator or its equipment or facilities upon the operation of **AT&T-22STATE** equipment, facilities and/or personnel located outside of the Dedicated Space without such advance notice; in such case, **AT&T-22STATE** will notify the Collocator by telephone of that entry and will leave written notice of entry in the Dedicated Space. If routine inspections are required, they shall be conducted at a mutually agreeable time.

3.34 Physical Collocator's Equipment, Facilities & Responsibilities:

3.34.1 In their Physical Collocation arrangement, the Physical Collocator is solely responsible for the design, engineering, testing, performance and maintenance of the Telecommunications Equipment and facilities used in the Dedicated Space. The Physical Collocator will be responsible for servicing, supplying, repairing, installing and maintaining the following within the Dedicated Space:

3.34.1.1 Its fiber optic cable(s) or other permitted transmission media as specified in Section 16.0;

3.34.1.2 Its equipment;

3.34.1.3 Interconnection facilities between the Physical Collocator's equipment area and **AT&T-22STATE**'s designated demarcation;

3.34.1.4 DC power delivery cabling between the Physical Collocator's equipment area and **AT&T-22STATE**'s designated power source;

3.34.1.5 Required point of termination cross connects in the Dedicated Space;

3.34.1.6 If CLEC chooses to use a POT frame, POT frame maintenance, including replacement power fuses and circuit breaker restoration, to the extent that such fuses and circuit breakers are within the Dedicated Space;

3.34.1.7 The connection cable and associated equipment which may be required within the Dedicated Space(s).

3.34.2 **AT&T-22STATE** neither accepts nor assumes any responsibility whatsoever in any of the areas in this Section 3.35 headed Physical Collocator's Equipment, Facilities & Responsibilities.

3.35 Virtual Collocator Equipment, Facilities & Responsibilities:

3.35.1 The Virtual Collocator's **AT&T-22STATE** AIS will install no later than two (2) Business Days prior to the scheduled turn-up of the Virtual Collocator's equipment, at its expense, all facilities and equipment required to facilitate Interconnection under section 251(c)(2) or access to **AT&T-22STATE**'s 251(c)(3) UNEs. The Virtual Collocator's virtually collocated equipment will be maintained by **AT&T-22STATE**. The Collocator will, at its expense, provide the following:

3.35.1.1 Its fiber optic cable(s) or other permitted transmission media as specified in Section 16.0;

3.35.1.2 Its equipment;

3.35.1.3 Interconnection facilities between the Collocator's equipment area and **AT&T-22STATE**'s designated demarcation;

3.35.1.4 DC power delivery cabling between the Collocator's equipment and **AT&T-22STATE**'s designated power source;

3.35.1.5 All plug-ins and/or circuit packs (working, spare, and replacements);

3.35.1.6 All unique tools and test equipment;

3.35.1.7 Any ancillary equipment and cabling used for remote monitoring and control;

3.35.1.8 Any technical publications and updates associated with all Collocator-owned and provided equipment;

3.35.1.9 All training as described in Section 4.11.3 below.

3.35.1.10 The Virtual Collocator will provide, at its expense, replacements for any recalled, obsolete, defective or damaged facilities, equipment, plug-ins, circuit packs, unique tools, test equipment, or any other item or material provided by the Virtual Collocator for placement in/on **AT&T-22STATE** property. Suitable replacements are to be immediately provided to **AT&T-22STATE** to restore equipment.

3.35.1.11 The Virtual Collocator will provide at least the minimum number of usable equipment spares specified by the manufacturer. Replacements must be delivered to **AT&T-22STATE** CO using the equipment spare within five (5) calendar days of notification that a spare was used or tested defective.

3.35.1.12 For the disconnection of circuits, the Virtual Collocator will provide all circuit information no later than two (2) Business Days prior to the scheduled disconnection of the Virtual Collocator's circuit.

4.0 Limitation of Liability

4.1 Except as otherwise provided herein, Limitation of Liability will be governed by the GT&Cs of this Agreement.

4.1.1 Both **AT&T-22STATE** and the Collocator shall be indemnified and held harmless by the other against claims and damages by any Third Party arising from provision of the other ones' services or equipment, except those claims and damages directly associated with the provision of services to each other which are governed by the provisioning Party's applicable agreements.

4.2 Third Parties: The Parties acknowledge the following: that **AT&T-22STATE** is required by law to provide space in and access to its Eligible Structures to certain other persons or entities ("Others"), which may include competitors of the Collocator; that such space may be close to the Collocation Space, possibly including space adjacent to the Collocated Space and with access to the outside of the Collocated Space within the Collocation area; and that if caged, the cage around the Dedicated Space is a permeable boundary that will not prevent the Others from observing or even damaging the Collocator's equipment and facilities.

4.3 In addition to any other applicable limitation, neither **AT&T-22STATE** nor the Collocator shall have any liability with respect to any act or omission by any other, regardless of the degree of culpability of any other, except in instances involving gross negligence or willful actions by either **AT&T-22STATE** or the Collocator or its agents or employees.

4.4 The CLEC will be responsible for any and all damages resulting from any harm to **AT&T-22STATE**'s or other CLEC's premises, or any outage in **AT&T-22STATE**'s or other CLEC's network, which is a result of the installation, operation, or maintenance of the CLEC's equipment, including but not limited to from any defect in CLEC's equipment or its installation, operation, or maintenance , or resulting from the actions or inaction, willful, or negligent, of the CLEC's employees, suppliers, or contractors.

4.5 Force Majeure Events shall be governed by the GT&Cs of this Agreement.

4.6 Insurance:

4.6.1 Except as otherwise provided herein, Insurance will be governed by the GT&Cs of this Agreement with the liability limits therein specific to Collocation.

4.6.2 A certificate of insurance stating the types of insurance and policy limits provided the Collocator must be received prior to commencement of any work. If a certificate is not received, **AT&T-22STATE** will notify the Collocator, and the Collocator will have five (5) Business Days to cure the deficiency. If the Collocator does not cure the deficiency within five (5) Business Days, Collocator hereby authorizes **AT&T-22STATE**, and **AT&T-22STATE** may, but is not required to, obtain insurance on behalf of the Collocator as specified herein. **AT&T-22STATE** will invoice Collocator for the costs incurred to so acquire insurance.

4.6.3 The Collocator shall also require all **AT&T-22STATE** AIS who may enter the Eligible Structure for the performance of work on their behalf to maintain the same insurance requirements.

4.7 Self-Insured:

4.7.1 Self-insurance in lieu of the insurance requirements listed preceding Section 4.6 above shall be permitted if the Collocator 1) has a tangible net worth of fifty (50) million dollars or greater, and 2) files a financial statement annually with the Securities and Exchange Commission and/or having a financial strength rating of 4A or 5A assigned by Dun & Bradstreet. The ability to self-insure shall continue so long as the Collocator meets all of the requirements of this Section. If the Collocator subsequently no longer satisfies this Section, the coverage requirements in the GT&Cs Insurance Section will immediately apply.

4.8 Indemnification of **AT&T-22STATE**:

4.8.1 Except as otherwise provided herein, Indemnification is governed by the GT&Cs of this Agreement.

4.9 Casualty Loss:

4.9.1 Damage to Collocation Space:

4.9.1.1 If the Collocation Space is damaged by fire or other casualty that is not the result of the Collocator's or Collocator's **AT&T-22STATE** AIS actions or those of a Third Party as hereinafter described, and (1) the Collocation Space is not rendered untenantable in whole or in part, **AT&T-22STATE** shall repair the same at its expense and the monthly charge shall not be abated, or (2) the Collocation Space is rendered untenable in whole or in part and such damage

or destruction can be repaired within ninety (90) Business Days, **AT&T-22STATE** has the option to repair the Collocation Space at its expense and the monthly charges shall be proportionately abated while the Collocator was deprived of the use. If the Collocation Space cannot be repaired within ninety (90) Business Days, or **AT&T-22STATE** opts not to rebuild, then **AT&T-22STATE** shall notify the Collocator within thirty (30) Business Days following such occurrence that the Collocator's use of the Collocation Space will terminate as of the date of such damage. Upon the Collocator's election, subject to space availability and technical feasibility, **AT&T-22STATE** must provide to the Collocator, a comparable substitute Collocation arrangement at another mutually agreeable location at the applicable non-recurring charges for that arrangement and location.

4.9.1.2 Any obligation on the part of **AT&T-22STATE** to repair the Dedicated Space shall be limited to repairing, restoring and rebuilding the Dedicated Space as prepared for the Collocator by **AT&T-22STATE**.

4.10 Damage to Eligible Structure:

4.10.1 Notwithstanding that the Collocator's Collocation Space may be unaffected thereby, in the event that the Eligible Structure in which the Collocation Space is located shall be so damaged by fire or other casualty that closing, demolition or substantial alteration or reconstruction of the Eligible Structure shall, in **AT&T-22STATE**'s opinion be advisable, **AT&T-22STATE**, at its option, may terminate services provided via this Attachment. **AT&T-22STATE** shall provide the Collocator ten (10) Business Days prior written notice of termination within thirty (30) Business Days following the date of such occurrence, if possible.

4.11 Security:

4.11.1 **AT&T-22STATE** may impose the following reasonable security measures on Collocator to assist in protecting its network and equipment from harm. **AT&T-22STATE** may use security measures expressly allowed by the FCC. In addition, **AT&T-22STATE** may impose security arrangements as stringent as the security arrangements **AT&T-22STATE** maintains at its own Eligible Structures either for its own employees or for authorized contractors. To the extent security arrangements are more stringent for one group than the other, **AT&T-22STATE** may impose the more stringent requirements. **AT&T-22STATE** will not impose discriminatory security requirements that result in increased Collocation costs without the concomitant benefit of providing necessary protection of **AT&T-22STATE**'s equipment. Neither Party will use any information collected in the course of implementing or operating security arrangements for any marketing or other purpose in aid of competing with the other Party.

4.11.2 Collocator will conduct background checks of its employee and/or the **AT&T-22STATE** AIS who will have access to the Collocation space. Such background checks will include but are not to be limited to criminal background checks for offenses involving theft or damage to property, and a check of FBI listings of known or suspected terrorists.

4.11.3 Collocator shall provide its employees and/or the **AT&T-22STATE** AIS with picture identification, which must be worn and visible at all times while in Collocator's Collocation space or other areas in or around the **AT&T-22STATE** Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Collocator's name. **AT&T-22STATE** reserves the right to remove from an **AT&T-22STATE** Premises any employee of Collocator not possessing identification issued by Collocator or who has violated any of **AT&T-22STATE**'s policies as outlined in the CLEC Security Training documents.

4.11.3.1 Collocator technicians will be security-qualified by the Collocator and will be required to be knowledgeable of **AT&T-22STATE**'s security standards. Collocator personnel and technicians will undergo the same level of security training or its equivalent that **AT&T-22STATE**'s own employees and authorized contractors must undergo. **AT&T-22STATE** will not, however, require Collocator to receive security training from **AT&T-22STATE**, but will provide information

to Collocator on the specific type of training required. Collocator can then provide its employees with its own security training.

4.11.3.2 Collocator and **AT&T-22STATE** will each establish disciplinary procedures up to and including dismissal or denial of access to the Eligible Structure and other property of **AT&T-22STATE** for certain specified actions that damage, or place the equipment, facilities, or the network or personnel of the Collocator or **AT&T-22STATE** in jeopardy. The following are actions that could damage or place the Eligible Structure, or the network or the personnel of the Collocator or **AT&T-22STATE** in jeopardy and may justify disciplinary action up to and including dismissal or the denial of access to the Eligible Structure and other **AT&T-22STATE** property:

4.11.3.2.1 Theft or destruction of **AT&T-22STATE**'s or Collocator's property;

4.11.3.2.2 Use/sale or attempted use/sale of alcohol or illegal drugs on **AT&T-22STATE** property;

4.11.3.2.3 Threats or violent acts against other persons on **AT&T-22STATE** property;

4.11.3.2.4 Knowing violations of any local, state or federal law or the requirements of this Agreement on **AT&T-22STATE** property;

4.11.3.2.5 Permitting unauthorized persons access to **AT&T-22STATE** or Collocator's equipment on **AT&T-22STATE** property; and

4.11.3.2.6 Carrying a weapon on **AT&T-22STATE** property

4.11.3.3 In addition, **AT&T-22STATE** reserves the right to interview Collocator's employees, agents, suppliers, or Guests in the event of wrongdoing in or around an **AT&T-22STATE** Premises or involving **AT&T-22STATE**'s or another Collocated Telecommunications Carrier's property or personnel, provided that **AT&T-22STATE** shall provide reasonable notice to Collocator's Security representative of such interview. Collocator and its employees, agents, suppliers, or Guests shall reasonably cooperate with **AT&T-22STATE**'s investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Collocator's employees, agents, suppliers, or Guests. Additionally, **AT&T-22STATE** reserves the right to bill Collocator for all reasonable costs associated with investigations involving its employees, agents, suppliers, or Guests if it is established and mutually agreed in good faith that Collocator's employees, agents, suppliers, or Guests are responsible for the alleged act(s). Collocator and **AT&T-22STATE** will take appropriate disciplinary steps as determined by each Party to address any violations reported by **AT&T-22STATE** or the Collocator.

4.11.3.4 **AT&T-22STATE** may use reasonable security measures to protect its equipment. In the event **AT&T-22STATE** elects to erect an interior security partition in a given Eligible Structure to separate its equipment, **AT&T-22STATE** may recover the costs of the partition in lieu of the costs of other reasonable security measures if the partition costs are lower than the costs of any other reasonable security measure for such Eligible Structure. In no event shall a Collocator be required to pay for both an interior security partition to separate **AT&T-22STATE**'s equipment in an Eligible Structure and any other reasonable security measure for such Eligible Structure. If **AT&T-22STATE** elects to erect an interior security partition and recover the cost, it must demonstrate to the Physical Collocator that other reasonable security methods cost more than an interior security partition around **AT&T-22STATE**'s equipment at the time the price quote is given.

4.11.3.4.1 **AT&T-22STATE**'s construction of an interior security partition around its own equipment shall not interfere with a CLEC's access to its equipment, including equipment Collocated directly adjacent to **AT&T-22STATE**'s equipment. **AT&T-22STATE**'s construction of an interior security partition around its own equipment shall not impede a Telecommunications Carrier's ability to Collocate

within **AT&T-22STATE**'s space. To the extent that **AT&T-22STATE** is required to install additional security measures within its interior security partition because a CLEC has access to its own equipment within the area, such security measures shall be constructed and maintained at **AT&T-22STATE**'s expense.

4.11.3.4.2 **AT&T-22STATE**'s enclosure of its own equipment will not unreasonably increase a CLEC's cost nor shall it result in duplicative security costs. The cost of an interior security partition around **AT&T-22STATE**'s equipment cannot include any embedded costs of any other security measures for the Eligible Structure.

5.0 Collocation Space

5.1 Use of Collocation Space:

5.1.1 Nature of Use – Equipment Permitted to be Collocated

5.1.1.1 Equipment is considered necessary for Interconnection if an inability to deploy that equipment would, as a practical, economic, or operations matter, preclude the Collocator from obtaining Interconnection with **AT&T-22STATE** at a level equal in quality to that which **AT&T-22STATE** obtains within its own network or **AT&T-22STATE** provides to an Affiliate, subsidiary, or other Party.

5.1.1.2 Equipment is considered necessary for access to a 251(c)(3) UNE if an inability to deploy that equipment would, as a practical, economic, or operational matter, preclude the Collocator from obtaining non-discriminatory access to that 251(c)(3) UNE.

5.1.1.3 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, OSS equipment used to support collocated Telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc.

5.1.1.4 **AT&T-22STATE** will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. In order to make this determination, **AT&T-22STATE** may need to request additional information from Collocator. Collocator agrees to use its best efforts to provide such information to **AT&T-22STATE** in a timely manner.

5.1.2 Multi-functional equipment shall be deemed necessary for Interconnection or access to a 251(c)(3) UNE if, and only if, the primary purpose and function of the equipment (as the Collocator seeks to deploy it) meets either or both of the standards set forth above in this Section. For a piece of multi-functional equipment to be utilized primarily to obtain equal in quality Interconnection or non-discriminatory access to one or more 251(c)(3) UNEs, there also must be a logical connection or link between the additional functions the equipment would perform and the Telecommunication Services the Collocator seeks to provide to its End Users by means of the interconnection or 251(c)(3) UNE. The additional functions of the equipment that, as stand-alone functions, do not meet either of the standards set forth above in this Section must not cause the equipment to significantly increase the burden of **AT&T-22STATE**'s property.

5.2 Demarcation Point - **AT&T-22STATE**

5.2.1 **AT&T-22STATE** will designate the point(s) of demarcation between Collocator's equipment and/or network facilities and **AT&T-22STATE**'s network facilities. For DS0, DS1, DS3 and fiber terminations, **AT&T-22STATE** shall designate, provide and install demarcation point hardware on a per arrangement basis. Collocator shall utilize an **AT&T-22STATE** AIS Tier 1 to installing their interconnection cabling to the **AT&T-22STATE** designated demarcation point .

5.2.2 The Physical Collocator or its **AT&T-22STATE** AIS, must install, maintain and operate the equipment/facilities on its side of the demarcation point, and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests.

5.2.3 The Virtual Collocator via its **AT&T-22STATE** AIS must install and operate the equipment/facilities on its side of the demarcation point, and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests. **AT&T-22STATE** will maintain the Virtual Collocation arrangement.

5.3 Types of Available Physical Collocation Arrangements:

5.3.1 **AT&T-22STATE** will make each of the arrangements outlined below available within its Eligible Structures in accordance with this Attachment and the AT&T CLEC On-line Collocation Handbook so that Collocator will have a variety of Collocation options from which to choose.

5.3.2 Caged Physical Collocation:

5.3.2.1 Caged Collocation option provides the Physical Collocator with an individual enclosure (not including a top). This enclosure is an area designated by **AT&T-22STATE** within an Eligible Structure to be used by the Physical Collocator for the sole purpose of installing, maintaining and operating the Physical Collocator-provided equipment for the purpose of Interconnection under section 251(c)(2) and access to 251(c)(3) UNEs. Accordingly, **AT&T-22STATE** will not provide the Physical Collocator with direct access to **AT&T-22STATE**'s MDF, with the exception of the **AT&T-22STATE**'s AIS Tier 1.

5.3.2.2 **AT&T-22STATE** will provide floor space, floor space site conditioning, cage common systems materials, cage preparation, and safety and security charges in increments of one (1) square foot. For this reason, the Physical Collocator will be able to order space and a cage enclosure in amounts as small as that sufficient to house and maintain a single rack or bay of equipment (minimum of fifty (50) square feet of caged space) and will ensure that the first Physical Collocator in an **AT&T-22STATE** Premises will not be responsible for the entire cost of site preparation and security.

5.3.2.3 At the Physical Collocator's option, the Collocator may elect to install its own enclosure, but must comply with all methods, procedures and guidelines followed by **AT&T-22STATE** in constructing such an arrangement. The Physical Collocator may provide a cage enclosure (which shall not include a top), cable rack and support structure inside the cage, lighting, receptacles, cage grounding, cage sign and door key set. In addition, terms and conditions for contractors performing cage construction activities as set forth following will apply.

5.3.3 Shared Caged Collocation:

5.3.3.1 **AT&T-22STATE** will provide Shared Caged Collocation as set forth in the AT&T CLEC Online Handbook. Two (2) or more Physical Collocators may initially apply at the same time to share a Caged Collocation space as set forth in 2.0 above. Charges to each Physical Collocator will be based upon the percentage of total space utilized by each Physical Collocator.

5.3.4 Guest-Host Collocation (Also known as Sub-Lease Collocation):

5.3.4.1 The Physical Collocator may allow other Telecommunications Carriers to share the Physical Collocator's caged Collocation space, pursuant to the terms and conditions agreed to by the Physical Collocator (Host) and the other Telecommunication Carriers (Guests) which must be consistent with the provisions contained in this Section and this Agreement, except where the **AT&T-22STATE** Premises is located within a leased space and **AT&T-22STATE** is prohibited by said lease from offering such an option to the Physical Collocator. **AT&T-22STATE** shall be notified in writing by the Physical Collocator upon the execution of any agreement between the Host and its Guest(s) prior to the submission of an application. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by the Physical Collocator that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation space as set forth in this Attachment between **AT&T-22STATE** and the Physical

Collocator. The term of the agreement between the Host and its Guest(s) shall not exceed the term of this Agreement between **AT&T-22STATE** and the Physical Collocator.

5.3.4.2 The Physical Collocator, as the Host, shall be the sole interface and the responsible Party to **AT&T-22STATE** for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), the Guest(s) employees and agents. There will be a minimum charge of one (1) bay/rack per Host/Guest. In addition to the above, the Physical Collocator shall be the responsible Party to **AT&T-22STATE** for the purpose of submitting applications for initial and additional equipment placement for the Guest(s).

5.3.4.3 Notwithstanding the foregoing, the Guest(s) may submit service orders to **AT&T-22STATE** to request the provisioning of interconnecting facilities between **AT&T-22STATE** and the Guest(s), the provisioning of services, and/or access to Section 251(c)(3) UNEs. The bill for these interconnecting facilities, services and Section 251(c)(3) UNEs will be charged to the Guest(s) pursuant to the applicable the Guest's Interconnection Agreement with **AT&T-22STATE**.

5.3.5 Cageless Collocation:

5.3.5.1 **AT&T-22STATE** will provide cageless Collocation in any Collocation space that is supported by the existing Telecommunications infrastructure. **AT&T-22STATE** will provide space in single bay increments, including available space adjacent to or next to **AT&T-22STATE**'s equipment as needed.

5.3.5.2 **AT&T-22STATE** shall allow the Physical Collocator to collocate the Physical Collocator's equipment and facilities without requiring the construction of a cage or similar structure.

5.3.5.3 Except where the Physical Collocator's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), **AT&T-22STATE** shall assign cageless Collocation arrangement in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, the Physical Collocator must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in TP-76200, and shall be responsible for compliance with all special technical requirements associated with such equipment.

5.4 Adjacent On-Site Collocation:

5.4.1 Where Physical Collocation space within the **AT&T-22STATE** CO is Legitimately Exhausted **AT&T-22STATE** will permit the Physical Collocator to Physically Collocate on **AT&T-22STATE**'s property in the Physical Collocator's adjacent structures similar to structures that **AT&T-22STATE** uses to house Telecommunication Equipment, to the extent Technically Feasible.

5.4.2 **AT&T-22STATE** and CLEC will mutually agree on the location of the designated space on **AT&T-22STATE** premises where the Adjacent Structure will be placed. **AT&T-22STATE** will not unreasonably withhold agreement as to the site desired by the Physical Collocator. Safety and maintenance requirements, zoning, future building expansion and other state and local regulations are all examples of reasonable grounds to withhold agreement as to the site desired by the Physical Collocator.

5.4.3 **AT&T-22STATE** will offer the following increments of power to the Adjacent Structure:

5.4.3.1 a standard offering of one-hundred (100) amps of AC power to the Adjacent Structure when CO Switchboard AC capacity exists or

5.4.3.2 DC power within two (2) cable options that allow increments of 2-100 (100A feed and 100B feed) Amp Power Feeds, 2-200 (200A feed and 200B feed) Amp Power Feeds, 2-300 (300A feed and 300B feed) Amp Power Feeds, and 2-400 (400A feed and 400B feed) Amp Power Feeds to the Adjacent Structure from the CO Power source.

5.4.4 At its option, the Physical Collocator may choose to provide its own AC and DC power to the Adjacent Structure.

5.4.5 **AT&T-22STATE** will provide Physical Collocation services to such Adjacent Structures, subject to the same requirements as other Collocation arrangements in this Attachment.

5.4.6 **AT&T-22STATE** shall permit the Physical Collocator to place its own equipment, including, but not limited to, copper cables, coaxial cables, fiber cables and Telecommunications Equipment, in adjacent facilities constructed by the Physical Collocator's **AT&T-22STATE** AIS. Accordingly, **AT&T-22STATE** will not provide the Physical Collocator's personnel or agents with direct access to **AT&T-22STATE**'s MDF, with the exception of the **AT&T-22STATE**'s AIS Tier 1.

5.4.7 The Physical Collocator shall be responsible for securing all required licenses and permits, the required site preparations and shall further retain responsibility for securing and/or constructing the Adjacent Structure and any building and site maintenance associated with the placement of such Adjacent Structure.

5.4.8 Regeneration is required for Collocation in an Adjacent Structure if the cabling distance between the Physical Collocator's POT bay or termination point located in an Adjacent Structure and **AT&T-22STATE**'s cross-connect bay exceeds American National Standards Institute, Inc. (ANSI) limitations. Regeneration is not required in any other circumstances except where the Physical Collocator specifically requests regeneration. Required regeneration and Physical Collocator requested regeneration will be provided at the Physical Collocator's expense.

5.4.9 In the event that interior space in an Eligible Structure becomes available, **AT&T-22STATE** will provide the option to the Physical Collocator to relocate its equipment from an Adjacent on-site facility into the interior space. In the event the Physical Collocator chooses to relocate its equipment into the interior space, appropriate charges applicable for Collocation within the Eligible Structure will apply.

5.4.10 If a Physical Collocator elects to provide an Adjacent On-Site Space Collocation as described above, when all available space for Physical Collocation is Legitimately Exhausted inside an **AT&T-22STATE** Eligible Structure, **AT&T-22STATE** will charge Planning Fees to recover the costs incurred to estimate the quotation of charges for the Collocator's Adjacent On-site Collocation arrangement request. Rates and charges are found in the Pricing Schedule. In addition, should the Collocator elect to have **AT&T-22STATE** provision an extension of DC Power Service from the Eligible Structure to the Adjacent Structure, a Collocator Interconnect Power Panel (CIPP) will be required.

5.4.11 Adjacent On-site Planning Fee

5.4.11.1 An initial Planning Fee will apply when a Collocator is requesting any Interconnection Terminations between the Collocator's Adjacent On-site structure and **AT&T-22STATE** on an initial or subsequent Adjacent On-site collocation application. This fee recovers the design route of the Interconnection Terminations as well as the design route of the power arrangement to the Collocator's Adjacent On-site structure.

5.5 Virtual Collocation:

5.5.1 Virtual Collocation for the purpose of Interconnection under section 251(c)(2) to **AT&T-22STATE** or access to **AT&T-22STATE** provided 251(c)(3) UNEs is ordered as set forth in **AT&T-22-STATE**'s Interconnector's Collocation Services Handbook for Virtual Collocation. **AT&T-22STATE** will designate the location or locations within its wire centers, CEVs, huts and cabinets for the placement of all equipment and facilities associated with Virtual Collocation. Virtual Collocation does not involve the reservation of segregated CO or CEV, hut and Cabinet space for the use of Virtual Collocator. **AT&T-22STATE** will provide Virtual Collocation for the Virtual Collocator's comparable equipment as it provides to itself in the CO, wire center, CEV, hut or Cabinet, as the case may be, subject to the requirements of this Agreement.

6.0 Reports

6.1 Space Availability Report:

6.1.1 CLEC may request a space availability report prior to its application for Collocation space within **AT&T-22STATE**'s Eligible Structures. This report will specify the amount of Collocation space available at each requested Eligible Structure, the number of Collocators, and any modifications in the use of the space

since the last report. The report will also include measures that **AT&T-22STATE** is taking to make additional space available for Collocation. CLEC may access the appropriate form for the space availability report on the AT&T CLEC Online website. A space availability report does not reserve space at the **AT&T-22STATE** Premises for which the space availability report was requested by CLEC.

6.1.2 Fees for such reports are shown in the Pricing Schedule.

7.0 Application Process

7.1 **AT&T-22STATE** will provide Collocation arrangements in Eligible Structures on a "first-come, first-served" basis. To apply for a Dedicated Space in a particular Eligible Structure CLEC and **AT&T-22STATE** will follow the Collocation Application ("Application") process in the **AT&T-22STATE**'s Interconnector's Collocation Services Handbook at the AT&T CLEC Online website. The Collocator will provide a completed Application through the Collocation Application Web Portal via **AT&T-22STATE**'s CLEC Online website and will pay **AT&T-22STATE** an initial Planning/Application Fee as found in the Pricing Schedule.

7.1.1 Application for Multiple Methods of Collocation:

7.1.1.1 A Collocator wishing **AT&T-22STATE** to consider multiple methods for Collocation in an Eligible Structure on a single Application will need to include in each Application a prioritized list of its preferred methods of collocating, e.g., caged, cageless, or other, as well as adequate information, (e.g., specific layout requirements, cage size, number of bays, requirements relative to adjacent bays, etc.) for **AT&T-22STATE** to process the Application for each of the preferred methods. If a Collocator provides adequate information and its preferences with its Application, **AT&T-22STATE** would not require an additional Application, nor would the Collocator be required to restart the quotation interval should its first choice not be available in an Eligible Structure.

7.2 Complete and Accurate Application Review Process:

7.2.1 Upon receipt of the Collocator's complete and accurate Application and initial Planning/Application Fee payment, **AT&T-22STATE** will begin development of the quotation.

7.2.2 In responding to an Application request, if space and interconnection facilities are available and all other Collocation requirements are met, **AT&T-22STATE** shall advise the Collocator that its request for space is granted, confirm the applicable NRC and MRC rates and the estimated provisioning interval. **AT&T-22STATE** will not select for Collocator the type of Collocation to be ordered.

7.2.3 All applicable NRCs are required to be paid to **AT&T-22STATE** prior to the Collocation space being turned over to the Collocator. **AT&T-13STATE** processes the payment of the aforementioned NRCs in two installments: 50% of the applicable NRCs are due upon the Collocator's deliverance of the signed BFFO to **AT&T-13STATE** with the remaining 50% payment due two weeks prior to the Collocation space turnover. **AT&T SOUTHEAST REGION 9-STATE** will issue a bill for all applicable NRCs to the Collocator's after the Collocator's deliverance of the signed BFFO.

7.3 Space Unavailability Determination and Resolution:

7.3.1 In responding to an Application request if space is not available, **AT&T-22STATE** will notify the Collocator that its application for Collocation Space is denied due to the lack of space and no Application fee shall apply. If **AT&T-22STATE** knows when additional Collocation space may become available at the **AT&T-22STATE** CO requested by Collocator such information will be provided to Collocator in **AT&T-22-STATE**'s written denial of Collocation Space. **AT&T-22STATE** in its denial will provide the Collocator with any other known methods of Collocation that may be available within the Eligible Structure that the Collocator's Application addressed. If the Collocator determines the alternative method of collocation meets their needs, the Collocator will be required to submit a new collocation application and pay the initial Planning Fee.

7.3.2 The notification will include a possible future space relief date, if applicable. At that time, any non-recurring charges collected with the Application, including the Planning Fee, will be returned to the Collocator. When

AT&T-22STATE's response includes an amount of space less than that requested by Collocator or space that is configured differently, no Application fee will apply. If Collocator decides to accept the available space, Collocator must resubmit its Application to reflect the actual space available including the reconfiguration of the space. When Collocator resubmits its Application to accept the available space, **AT&T-22STATE** will bill the applicable Application/ Planning fee.

7.3.3 In the event of a denial, **AT&T-22STATE** will file a notice that the Collocator's request was denied with the Commission. When contested in support of its denial, **AT&T-22STATE** will concurrently submit to both the Commission and the Collocator, provided under seal and subject to proprietary protections, the following when applicable:

7.3.3.1 central office common language location identifier (CLLI),

7.3.3.2 the identity of the requesting Collocator,

7.3.3.3 amount of space requested by the Collocator

7.3.3.4 the total amount of space at the **AT&T-22STATE** premises

7.3.3.5 floor plan documentation (as provided for in the Space Availability Determination section of the Interconnector's Collocation Services Handbook)

7.3.3.6 identification of switch turnaround plans and other equipment removal plans and timelines, if any,

7.3.3.7 CO rearrangement/expansion plans, if any,

7.3.3.8 and description of other plans, if any, that may relieve space exhaustion.

7.3.4 In the event **AT&T-22STATE** denies a Collocator's request and the Collocator disputes the denial, the Collocator may request a tour of the Eligible Structure to verify space availability or the lack thereof. The request shall be submitted to **AT&T-22STATE**'s designated representative in writing. Time limits established by the FCC must be respected. The inspection tour shall be scheduled as mutually agreeable.

7.3.5 Prior to the inspection tour, a "Reciprocal Non-disclosure Agreement" shall be signed by the designated **AT&T-22STATE** representative and the representative the Collocator, who will participate in the tour.

7.3.6 **AT&T-22STATE** will provide all relevant documentation to the Collocator including blueprints and plans for future facility expansions or enhancements, subject to executing the Reciprocal Non-disclosure Agreement. **AT&T-22STATE**'s representative will accompany and supervise the Collocator agent on the inspection tour.

7.3.7 If the Collocator believes, based on the inspection tour of the Eligible Structure facilities, that the denial of Physical Collocation space is unsupportable, the Collocator agent shall promptly so advise **AT&T-22STATE**. The Collocator and **AT&T-22STATE** shall then each concurrently prepare a report detailing its own findings of the inspection tour. The Collocator and **AT&T-22STATE** reports shall be concurrently served on each other and submitted to the Commission no later than forty-five (45) calendar days following the filing of the request for space. The burden of proof shall be on **AT&T-22STATE** to justify the basis for any denial of collocation requests.

7.4 Revisions:

7.4.1 If a modification or revision is made to any information in the Application after **AT&T-22STATE** has provided the Application response and prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing Contact Information, whether at the request of Collocator or as necessitated by technical considerations, the Application shall be considered a new Application and handled as a new Application with respect to the response and provisioning intervals. **AT&T-22STATE** will charge Collocator the appropriate Application/Augment fee associated with the level of assessment performed by **AT&T-22STATE**.

7.4.2 Once **AT&T-22STATE** has provided the BFFO/quote and CLEC has accepted and authorized **AT&T-22STATE** to begin construction, any further modifications and/or revisions must be made via a subsequent Collocation Application and the appropriate fees will apply.

7.5 Augments:

7.5.1 A request from a Collocator to add or modify space, equipment, and/or cable to an existing Collocation arrangement is considered an Augment. Such a request must be made via a complete and accurate Application.

7.5.2 Upon receipt of the Collocator's complete and accurate Application and Planning Fee payment, **AT&T-22STATE** will begin development of the Augment quotation. In responding to an Augment request, if power and/or Interconnection facilities are available and all other Collocation requirements are met, **AT&T-22STATE** shall advise the Collocator that its request is granted, confirm the applicable non-recurring and recurring rates and the estimated provisioning interval.

7.5.3 Several types of Augments are identified in the Collocation section of the AT&T CLEC Online website. Those Augments will have associated pricing within the Pricing Schedule. Examples are:

7.5.3.1 100 Copper cable pair connections

7.5.3.2 28 DS1 connections and/or

7.5.3.3 1 DS3 connections and/or

7.5.3.4 24 fiber connections

7.6 For all Augments other than provided above, **AT&T-22STATE** will work cooperatively with Collocator to negotiate a mutually agreeable delivery interval. All intervals and procedures associated with Augment Applications can be found in **AT&T-22STATE**'s Interconnector's Collocation Services Handbook at the AT&T CLEC Online website.

7.7 Intervals for Interconnection & Power Cabling:

7.7.1 CLEC shall consult the AT&T CLEC On-Line Handbook for information regarding interval changes regarding Interconnection to and /or Power Cabling changes. CLEC must use an **AT&T-22STATE** AIS to establish Interconnection and/or Power cabling as outlined in the appropriate TP.

8.0 Augment Application

8.1 In the event Collocator or the Physical Collocator's Guest(s) desires to modify its use of the Collocation space in a CO after a BFFO, Collocator shall complete a new Application that contains all of the detailed information associated with a requested alteration of the Collocation space. The subsequent Application will be processed by **AT&T-22STATE** when it is complete and accurate, meaning that all of the required fields on the Subsequent Application have been completed with the appropriate type of information associated with the requested alteration. **AT&T-22STATE** shall determine what modifications, if any, to the **AT&T-22STATE** Premises are required to accommodate the change(s) requested by Collocator in the subsequent Application. Such modifications to the **AT&T-22STATE** Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.

9.0 Cancellation Prior to Due Date

9.1 In the event that the Collocator cancels its Collocation Application after **AT&T-22STATE** has begun preparation of the Telecommunications Infrastructure Space and Dedicated Space, but before **AT&T-22STATE** has been paid the entire amounts due under this Attachment, then in addition to other remedies that **AT&T-22STATE** might have, the Collocator shall be liable in the amount equal to the non-recoverable costs less estimated net salvage, the total of which is not to exceed the Preparation Charges. Non-recoverable costs include the non-recoverable cost of equipment and material ordered, provided or used; the non-recoverable cost of installation and removal, including the costs of equipment and material ordered, provided or used; labor; transportation and any other associated costs. Upon Collocator's request, **AT&T-22STATE** will provide the Collocator with a detailed invoice showing the costs it incurred associated with preparation.

10.0 Occupancy – Physical Collocation Only

10.1 Unless there are unusual circumstances, **AT&T-22STATE** will notify the Physical Collocator that the Dedicated Space is ready for occupancy after **AT&T-22STATE**'s completion of preparation of the Dedicated Space. All MRCs and NRCs will begin to accrue on the date that the Collocation space construction had been completed by

AT&T-22STATE ("Space Ready Date"), regardless of any failure by the Physical Collocator to complete its work or occupy the space.

10.2 After the Physical Collocator's receipt of such notice, the Physical Collocator shall request within fifteen (15) calendar days an acceptance walk-through of the Collocation space with **AT&T-22STATE**. The acceptance walk-through will be scheduled on a mutually agreed upon date. Any material deviations from mutually agreed Application specifications may be noted by the Physical Collocator as exceptions, which to qualify as exceptions, must be agreed to as exceptions by **AT&T-22STATE**. The agreed upon exceptions shall be corrected by **AT&T-22STATE** by a mutually agreed upon date. The correction of these exceptions shall be at **AT&T-22STATE**'s expense. **AT&T-22STATE** will then establish a new Space Ready Date.

10.3 Upon completion of corrections described in Section 10.2, **AT&T-22STATE** will again notify the Physical Collocator that the Dedicated Space is ready for occupancy and the Parties will, upon Collocator's request, conduct a follow-up acceptance walk-through as set forth in this Section. This follow-up acceptance walkthrough will be limited to only those corrections identified and agreed to by the Parties in the initial walkthrough, as described in Section 10.2 above. If a follow-up acceptance walk-through is not requested by the Physical Collocator within 15 calendar days, the Space Ready Date shall be deemed to be the Delivery Date. If a follow-up acceptance walk-through is requested, but no continuing material exceptions are mutually agreed upon at the follow-up walk-through, the Delivery Date will be deemed to be the date of the follow-up acceptance walk-through. If a follow-up acceptance walk-through is requested, and material exceptions are mutually agreed upon at the follow-up walk-through, the Delivery Date will be deemed to be the date upon which the Physical Collocator accepts all corrections to such exceptions, which acceptance shall not be unreasonably withheld.

10.4 All charges to the Physical Collocator will begin to accrue on the Effective Billing Date, regardless of any failure by Collocator to complete its work or occupy the space. In the case of the termination of this Agreement prior to term, or the early termination of any Collocation services, **AT&T-22STATE** shall be entitled to full payment within thirty (30) calendar days of such expiration or termination for all services performed and expenses accrued or incurred that **AT&T-22STATE** is entitled to recover under the provisions of this Attachment for establishing such Collocation arrangement prior to such expiration or termination.

10.5 If the Physical Collocator cancels or abandons its Collocation space in any of **AT&T-22STATE** COs before **AT&T-22STATE** has recovered the full cost associated with providing that space to the Physical Collocator, the amount of any such remaining costs shall become immediately due and payable within thirty (30) calendar days after the Physical Collocator abandons that space.

10.6 The Physical Collocator shall notify **AT&T-22STATE** in writing that its Collocation equipment installation is complete. For purposes of this Section, the Collocator's Telecommunications Equipment is considered to be operational and Interconnected when it is connected to either **AT&T-22STATE**'s network or interconnected to another Third Party Collocator's equipment that resides within the same structure, provided the Third Party Collocator's equipment is used for Interconnection with **AT&T-22STATE**'s network or to obtain access to **AT&T-22STATE**'s 251(c)(3) UNEs. For the purpose of this Attachment, **AT&T-22STATE** may refuse to accept any orders for cross-connects until it has received such notice from Physical the Collocator.

10.7 Early Space Acceptance:

10.7.1 If Physical Collocator decides to occupy the Collocation space prior to the Space Ready Date, the date Physical Collocator executes the Agreement for "Customer Access and Acceptance to Unfinished Collocation Space" is the date that will be deemed the space acceptance date and billing will begin from that date.

10.7.2 The Physical Collocator will, whenever possible, place its Telecommunications Equipment in the Collocation space within thirty (30) calendar days of space turnover. Operational Telecommunications Equipment must be placed in the Dedicated Space and interconnected to **AT&T-22STATE**'s network pursuant to Section 251(c)(2) or used to obtain access to **AT&T-22STATE** 251(c)(3) UNEs within one hundred eighty (180) calendar days after receipt of Notice that **AT&T-22STATE** has completed its work as required by the complete and accurate Collocation Application.

10.8 Reclamation of Dedicated Space:

10.8.1 If the Physical Collocator fails to place operational Telecommunications Equipment in the Dedicated Space to Interconnect with **AT&T-22STATE** to obtain access to **AT&T-22STATE** 251(c)(3) UNEs meeting all the requirements of Section 5.1 above and 10.7 above and the space is needed to meet customer demand (filed application for space, accompanied by all fees) for another Collocator or to avoid construction of a building addition, then **AT&T-22STATE** has the right to reclaim the Dedicated Space. **AT&T-22STATE** will send the Physical Collocator written Notice of its intent to terminate the Physical Collocator's Collocation arrangement in the prepared Dedicated Space within ten (10) Business Days after the notice date. If the Physical Collocator does not place operational Telecommunications Equipment in the Dedicated Space and interconnect with **AT&T-22STATE** or obtain access to **AT&T-22STATE** 251(c)(3) UNEs by that tenth (10th) Business Day then the Collocation is deemed terminated and the Physical Collocator shall be liable in an amount equal to the unpaid balance of the applicable charges.

10.8.2 If the Physical Collocator causes **AT&T-22STATE** to prepare the Dedicated Space and then the Physical Collocator does not use the Dedicated Space (or all of the Dedicated Space), the Physical Collocator will pay **AT&T-22STATE** the monthly recurring and other applicable charges as if the Physical Collocator were using the entire Dedicated Space, until such time as the Physical Collocator submits a complete and accurate decommissioning Application, and the decommissioning process is completed as required.

11.0 Efficiently Used

11.1 Orders for additional space will not be accepted until the Collocator's existing Collocation space in the requested Eligible Structure is Efficiently Used (as defined in Section 2 this Attachment) except to the extent the Collocator establishes to **AT&T-22STATE**'s satisfaction that the Collocator's apparent inefficient use of space is caused by the CLEC holding Unused Space for future use on the same basis that **AT&T-22STATE** holds Unused Space for future use.

11.2 Orders for additional CFAs will not be accepted until the specific CFA type requested (e.g. DS0, DS1, fiber, etc.) in the requested Eligible Structure is Efficiently Used. The determination as to whether this criterion is met or necessary is solely within the reasonable judgment of **AT&T-22STATE**.

12.0 Relocation

12.1 **AT&T-22STATE** Requested Relocation:

12.1.1 When **AT&T-22STATE** determines, in order to be compliant with zoning changes, condemnation, or government order or regulation, that it is necessary for the Dedicated Space to be moved, **AT&T-22STATE** will provide written notice to the resident Collocator(s) within five (5) Business Days of the determination to move the location. Such a determination may affect movement from an Eligible Structure to another Eligible Structure, or from an Adjacent Space Collocation structure to a different Adjacent Space Collocation structure or and Adjacent Space Collocation structure to an Eligible Structure.

12.1.2 If the relocation occurs for reasons other than an emergency, **AT&T-22STATE** will provide the resident Collocator(s) with at least one hundred eighty (180) calendar days advance written Notice prior to the relocation.

12.1.3 An Application will be required by the Collocator for the arrangement of the new Dedicated Space and/or the new Telecommunications Equipment Space . The Collocator will not be required to pay any Application fees associated with the relocation described in this Section 12.1.

12.1.4 The Collocator shall be responsible for the costs for the preparation of the new Telecommunications Equipment Space and Dedicated Space at the new location or an adjacent space Collocation structure if such relocation arises from circumstances beyond the reasonable control of **AT&T-22STATE**, including zoning changes, condemnation or government order or regulation that makes the continued occupancy or use of the Dedicated Space or the Eligible Structure in which the Dedicated Space is located or the adjacent space Collocation structure for the purpose then used, uneconomical in **AT&T-22STATE**'s reasonable discretion.

12.1.5 A Collocator's presence in **AT&T-22STATE** COs or adjacent space Collocation structures must not prevent **AT&T-22STATE** from making a reasonable business decision regarding building expansions or additions to the number of COs required to conduct its business or its locations.

12.2 CLEC Requested Relocation:

12.2.1 If the Physical Collocator requests that the Dedicated Space and/or Telecommunications Equipment space, be moved within the Eligible Structure in which the Dedicated Space is located, to another Eligible Structure, from an Adjacent Space Collocation structure, (as described in Section 5.4 above) to a different Adjacent Space Collocation structure or to an Eligible Structure, **AT&T-22STATE** shall permit the Collocator to relocate the Dedicated Space or Adjacent Space Collocation structure, subject to availability of space and technical feasibility.

12.2.2 A new Application will be required for the new Dedicated Space and the Application fee shall apply.

12.2.3 The Collocator shall be responsible for all applicable charges associated with the move, including the re-installation of its equipment and facilities and the preparation of the new Telecommunications Equipment space, and Dedicated Space, or Adjacent Space Collocation structure as applicable. In any such event, the new Dedicated Space shall be deemed the Dedicated Space and the new Eligible Structure (where applicable) shall be deemed the Eligible Structure in which the Dedicated Space is located and the new Adjacent Space Collocation structure shall be deemed the Adjacent Space Collocation structure.

12.3 Virtual to Physical Relocation:

12.3.1 In the event Physical Collocation space was previously denied in an **AT&T-22STATE** CO, due to technical reasons or space limitations, and Physical Collocation Space has subsequently become available, Collocator may relocate its existing Virtual Collocation arrangement(s) to a Physical Collocation arrangement(s).

12.3.2 Collocator must arrange with a **AT&T-22STATE** AIS Tier 1 for the relocation of equipment from a Virtual Collocation space to a Physical Collocation space and will bear the cost of such relocation, including the costs associated with moving the services from the Virtual Collocation space to the new Physical Collocation space.

13.0 Complete Space Discontinuance

13.1 Collocator Requested Termination of the Collocation Space:

13.1.1 The Collocator may terminate its occupancy of a particular Collocation space which includes the removal of all equipment, equipment bays, interconnection facilities (e.g., power, timing, grounding and interconnection cabling) and Collocator infrastructure installed within its Collocation space. The Collocator is required to provide a complete and accurate Collocation Application requesting to terminate its existing Collocation Arrangement (see AT&T's CLEC Online website for the appropriate form).

13.1.2 The Collocator and the Physical Collocator's Guest(s) shall have thirty (30) calendar days from the BFFO date or a date mutually agreed to by the Parties ("Termination Date") to vacate the Collocation Space. Unless the Physical Collocator's Guest(s) have assumed responsibility for the Collocation space housing the Guest(s)'s equipment and executed the appropriate documentation required by **AT&T-22STATE** (see Space Reassignment section 13.2 below) to transfer the Collocation Space to the Guest(s) prior to Collocator's Termination Date then the Physical Collocator must insure the removal of all the Guest(s) equipment and facilities by the Termination Date.

13.1.3 Upon termination the Collocation Space will revert back to **AT&T-22STATE**'s space inventory.

13.1.4 The Collocator shall return the Collocation space to **AT&T-22STATE** in the same condition as when it was first occupied by Collocator, with the exception of ordinary wear and tear.

13.1.5 Collocator's **AT&T-22STATE** AIS shall be responsible for informing **AT&T-22STATE** personnel of any required updates and/or changes to **AT&T-22STATE**'s records that are required in accordance with **AT&T-22STATE**'s TP specifications.

13.1.6 The Collocator shall be responsible for the cost of removing any Collocator constructed enclosure, as well as any CLEC installed supporting structures (e.g., racking, conduits, power cables, etc.), by the Termination Date.

13.1.7 Any equipment not removed by the Termination Date by the Collocator will be removed and disposed of by **AT&T-22STATE** at the expense of the Collocator.

13.1.8 Upon termination of occupancy, Collocator, at its sole expense, shall remove its equipment and any other property owned, leased or controlled by Collocator from the Collocation Space

13.1.9 The Virtual Collocator will work cooperatively with **AT&T-22STATE** to remove the Collocator's equipment and facilities via use of **AT&T-22STATE** AIS from **AT&T-22STATE**'s property subject to the condition that the removal of such equipment can be accomplished without damaging or endangering other equipment located in the Eligible Structure. **AT&T-22STATE** is not responsible for and will not guarantee the condition of such equipment removed by any Party.

13.1.10 The Virtual Collocator is responsible for arranging for and paying for the removal of virtually collocated equipment including all costs associated with equipment removal, packing and shipping.

13.1.11 Upon termination of the Collocation Space, the Collocator must remove the entrance cable used for the Collocation arrangement. If the entrance cable is not scheduled for removal within seven (7) calendar days after removal of the Collocation equipment, **AT&T-22STATE** may arrange for the removal, and the Collocator will be responsible for any charges incurred to remove the cable. The Collocator is only responsible for physically removing entrance cables housed in conduits or inner-ducts and will only be required to do so when **AT&T-22STATE** instructs the Collocator that such removal can be accomplished without damaging or endangering other cables contained in a common duct or other equipment residing in the CO.

13.2 Space Reassignment also known as Transfer of Ownership:

13.2.1 In lieu of submitting an Application to terminate a Collocation Arrangement, as described above, the Collocator ("Exiting Collocator") may reassign the Collocation Arrangement to another Collocator ("Collocator Assignee") subject to certain terms and conditions outlined below. Any such reassignment of the Collocation Arrangement may not occur without the written consent of **AT&T-22STATE**. In order to request consent to assign a Collocation Arrangement, either the Collocator Assignee or Exiting Collocator must submit a Collocation Application on behalf of both the Exiting Collocator and Collocator Assignee. Space Reassignment shall be subject to the following terms and conditions:

13.2.1.1 Collocator Assignee must, as of the date of submission of the Collocation Application, have an approved Interconnection Agreement with **AT&T-22STATE**.

13.2.1.2 Exiting Collocator will be liable to pay all NRCs and MRCs Collocation charges on the Collocation Arrangement to be reassigned until the date **AT&T-22STATE** turns over the Collocation Arrangement to the Collocator Assignee. Any disputed charges shall be subject to the Dispute Resolution Process in the GT&Cs of this Agreement. **AT&T-22STATE**'s obligation to turn over the Collocation Arrangement shall not arise until all undisputed charges are paid. Collocator Assignee's obligation to pay MRCs for a Collocation Arrangement will begin on the date **AT&T-22STATE** makes available the Collocation Arrangement to the Collocator Assignee.

13.2.1.3 An Exiting Collocator may not reassign Collocation space in an Eligible Structure where a waiting list exists for Collocation space, unless all Collocator's on the waiting list above the Collocator Assignee decline their position. This prohibition does not apply in the case of an acquisition, merger or complete purchase of the Exiting Collocator's assets.

13.2.1.4 Collocator Assignee will defend and indemnify **AT&T-22STATE** from any losses, costs (including court costs), claims, damages (including fines, penalties, and criminal or civil judgments and settlements), injuries, liabilities and expenses (including attorneys' fees) if any other person,

entity or regulatory authority challenges the reassignment of any Collocation Arrangement(s) or otherwise claims a right to the space subject to the reassignment.

13.2.2 Collocator Assignee or the Exiting Collocator shall submit one (1) complete and accurate Application for each Collocation Arrangement. The Exiting Collocator must ensure that the Collocator Assignee complies with the following: Collocator Assignee submits a complete and accurate Application for a Collocation Arrangement, Collocator Assignee represents warrants and agrees that it has obtained an executed sale or lease agreement for and holds proper title to all non-**AT&T-22STATE** equipment and other items in or otherwise associated with each Collocation Arrangement. Collocator Assignee further agrees to indemnify and hold **AT&T-22STATE** harmless from any Third Party claims involving allegations that Collocator Assignee does not hold proper title to such non-**AT&T-22STATE** equipment and other items.

13.2.3 **AT&T-22STATE** in its response to the Application will provide a price quote. Collocator Assignee must pay one-hundred percent (100%) of all NRCs in the price quote before **AT&T-22STATE** begins to convert the Collocation Arrangement being reassigned. Once Collocator Assignee has paid one-hundred percent (100%) of all such NRCs, **AT&T-22STATE** shall finish the work to convert the space within thirty (30) calendar days. **AT&T-22STATE** and Collocator Assignee will coordinate all conversion work to ensure that the End Users of Collocator Assignee will have minimal, if any, disruption of service during such conversion.

13.2.4 Collocator Assignee may submit a security application for access to a Collocation Arrangement simultaneously with the Collocation Application. If a completed security application is provided at the time the Collocation Application is filed, the security cards will be made available at the time that the Collocation space is turned over. If the security application is not provided at the time that the Collocation Application is filed, then Collocator Assignee may submit a security application for access at any time and the terms and conditions as provided in Section 4.11 above will apply. In no event will the security cards be provided to the Collocator Assignee before the assigned space is turned over.

13.2.5 Collocator Assignee assumes each Collocation Arrangement "as is" which means that **AT&T-22STATE** will make no changes to the Collocation Arrangement, including no changes to power, interconnection and entrance facilities. Any modifications to such Collocation Arrangement by Collocator Assignee must be submitted via a separate augment Application (as provided by the Collocator Assignee's ICA).

13.3 Interconnection Termination Reduction:

13.3.1 The Collocator may request a reduction of the existing amount of Interconnection terminations that service a Collocation Arrangement. The Collocator shall submit an augment Application in order to process this request. The Collocator must maintain at least one minimum Interconnection arrangement.

13.3.2 Interconnection termination reduction requests may require the disconnection and removal of interconnection cable. **AT&T-22STATE** will perform the interconnection cable removal work above the rack level at the applicable fees referenced in the Pricing Schedule. Within thirty (30) calendar days after submitting its interconnection termination reduction request to disconnect and remove an interconnection arrangement from its Collocation Arrangement, the Collocator must remove terminations at both ends of the interconnection cable and cut and cap cables up to the **AT&T-22STATE** rack level. Collocator must use the **AT&T-22STATE** AIS for this procedure and **AT&T-22STATE** AIS must follow the appropriate TP found on AT&T CLEC Online website.

14.0 Fiber Optic Cable and Demarcation Point

14.1 Fiber Optic Cable Entrance Facilities:

14.1.1 Collocator will utilize the Application process described within this attachment for entrance facility requests. All rate elements for Collocator Entrance Facility can be found in the Pricing Schedule.

14.1.2 The Collocator is responsible for bringing its entrance facilities to the entrance manhole(s) designated by **AT&T-22STATE**, and leaving sufficient length of the cable in the manhole for **AT&T-22STATE** to fully extend the Collocator-provided facilities to the designated point in the cable vault.

14.1.2.1 The Physical Collocator's **AT&T-22STATE** AIS Tier 1 will extend the Collocator provided fiber entrance cable from the cable vault to the Physical Collocation Dedicated Space.

14.1.2.2 For a Virtual Collocation arrangement **AT&T-22STATE** will splice the Collocator provided entrance fiber to an **AT&T-22STATE** fiber cable terminated on **AT&T-22STATE**'s Fiber distribution frame.

14.2 If the Collocator has not left the cable in the manhole within one hundred twenty (120) calendar days of the request for entrance fiber, the Collocator's request for entrance fiber will expire and a new Application must be submitted along with applicable fees. The Collocator may request an additional thirty (30) calendar day extension by notifying **AT&T-22STATE,** no later than fifteen (15) calendar days prior to the end of the 120 calendar day period mentioned above, of the need of the extension for the Collocator to place cable at the manhole.

14.3 The Collocator shall use a dielectric Optical Fiber Non-conductive Riser-rated (OFNR) fiber cable as the transmission medium to the Dedicated Space for Physical or to the **AT&T-22STATE** designated splice point for Virtual. In addition, **AT&T-22STATE** requires this fiber to be yellow or black with yellow striped sheath.

14.4 The Collocator, where not impractical for technical reasons and where space is available, may use Microwave Entrance Facility Collocation pursuant to the Microwave Attachment.

14.5 Copper or coaxial cable will only be permitted to be utilized as the transmission medium where the Collocator can demonstrate to **AT&T-22STATE** or the Commission that use of such cable will not impair **AT&T-22STATE**'s ability to service its own End Users or subsequent Collocators. Collocation requests utilizing copper or coaxial cable facilities will be provided as an Individual Case Basis (ICB).

14.6 **AT&T-22STATE** shall provide a minimum of two separate points of entry into the Eligible Structure, where **AT&T-22STATE** has at least two such entry points, there is sufficient space for new facilities in those entry points, and it is Technically Feasible.. Where such dual points of entry are not available, when **AT&T-22STATE** performs work as is necessary to make available such separate points of entry for itself, at the same time it will accommodate the Collocator's request under this Section. The Collocator and **AT&T-22STATE** shall share the costs incurred by prorating those costs using the number of cables to be placed in the entry point by both **AT&T-22STATE** and the Collocator(s).

14.7 **AT&T-22STATE** will also provide nondiscriminatory access where Technically Feasible and sufficient space exists, to any entry point into Eligible Structures in excess of two (2) points in those locations where **AT&T-22STATE** also has access to more than two such entry points. Where **AT&T-22STATE** performs such work in order to accommodate its own needs and those specified in the Collocator's written request, the Collocator and **AT&T-22STATE** shall share the costs incurred by prorating those costs using the number of cables to be placed in the entry point by both **AT&T-22STATE** and the Collocator(s).

15.0 Entrance Facility Conduit to Vault, Per Cable Sheath

15.1 This facility represents any reinforced passage or opening in, on, under, over or through the ground between the first manhole and the cable vault through which the entrance cable is placed. Associated rates and charges can be found in the Pricing Schedule. All procedures for CLEC Entrance Facility Conduit can be found in the AT&T CLEC On-Line Handbook.

16.0 Virtual Collocation – Cooperative Responsibilities

16.1 The Virtual Collocator will work cooperatively with **AT&T-22STATE** to develop implementation plans including timelines associated with:

16.1.1 Placement of Collocator's fiber into the CO vault,

16.1.2 Location and completion of all splicing,

16.1.3 Completion of installation of equipment and facilities,

16.1.4 Removal of above facilities and equipment,

16.1.5 To the extent known, the Collocator can provide forecasted information to **AT&T-22STATE** on anticipated additional Virtual Collocation requirements,

16.1.6 To the extent known, the Collocator is encouraged to provide **AT&T-22STATE** with a listing of the equipment types that they plan to virtually collocate in **AT&T-22STATE**'s COs or CEVs, huts and cabinets. This cooperative effort will insure that **AT&T-22STATE** personnel are properly trained on Collocator equipment.

16.2 Installation of Virtual Collocation Equipment:

16.2.1 **AT&T-22STATE** does not assume any responsibility for the design, engineering, testing, or performance of the end-to-end connection of the Collocator's equipment, arrangement, or facilities.

16.2.2 **AT&T-22STATE** will be responsible for using the same engineering practices as it does for its own similar equipment in determining the placement of equipment and engineering routes for all connecting cabling between Collocation equipment.

16.2.3 In this arrangement, Telecommunications Equipment (also referred to herein as equipment) is furnished by the Collocator and engineered and installed by a **AT&T-22STATE** AIS.

16.2.4 The Collocator and **AT&T-22STATE** must jointly accept the installation of the equipment and facilities prior to the installation of any services using the equipment. As part of this acceptance, **AT&T-22STATE** will cooperatively test the collocated equipment and facilities with the Collocator.

16.3 Repair & Maintenance of Equipment - Virtual Collocation Only:

16.3.1 Except in emergency situations, the Collocator-owned fiber optic facilities and CO terminating equipment will be repaired only upon the request of the Collocator. In an emergency, **AT&T-22STATE** may perform necessary repairs without prior notification. The labor rates specified in the Pricing Schedule apply to **AT&T-22STATE** COs and **AT&T-22STATE** CEVs, huts and cabinets and are applicable for all repairs performed by **AT&T-22STATE** on the Collocator's facilities and equipment.

16.3.2 When initiating repair requests on Collocator owned equipment, the Collocator must provide **AT&T-22STATE** with the location and identification of the equipment and a detailed description of the trouble.

16.3.3 Upon notification by the Collocator and availability of spare parts as provided by the Collocator, **AT&T-22STATE** will be responsible for repairing the Virtually Collocated equipment at the same standards that it repairs its own equipment.

16.3.4 The Collocator will request any and all maintenance by **AT&T-22STATE** on its Virtually Collocated facilities or equipment. When initiating requests for maintenance on collocated equipment, the Collocator must provide **AT&T-22STATE** with the location and identification of the equipment and a detailed description of the maintenance requested.

16.3.5 Upon notification by the Collocator and availability of spare parts as provided by the Collocator, **AT&T-22STATE** will be responsible for maintaining the Virtually Collocated equipment at the same standards that it maintains its own equipment.

16.4 Alarm Maintenance:

16.4.1 The Collocator has the ability to purchase its own remote monitoring and alarming equipment.

16.4.2 Since the maintenance of the Collocator's equipment is at the direction and control of the Collocator, **AT&T-22STATE** will not be responsible for responding to alarms and will only conduct maintenance and repair activities at the direction of the Collocator with the option discussed for during emergencies.

17.0 Interconnection to Others within the same Eligible Structure

17.1 Upon receipt of a BFFO, **AT&T-22STATE** will permit the Collocator to construct, via an **AT&T-22STATE** AIS Tier 1, direct connection facilities, (also known as Collo-to-Collo) to the Collocator's own Physical/Virtual Collocation arrangement and/or another Third Party Physical/Virtual Collocator's Collocation arrangement within the same Eligible Structure. The Collocator may use either copper or optical facilities between the collocated equipment in the same Eligible Structure, subject to the same reasonable safety requirements that **AT&T-22STATE** imposes on its own equipment.

17.1.1 The Collocator is prohibited from using the Collocation space for the sole or primary purpose of cross-connecting to Third Party collocated Telecommunications Carrier's.

17.1.2 The Collocator must utilize an **AT&T-22STATE** AIS Tier 1 to place the CLEC to CLEC connection.

17.1.3 The CLEC to CLEC connection shall be provisioned using facilities owned by Collocator.

17.1.4 With their Application the Collocator shall provide a Letter of Authorization (LOA) from the Third Party collocated Telecommunications Carrier to which the Collocator will be cross-connecting.

17.1.5 The CLEC to CLEC connection shall utilize **AT&T-22STATE** common cable support structure and will be billed for the use of such structure according to rates in the Pricing Schedule.

18.0 Extraordinary Charges, Special Construction and Custom Work / ICB Charges

18.1 Extraordinary Charges - Collocator will be responsible for all extraordinary construction costs, incurred by **AT&T-22STATE** to prepare the Collocation space for the installation of Collocator's equipment and for extraordinary costs to maintain the Collocation space for Collocator's equipment on a going-forward basis. Extraordinary costs may include costs for such items as asbestos removal, fire suppression system or containment, modifications or expansion of cable entry facility, increasing the DC power system infrastructure capacity, increasing the capacity of the AC system (if available), or of the existing commercial power facility, installation, maintenance, repair, monitoring of securing measures, conversion of non-Collocation space, or other modifications required by local ordinances. Ordinary costs may become extraordinary by their unusual nature (e.g. volume that is substantially beyond the average or typical Collocation arrangement or request) or its infrequency of occurrence (e.g. construction that will benefit only the requesting Collocator).

18.1.1 **AT&T-22STATE** may charge a recurring and a non-recurring fee for extraordinary costs on a time-sensitive or time-and-materials basis.

18.1.2 An estimate of such costs plus contribution will be provided to the Collocator prior to **AT&T-22STATE** commencing such work.

18.1.3 **AT&T-22STATE** must advise Collocator if extraordinary costs will be incurred within twenty (20) Business Days of the Collocator's complete and accurate Application.

18.1.4 Extraordinary costs will only be billed upon receipt of the signed acceptance of **AT&T-22STATE**'s price quote. Construction will not begin until receipt of the Collocator's signed acceptance.

18.1.5 Special Construction and/or Custom work may not be charged to Collocator for any work performed which will benefit or be used by **AT&T-22STATE** or other Collocators except on a pro-rated basis where reasonable.

19.0 DC Power Arrangement Provisioning and Power Reduction

19.1 In a CO **AT&T-22STATE** shall make available -48V DC power to serve the Collocator's equipment. When obtaining DC power from an **AT&T-22STATE** Power Source (BDFB or Power Plant), Collocator's fuses and power cables (for the A & B feeds) must be engineered (sized), and installed by Collocator's **AT&T-22STATE** AIS Tier 1, in accordance with the number of DC amps requested by Collocator on Collocator's Initial Application or any Subsequent Applications. Collocator is also responsible for contracting with an **AT&T-22STATE** AIS Tier 1 to run the power distribution feeder cable from the **AT&T-22STATE** Power Source to the equipment in Collocator's Collocation arrangement. The **AT&T-22STATE** AIS Tier 1 contracted by Collocator must provide **AT&T-22STATE** with a copy of the engineering power specifications prior to the day on which Collocator's equipment becomes operational (hereinafter "Commencement Date"). **AT&T-22STATE** will provide the common power feeder cable support structure between the AT&T Power Source and Collocator's Collocation arrangement. Collocator shall contract with an **AT&T-22STATE** AIS Tier 1 who shall be responsible for performing those power provisioning activities required to enable Collocator's equipment to become operational, which may include, but are not limited to, the installation, removal or replacement of the following: dedicated power cable support structure within Collocator's Collocation arrangement, power cable feeds and terminations of the power cabling. Collocator and Collocator's **AT&T-22STATE**

AIS Tier 1 shall comply with all applicable NEC, AT&T TP-76300, Telcordia and ANSI Standards that address power cabling, installation and maintenance.

19.2 **AT&T-22STATE** will permit Collocator to request DC power in five (5) amp increments from five (5) amps up to forty (40) amps. Above forty amps, DC power will be provisioned in ten (10) amp increments up to one hundred (100) amps from the **AT&T-22STATE** Power source.

19.3 Collocator Interconnect Power Panel (CIPP) – (Options):

19.3.1 A Collocator Interconnect Power Panel (CIPP) with maximum 200 amp capacity may be ordered from **AT&T-22STATE** or an equivalent panel provided by the Collocator's **AT&T-22STATE** AIS Tier 1. At least one (1) DC power panel is required with each application requiring DC Power when designed to provide between 50 and 200 amps per feed of DC current. However the Collocator may substitute the required power panel with an equivalent power panel subject to meeting NEBS Level 1 Safety and review by **AT&T-22STATE** technical support. See the Collocation Handbook for additional information.

19.4 Eligible Structure Ground Cable Arrangement, Each:

19.4.1 The ground cable arrangement is the cabling arrangement designed to provide grounding for equipment within the Collocator's Dedicated Space. Separate Ground Cable Arrangements are required for Integrated and Isolated Ground Planes. **AT&T-22STATE** provides an Integrated Ground Plane to serve the Collocator's equipment in the same manner as **AT&T-22STATE** equipment. Requests for an "Isolated" Ground Plane will be treated on an ICB basis.

19.5 Power Reduction:

19.5.1 The Collocator may request to decrease the amount of existing power available to a Collocation Arrangement. This can be done either by disconnecting and removing a power cable feed or by replacing the existing fuse with a fuse of a lower breakdown rating on a power cable feed. If the Collocator desires to disconnect a power arrangement (A&B feed), the Collocator will be responsible for hiring an **AT&T-22STATE** AIS Tier 1 to remove the terminations at both ends of the power cable feed and cut cables up to the **AT&T-22STATE** rack level that make up the power arrangement. If the Collocator desires to reduce the amperage on a power cable feed, the Collocator will be responsible for paying the costs necessary to change the fuse that serves the A&B feeds at the **AT&T-22STATE** power source. In either case, the Collocator must maintain a minimum amount of power on at least one power arrangement (A&B feed) to service their Collocation Arrangement when submitting their power reduction request. The Collocator shall submit an augment application in order to process this request.

19.5.2 If the Collocator desires to only reduce the fuse capacity on an existing power arrangement (A&B feed) rather than disconnect and remove cable to an existing power arrangement, they may only reduce the fuse size to the lowest power amp increment offered in this Attachment referenced in 19.2 above. Different minimum amp increments apply for power arrangements fed from either an **AT&T-22STATE** BDFB or an **AT&T-22STATE** power plant. When the Collocator is requesting to reduce the fuse capacity only, the fees referenced in the Pricing Schedule will apply. When the Collocator has only one power arrangement (A&B feed) serving their Collocation Arrangement, a fuse reduction is the only power reduction option available to the Collocator.

19.5.3 When a power reduction request involves a fuse change only on a power arrangement serviced from the **AT&T-22STATE** BDFB (e.g. power arrangements less than or equal to a fifty (50) amp A feed and a fifty 50) amp B feed) the Collocator must hire an **AT&T-22STATE** AIS Tier 1 to coordinate fuse changes at the **AT&T-22STATE** BDFB. Applicable fees referenced in Pricing Schedule will still apply. When a power reduction request involves a fuse change on a power arrangement serviced from the **AT&T-22STATE** Power Plant (e.g. power arrangements consisting of a one-hundred (100) amp A feed and a one-hundred (100) amp B feed and above), the Collocator must hire an **AT&T-22STATE** AIS Tier 1 power supplier to coordinate the fuse changes at the **AT&T-22STATE** power plant.

19.5.4 When a power reduction request requires disconnecting and removing a power cable feed from either the **AT&T-22STATE**'s BDFB (Battery Distribution Fuse Bay) or power plant, the **AT&T-22STATE** AIS Tier 1 will perform the power cable removal work up to the rack level.. Applicable fees referenced in Pricing Schedule will apply. Within thirty (30) calendar days after submitting its power reduction request to disconnect and remove a power arrangement, the Collocator must perform the following activity:

19.5.4.1 Remove terminations at both ends of the power cable feed and cut cables up to the **AT&T-22STATE** rack level. Collocator must use a **AT&T-22STATE** AIS Tier 1 for this procedure and that supplier must follow TP76300 guidelines for cutting and capping the cable at the rack level.

19.6 When the Collocator has multiple power arrangement serving a Collocation Arrangement (e.g., one power arrangement consisting of fifty (50) amps on the A feed and fifty (50) amps on the B feed and a second power arrangement consisting of twenty (20) amps on the A feed and twenty (20) amps on the B feed), the Collocator has the option of either fusing down the fifty (50) amp power arrangement (A&B feed) or disconnecting and removing the power cable feed from the fifty (50) amp power arrangement (A&B feed). If the Collocator chooses to disconnect and remove the power cable feed from a power arrangement (A&B feed), then the charges referenced in Pricing Schedule will apply. If the Collocator has multiple power arrangements (A&B feed) where they can request both a fuse reduction and a power cable removal for one Collocation Arrangement [e.g. reduce one power arrangement from fifty (50) amps (A&B feed) to twenty (20) amps (A&B feed) and remove the power cable from a second power arrangement from fifty (50) amps (A&B feed) to 5 amps (A&B feed)], then the project management fee for power cable removal referenced in the Pricing Schedule will apply in addition to the individual charges referenced in the Pricing Schedule associated with the overall power reduction request.

19.7 For any power reduction request (one which involves either a disconnect and removal, re-fusing only, or a combination of the two), the Collocator must submit an augment application for this request along with the appropriate application and project management fees referenced in the Pricing Schedule. The same Augment intervals that are outlined in this Attachment for adding power will apply to power reduction requests.

20.0 Collocation In CEV'S, HUTS And CABINETS

20.1 Remote Terminals - When the requirements of this Agreement are met, collocation will be allowed in Controlled Environmental Vaults (CEV's), Huts and Cabinets and other **AT&T-22STATE** owned or controlled premises where Collocation is practical and Technically Feasible, e.g. where heat dissipation is not severely limited and there is sufficient space for Collocator's equipment.

20.2 **AT&T-13STATE** will assign space in a RT in two-inch vertical mounting space increments within a CEV, Hut or cabinet for the placement of Collocator's equipment. The number of two-inch vertical mounting spaces required is determined by the size of the equipment to be placed plus additional space required for heat dissipation and ventilation of the equipment to be placed in adjacent equipment. Refer to the Pricing Schedule for rates.

20.3 **AT&T SOUTHEAST REGION 9-STATE** will also assign space in a RT in single bay increments within a CEV, Hut or cabinet for the placement of Collocator's equipment. The number of bays required is determined by the size of the equipment to be placed plus additional space required for heat dissipation and ventilation of the equipment to be placed in adjacent equipment. Refer to the Pricing Schedule for rates and charges.

20.4 **AT&T-22STATE**: RT Collocation Arrangements - **AT&T-22STATE** shall make available -48V DC power for Collocator's RT Collocation arrangement at an **AT&T-22STATE** power source within the RT. The charge for power shall be assessed as part of the MRCs per the Pricing Schedule. If the power requirements for Collocator's equipment exceed the capacity available, then such additional power requirements shall be assessed on an individual case basis.

ATTACHMENT 13 - 251(C)(3) UNES

Table of Contents

1.0 INTRODUCTION 3
2.0 DEFINITIONS 4
3.0 GENERAL PROVISIONS 5
4.0 RESPONSIBILITIES OF THE PARTIES 6
5.0 CROSS-CONNECTS/CENTRAL OFFICE CHANNEL INTERFACES (COCI) 7
6.0 NEW COMBINATIONS, CONVERSIONS, COMMINGLING AND EELS 8
7.0 NETWORK INTERFACE DEVICE (NID) 13
8.0 UNE LOOP 13
9.0 UNE DS1 AND DS3 DEDICATED TRANSPORT 16
10.0 UNE DEDICATED TRANSPORT DARK FIBER 18
11.0 ROUTINE NETWORK MODIFICATIONS FOR UNE LOOPS, UNE DS1, DS3 AND DARK FIBER DEDICATED TRANSPORT 20
12.0 911 / E911 DATABASE 20
13.0 OPERATIONS SUPPORT SYSTEMS (OSS) FUNCTIONS 20
14.0 NON-IMPAIRED WIRE CENTER CRITERIA AND RELATED PROCESSES 21
15.0 FUTURE WIRE CENTER DESIGNATIONS 23
16.0 TRANSITION PROCEDURES OF DS1/DS3 UNE LOOPS, DS1/DS3 DEDICATED TRANSPORT OR DARK FIBER DEDICATED TRANSPORT ARRANGEMENTS IMPACTED BY WIRE CENTER DESIGNATION(S) 24

1.0 Introduction

1.1 This Attachment sets forth the terms and conditions pursuant to which **AT&T-22STATE** will furnish CLEC with access to Unbundled Network Elements pursuant to Section 251(c)(3) of the Telecommunications Act (herein referred to as "251(c)(3) UNEs" or "UNEs") for the provision by CLEC of a Telecommunications Service (Act, Section 251(c)(3)) in **AT&T-22STATE**'s incumbent local Exchange areas.

1.2 Nothing contained in the Agreement shall be deemed to constitute consent by **AT&T-22STATE** that any item identified in this Agreement as a UNE or network element is a network element or UNE under Section 251(c)(3) of the Act, as determined by 251(c)(3) and effective FCC rules and associated 251(c)(3) and effective FCC and judicial orders, that **AT&T-22STATE** is required to provide to CLEC alone, or in combination with other network elements or UNEs (251(c)(3) or otherwise), or commingled with other network elements, UNEs (251(c)(3) or otherwise) or other services or facilities.

1.3 The preceding includes without limitation that **AT&T-22STATE** shall not be obligated to provide combinations (whether considered new, pre-existing or existing) or other arrangements (including, where applicable, Commingled Arrangements) involving **AT&T-22STATE** network elements that do not constitute 251(c)(3) UNEs, or where 251(c)(3) UNEs are not requested for permissible purposes.

1.4 Notwithstanding any other provision of this Agreement or any Amendment to this Agreement, including but not limited to intervening law, change in law or other substantively similar provision in the Agreement or any Amendment, if an element described as an Unbundled Network Element or 251(c)(3) UNE in this Agreement is Declassified or is otherwise no longer a 251(c)(3) UNE, then the Transition Procedure defined in Section 3.5 below, shall govern.

1.5 Access to 251(c)(3) UNEs is provided under this Agreement over such routes, technologies, and facilities as **AT&T-22STATE** may elect at its own discretion. **AT&T-22STATE** will provide access to 251(c)(3) UNEs where technically feasible. Where facilities and equipment are not available, **AT&T-22STATE** shall not be required to provide 251(c)(3) UNEs.

1.6 251(c)(3) UNEs provided to CLEC under the provisions of this Attachment shall remain the property of **AT&T-22STATE**.

1.7 Subject to the terms herein, **AT&T-22STATE** is responsible only for the installation, operation and maintenance of the 251(c)(3) UNEs it provides. **AT&T-22STATE** is not otherwise responsible for the Telecommunications Services provided by CLEC through the use of those 251(c)(3) UNEs.

1.8 Where 251(c)(3) UNEs provided to CLEC are dedicated to a single End User, if such 251(c)(3) UNEs are for any reason disconnected they shall be made available to **AT&T-22STATE** for future provisioning needs, unless such 251(c)(3) UNE is disconnected in error. The CLEC agrees to relinquish control of any such 251(c)(3) UNE concurrent with the disconnection of a CLEC's End User's service.

1.9 The Parties intend that this Attachment contains the sole and exclusive terms and conditions by which CLEC will obtain UNEs from **AT&T-21STATE**. Accordingly, except as may be specifically permitted by this Attachment, and then only to the extent permitted, CLEC and its Affiliates hereby fully and irrevocably waive any right or ability any of them might have to purchase any UNE (whether on a stand-alone basis, in combination with other UNEs (or otherwise), with a network element possessed by CLEC, or pursuant to Commingling or otherwise) directly from any **AT&T-21STATE** tariff, to the extent such tariff(s) is/are available, and agree not to so purchase or attempt to so purchase from any such tariff. Without affecting the application or interpretation of any other provisions regarding waiver, estoppel, laches, or similar concepts in other situations, the failure of **AT&T-21STATE** to enforce the foregoing (including if **AT&T-21STATE** fails to reject or otherwise block orders for, or provides or continues to provide, UNEs, or otherwise, under tariff) shall not act as a waiver of any part of this Section, and estoppel, laches, or other similar concepts shall not act to affect any rights or requirements hereunder. At its option, **AT&T-21STATE** may either reject any such order submitted under tariff, or without the need for any further contact with or consent from CLEC, **AT&T-21STATE** may process any such order as being submitted under this Attachment and, further, may convert any element provided under tariff, to this Attachment effective as of the later in time of (i) the Effective Date of this Agreement, or (ii) the submission of the order by CLEC.

1.10 When an End User of CLEC elects to discontinue service and to transfer service to another local exchange carrier, including **AT&T-22STATE**, **AT&T-22STATE** shall have the right to reuse the facilities provided to CLEC, regardless of whether those facilities are provided as network elements or as part of a resold service, and regardless of whether the End User served with such facilities has paid all charges to CLEC or has been denied service for nonpayment or otherwise. **AT&T-22STATE** will notify CLEC that such a request has been processed after the disconnect order has been completed.

2.0 Definitions

2.1 **AT&T-22STATE** Premise(s) means as defined in Attachment 12 – Collocation.

2.2 "Building" or "same building" means a structure under one roof or two or more structures on one premises which are connected by an enclosed or covered passageway.

2.3 "Commingling" or "Commingled Arrangement" means an arrangement connecting, attaching, or otherwise linking of a UNE, or a combination of UNEs, to one or more facilities or services that CLEC has obtained at wholesale from **AT&T-22STATE**, or the combining of a UNE, or a combination of UNEs, with one or more such facilities or services. Commingling in its entirety (the ability of CLEC to Commingle, **AT&T-22STATE**'s obligation to perform the functions necessary to Commingle, and Commingled Arrangements) shall not apply to or otherwise include, involve or encompass **AT&T-22STATE** offerings pursuant to 47 U.S.C. § 271 that are not 251(c)(3) UNEs under 47 U.S.C. § 251(c)(3).

2.4 "Declassified UNE" or "Declassified" means a UNE that ceases to be a UNE under this Agreement because it is no longer required by Section 251(c)(3) of the Act, as determined by 251(c)(3) and effective FCC rules and associated 251(c)(3) and effective FCC and judicial orders.

2.5 "Demarcation Point" means the point on the loop where **AT&T-22STATE**'s control of the wire ceases and the End User's control (or in the case of some multi-unit premises, the landlord's control) of the wire begins.

2.6 "Enhanced Extended Link (EEL)" means a 251(c)(3) UNE combination consisting of an Unbundled Local Loop(s) and Unbundled Dedicated Transport (UDT), together with any facilities, equipment, or functions necessary to combine those UNEs (including, for example, multiplexing capabilities subject to the Cap limitations as identified within the Unbundled Local Loop and Unbundled Transport sections below. A DS1 or higher EEL is required to terminate in a Collocation arrangement that meets the requirements of Section 6.4.3.1 below of this Attachment (e.g., the end of the UDT that is opposite the end connected to the 251(c)(3) UNE Local Loop, must be accessed by CLEC at such a CLEC collocation arrangement via a cross-connect).

2.7 "Fiber to the Curb (FTTC) Loops" means local Loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC Loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.

2.8 "Fiber to the Home (FTTH) Loops" means local Loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE).

2.9 "Hybrid UNE Loop" means a Local UNE Loop composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire and cable, usually in the distribution plant. **AT&T-22STATE** shall provide CLEC access to Hybrid UNE Loops pursuant to the requirements of 47 C.F.R. § 51.319(a)(2).

2.10 "Unbundled Local Loop(s) (UNE Loop)" means a transmission facility between a distribution frame (or its equivalent) in an **AT&T-22STATE** central office and the UNE Loop Demarcation Point at an End User premises. Facilities that do not terminate at a Demarcation Point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, mobile switching center or base station, do not constitute UNE Loops. The UNE Loop includes all features, functions, and capabilities of the transmission facilities, including the Network Interface Device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate

devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by **AT&T-22STATE**.

2.11 "Network Interface Device (NID)" means any interconnection of End User premises wiring to **AT&T-22STATE**'s distribution UNE Loop facilities, such as a cross-connect device used for that purpose. Fundamentally, the NID establishes the final (and official) network demarcation point between the UNE Loop and the End User's inside wire.

2.12 "Ratcheting" means a pricing mechanism that involves billing a single circuit at multiple rates to develop a single, blended rate.

2.13 "Route" means a transmission path between one of **AT&T-22STATE**'s Wire Centers or switches and another of **AT&T-22STATE**'s Wire Centers or switches. A Route between two points (e.g., Wire Center or switch "A" and Wire Center or switch "Z") may pass through one or more intermediate Wire Centers or switches (e.g., Wire Center or switch "X"). Transmission paths between identical end points (e.g., Wire Center or switch "A" and Wire Center or switch "Z") are the same Route, irrespective of whether they pass through the same intermediate Wire Centers or switches, if any.

2.14 "Unbundled Dedicated Transport (UDT)" means **AT&T-22STATE** interoffice transmission facilities between Wire Centers or switches owned by **AT&T-22STATE**, or between Wire Centers or switches owned by **AT&T-22STATE** and switches owned by requesting Telecommunications Carriers, dedicated to a particular End User or carrier. **AT&T-22STATE** is not obligated to provide CLEC with unbundled access to Dedicated Transport that does not connect a pair of **AT&T-22STATE** Wire Centers.

2.15 "UNE Dedicated Transport Dark Fiber/Dark Fiber Transport" means **AT&T-22STATE** dark fiber interoffice transmission facilities dedicated to a particular CLEC that are within **AT&T-22STATE**'s network, connecting **AT&T-22STATE** switches or Wire Centers within a LATA. Dedicated Transport Dark Fiber consists of un-activated optical interoffice transmission facilities.

3.0 General Provisions

3.1 The rates for UNEs, UNE Combinations and Other Services are set forth in the Pricing Schedule.

3.2 If CLEC procures any UNEs, UNE Combinations and/or Other Services for which rates are not currently in the Pricing Schedule, **AT&T-22STATE** then reserves the right to charge a current state-specific price/market-based rate.

3.3 Without limitation, a UNE under this Agreement is Declassified upon or by (a) the issuance of an effective finding by a court or regulatory agency acting within its authority that requesting Telecommunications Carriers are not impaired without access to a particular UNE; or (b) an effective determination by a legislative, judicial or regulatory body finding that an ILEC is not required, or is no longer required, to provide the UNE pursuant to Section 251(c)(3) of the Act; or (c) the absence, by vacatur or otherwise, of a legally effective FCC rule requiring the provision of the UNE on an unbundled basis pursuant to Section 251(c)(3). By way of example only, a UNE can be Declassified generally, or on an element-specific, Route-specific or geographically-specific basis or on a class of elements basis. For declassification of elements as the result of changes to Wire Center designations, Section 14.0 below shall apply.

3.4 If this Agreement requires or appears to require UNE(s) or the unbundling of an element without specifically noting a particular UNE or UNEs, the reference shall be deemed to be a reference to 251(c)(3) UNE(s), as defined in this Attachment. If a UNE is Declassified or is not required to be provided under this 251(c)(3) UNE Attachment and/or not described in this 251(c)(3) UNE Attachment, it is the Parties' intent that the UNE is not available under this Agreement, notwithstanding any reference to the UNE elsewhere in the Agreement, including in any other Attachment, or in the Pricing Schedule.

3.5 Transition Procedure for UNEs that are Declassified during the Term of the Agreement:

3.5.1 The procedure set forth in this Section does not apply to the Declassification events described in Sections 8.1.4 below, Section 9.1.7 below which set forth the consequences for Declassification of DS1 and DS3 Loops, DS1 and DS3 Transport and Dark Fiber Transport, where applicable Caps are met, or where Declassification occurs because Wire Centers/Routes meet the criteria set forth in the FCC's TRO Remand Order (TRRO).

3.5.1.1 **AT&T-22STATE** shall only be obligated to provide Section 251 (c)(3) UNEs under this Agreement as determined by 251(c)(3) and effective FCC rules and associated 251(c)(3) and effective FCC and judicial orders. To the extent an element described as a UNE or an Unbundled Network Element in this Agreement is Declassified or is otherwise no longer a UNE, **AT&T-22STATE** may discontinue the provision of such element, whether previously provided alone or in combination with or as part of any other arrangement with other UNEs or other elements or services. Accordingly, in the event one or more elements described as UNEs or as Unbundled Network Elements in this Agreement is Declassified or is otherwise no longer a UNE, **AT&T-22STATE** will identify such Declassified UNEs and provide written Notice to CLEC of its discontinuance of the element(s) and/or the combination or other arrangement in which the element(s) has been previously provided. During a "Transitional Period" of thirty (30) calendar days from the date of such Notice, **AT&T-22STATE** agrees to continue providing such element(s) under the terms of this Agreement. Upon receipt of such written Notice, CLEC will cease ordering elements that are identified as Declassified or as otherwise no longer being available as a UNE in the **AT&T-22STATE** Notice letter. **AT&T-22STATE** reserves the right to review CLEC's orders transmitted to **AT&T-22STATE** and to the extent that CLEC has processed orders and such orders are provisioned after the Transitional Period, such elements are still subject to this Section, including the options set forth in (a) and (b) below, and **AT&T-22STATE**'s rights of discontinuance or conversion in the event the options are not accomplished. During the Transitional Period, the following options are available to CLEC with regard to the element(s) identified in the **AT&T-22STATE** Notice, including the combination or other arrangement in which the element(s) were previously provided:

3.5.1.1.1 CLEC may issue a Local Service Request (LSR) or Access Service Request (ASR), as applicable, to seek disconnection or other discontinuance of the element(s) and/or the combination or other arrangement in which the element(s) were previously provided; or

3.5.1.1.2 **AT&T-22STATE** and CLEC may agree upon another service arrangement or element (e.g., via a separate agreement at market-based rates to the extent **AT&T-22STATE** offers such an agreement, or an equivalent tariffed **AT&T-22STATE** service, or resale), or may agree that an analogous access product or service may be substituted, if available.

3.5.2 Notwithstanding anything to the contrary in this Agreement, including any amendments to this Agreement, at the end of that thirty (30) calendar day Transitional Period described in Section 3.5.1.1 above, unless CLEC has submitted a disconnect/discontinuance LSR or ASR, as applicable, under (a), above, and/or if CLEC and **AT&T-22STATE** have failed to reach agreement under (b), above, as to a substitute service arrangement or element, then **AT&T-22STATE** may, at its sole option, disconnect the element(s), whether previously provided alone or in combination with or as part of any other arrangement, or convert the subject element(s), whether alone or in combination with or as part of any other arrangement to an analogous resale or access service, if available.

4.0 Responsibilities Of The Parties

4.1 **AT&T-22STATE** will provide access to UNEs for the provision by CLEC of a Telecommunications Service (Act, Section 251(c)(3).

4.2 Each Party shall be solely responsible for the services it provides to its End Users and to other Telecommunications Carriers.

4.3 CLEC's use of any **AT&T-22STATE** UNE, or of its own equipment or facilities in conjunction with any **AT&T-22STATE** UNE, must not materially interfere with or impair service over any facilities of **AT&T-22STATE**, its affiliated companies or its connecting and concurring carriers involved in its services, cause damage to their plant, impair the privacy of any communications carried over their facilities or create hazards to the employees of any of

5.1.2.1 CLEC shall be responsible for initial testing and trouble sectionalization of facilities containing CLEC installed cross connects.

5.1.2.2 CLEC shall refer trouble sectionalized in the **AT&T-22STATE** 251(c)(3) UNE to **AT&T-22STATE**'s Maintenance Center**.**

5.1.3 In the **AT&T SOUTHEAST REGION 9-STATE** when UNEs are connected to Multiplexer, COCI will be used. COCI rates, terms and conditions are set forth in the Pricing Schedule.

6.0 New Combinations, Conversions, Commingling and EELs

6.1 New Combinations Involving UNEs:

6.1.1 Subject to the provisions hereof and upon CLEC request, **AT&T-22STATE** shall meet its combining obligations involving UNEs as to the extent required by FCC rules and orders.

6.1.2 To the extent CLEC requests a combination for which **AT&T-22STATE** does not have methods and procedures in place to provide such combination, rates and/or methods or procedures for such combination may be developed pursuant to the Bona Fide Request (BFR) process described in Attachment 08 - Bona Fide Request. Where electronic ordering is not available, manual ordering shall be used.

6.1.2.1 **AT&T-22STATE** will charge CLEC the applicable recurring and nonrecurring charges for each individual UNE and/or combinations as set forth in the Pricing Schedule.

6.1.3 Without affecting the other provisions hereof, the UNE combining obligations referenced in this Section apply only in situations where each of the following is met:

6.1.3.1 it is technically feasible, including that network reliability and security would not be impaired;

6.1.3.2 **AT&T-22STATE**'s ability to retain responsibility for the management, control, and performance of its network would not be impaired;

6.1.3.3 **AT&T-22STATE** would not be placed at a disadvantage in operating its own network;

6.1.3.4 it would not undermine the ability of other Telecommunications Carriers to obtain access to 251(c)(3) UNEs or to Interconnect with **AT&T-22STATE**'s network; and

6.1.3.5 CLEC is either unable to make the combination itself; or a new entrant and is unaware that it needs to combine certain UNEs to provide a Telecommunications Service, but such obligation under this Section ceases if **AT&T-22STATE** informs CLEC of such need to combine.

6.1.4 For purposes of Section 6.1.3.5 above and without limiting other instances in which CLEC may be able to make a combination itself, CLEC is deemed able to make a combination itself when the UNE(s) sought to be combined are available to CLEC, including without limitation on/at an **AT&T-22STATE** Premise, as defined in the Attachment 12 - Collocation.

6.2 Conversion of Wholesale Services to 251(c)(3)UNE/UNE Combinations Or 251(c)(3) UNE/UNE Combinations to Wholesale Services:

6.2.1 Upon request, **AT&T-22STATE** shall convert a wholesale service, or group of wholesale services, to the equivalent UNE/UNE combinations that is/are available to CLEC pursuant to Section 251(c)(3) of the Act and under this Agreement, or convert UNE/UNE combination(s) that is/are available to CLEC pursuant to Section 251(c)(3) of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by **AT&T-22STATE** (collectively "Conversion").

6.2.2 A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between CLEC and **AT&T-22STATE**.

6.2.3 **AT&T-22STATE** will not require physical rearrangements if the Conversion can be completed through record changes only. Any change from a wholesale service/group of wholesale services to a 251(c)(3) UNE/UNE combination(s), or from a 251(c)(3) UNE/UNE combination(s) to a wholesale service/group of wholesale services that require a physical rearrangement will not be considered a Conversion for purposes of this Agreement.

6.2.4 Orders for Conversions will be handled in accordance with the guidelines posted on AT&T CLEC Online website.

6.2.5 Where processes for the Conversion requested pursuant to this Attachment are not already in place, the Parties will comply with any applicable change management or CLEC User Forum guidelines.

6.2.6 If CLEC does not meet the applicable eligibility criteria or, for any reason, stops meeting the eligibility criteria for a particular Conversion of a wholesale service, or group of wholesale services, to the equivalent 251(c)(3)UNE, or combination of 251(c)(3) UNEs, CLEC shall not request such Conversion or continue using such 251(c)(3) UNE or 251(c)(3) UNEs that result from such Conversion. To the extent CLEC fails to meet (including ceases to meet) the eligibility criteria applicable to a 251(c)(3) UNE or combination of 251(c)(3) UNEs, **AT&T-22STATE** may convert the 251(c)(3) UNE or 251(c)(3) UNE combination to the equivalent wholesale service or group of wholesale services, upon written Notice to CLEC.

6.2.6.1 This Section applies to any 251(c)(3) UNE or combination of 251(c)(3) UNEs, including whether or not such 251(c)(3) UNE or combination of 251(c)(3) UNEs had been previously converted from an **AT&T-22STATE** service.

6.2.6.2 **AT&T-22STATE** may exercise its rights provided for hereunder and those allowed by law to ensure compliance with any applicable eligibility criteria.

6.2.7 Conversion Pricing:

6.2.7.1 **AT&T-22STATE** shall charge the applicable non-recurring service order charge and applicable switch-as-is rates as set forth in the Pricing Schedule, for Conversions to specific UNE/UNE Combinations. **AT&T-22STATE** shall also charge the applicable non-recurring service order charge and applicable switch-as-is rates, as set forth in the Pricing Schedule, when converting from UNE/UNE combinations.

6.3 Commingling:

6.3.1 Commingling is not permitted, nor is **AT&T-22STATE** required to perform the functions necessary to Commingle, where the Commingled Arrangement (i) is not technically feasible, including that network reliability and security would be impaired; or (ii) would impair **AT&T-22STATE**'s ability to retain responsibility for the management, control, and performance of its network; or (iii) would place **AT&T-22STATE** at a disadvantage in operating its own network; or (iv) would undermine the ability of other Telecommunications Carriers to obtain access to UNEs or to Interconnect with **AT&T-22STATE**'s network.

6.3.2 Where processes for any Commingling requested pursuant to this Agreement (including, by way of example, for existing services sought to be converted to a Commingled Arrangement) are not already in place, **AT&T-22STATE** will develop and implement processes, subject to any associated rates, terms and conditions. The Parties will comply with any applicable change management or CLEC User Forum (CUF) guidelines and/or will be developed pursuant to the BFR process.

6.3.3 Any Commingling obligation is limited solely to Commingling of one or more facilities or services that are provided at wholesale from **AT&T-22STATE** with UNEs; accordingly, no other facilities, services or functionalities are subject to Commingling, including but not limited to facilities, services or functionalities that **AT&T-22STATE** might offer pursuant to Section 271 of the Act.

6.3.4 Except as provided in Section 6.3 above and, further, subject to the other provisions of this Agreement, **AT&T-22STATE** shall permit CLEC to Commingle a UNE or a combination of UNEs with facilities or services obtained at wholesale from **AT&T-22STATE** to the extent required by effective FCC rules and associated and effective FCC and judicial orders.

6.3.5 Upon request, and subject to Section 6, **AT&T-22STATE** shall perform the functions necessary to Commingle a 251(c)(3) UNE or a combination of 251(c)(3) UNEs with one or more facilities or services that CLEC has obtained at wholesale from **AT&T-22STATE** (as well as requests where CLEC also wants **AT&T-22STATE** to complete the actual Commingling), except that **AT&T-22STATE** shall have no obligation to perform the functions necessary to Commingle (or to complete the actual Commingling) if (i) Section 6.2.1

above applies to the Commingled Arrangement sought by CLEC; or (ii) the CLEC is able to perform those functions itself. Where CLEC is a new entrant and is unaware that it needs to Commingle to provide a Telecommunications Service, **AT&T-22STATE**'s obligation to Commingle ceases if **AT&T-22STATE** informs CLEC of such need to Commingle.

6.3.6 For purposes of Section 6.3.1 above and without limiting other instances in which CLEC may be able to Commingle for itself, CLEC is deemed able to Commingle for itself when the UNE(s), UNE combination, and facilities or services obtained at wholesale from **AT&T-22STATE** are available to CLEC at the CLEC's Collocation Arrangement. For Collocation terms and conditions see Attachment 12 – Collocation.

6.3.7 **AT&T-22STATE** has developed a list of Commingled Arrangements that will be available for ordering. This list is posted on AT&T's CLEC Online website.

6.3.7.1 Any request by CLEC for a Commingled Arrangement not included in such list may be made via Attachment 08 - Bona Fide Request. In any such BFR, CLEC must designate among other things the 251(c)(3) UNE(s), combination of 251(c)(3) UNEs, and the facilities or services that CLEC has obtained at wholesale from **AT&T-22STATE** sought to be Commingled and the needed location(s), the order in which such 251(c)(3) UNEs, such combinations of 251(c)(3) UNEs, and such facilities and services are to be Commingled, and how each connection (e.g. cross-connected) is to be made between them.

6.3.8 **AT&T-22STATE** will charge the appropriate recurring and non-recurring rates as identified in the Pricing Schedule. **AT&T-22STATE** shall charge the appropriate non-recurring rates as set forth in the Pricing Schedule(s) applicable to the 251(c)(3) UNEs (or 251(c)(3) UNE combinations) that are Commingled on a 251(c)(3) UNE-by-251(c)(3) UNE basis, and for the facilities and services that are Commingled (under this Section 6.3 above) on a facility-by-facility, service-by-service basis, including without limitation for the type of service and activity being requested to create the Commingled Arrangement.

6.3.9 **AT&T-22STATE** shall not be required to, and shall not, provide Ratcheting as a result of Commingling or a Commingled Arrangement.

6.4 Mandatory Eligibility Criteria for Access to Certain UNEs

6.4.1 Except as provided below in this Section or elsewhere in the Agreement and subject to this Section and Section 6.2 above, Conversion of Wholesale Services to 251(c)(3) UNEs, of this Attachment, **AT&T-22STATE** shall provide access to 251(c)(3) UNEs and combinations of 251(c)(3) UNEs without regard to whether the CLEC seeks access to the 251(c)(3) UNEs to establish a new circuit or to convert an existing circuit from a wholesale service to 251(c)(3) UNEs.

6.4.2 **AT&T-22STATE** is not obligated, and shall not, provide access to (1) an unbundled DS1 UNE Loop in combination, or Commingled, with a DS1 UDT facility or service or a DS3 or higher UDT facility or service, or an unbundled DS3 UNE Loop in combination, or Commingled, with a DS3 or higher UDT facility or service, or (2) an unbundled DS1 UDT facility in combination, or Commingled, with an unbundled DS1 UNE Loop or a DS1 channel termination service, or to an unbundled DS3 UDT facility in combination, or Commingled, with an unbundled DS1 UNE Loop or a DS1 channel termination service, or to an unbundled DS3 UNE Loop or a DS3 or higher channel termination service (collectively, the "Included Arrangements"), unless CLEC certifies that all of the following conditions are met with respect to the arrangement being sought:

6.4.2.1 The following criteria are satisfied for each Included Arrangement, including without limitation each DS1 circuit, each DS3 circuit, each DS1 EEL and each DS1 equivalent circuit on a DS3 EEL:

6.4.2.1.1 Each circuit to be provided to each End User will be assigned a local telephone number (NPA-NXX-XXXX) that is associated with local service provided within an **AT&T-22STATE** local service area and within the LATA where the circuit is located ("Local Telephone Number"), prior to the provision of service over that circuit (and

for each circuit, CLEC will provide the corresponding Local Telephone Number(s) as part of the required certification); and

6.4.2.1.2 Each DS1-equivalent circuit on a DS3 EEL or on any other Included Arrangement, must have its own Local Telephone Number assignment, so that each DS3 must have at least twenty-eight (28) Local voice Telephone Numbers assigned to it; and

6.4.2.1.3 Each circuit to be provided to each End User will have 911 or E911 capability prior to the provision of service over that circuit; and

6.4.2.1.4 Each circuit to be provided to each End User will terminate in a Collocation arrangement that meets the requirements of Section 6.4.3 below of this Attachment; and

6.4.2.1.5 Each circuit to be provided to each End User will be served by an Interconnection Trunk that meets the requirements of Section 6.4.4 below of this Attachment; and

6.4.2.1.6 For each twenty-four (24) DS1 EELs, or other facilities having equivalent capacity, CLEC will have at least one active DS1 local service interconnection Trunk that meets the requirements of Section 6.4.4 below of this Attachment; and

6.4.2.1.7 Each circuit to be provided to each End User will be served by a switch capable of providing local voice traffic.

6.4.2.1.8 **AT&T-22STATE** shall not be required to provide, and shall not provide, any 251(c)(3) UNE Combination of a 251(c)(3) UNE Local Loop and UDT at DS1 or higher (whether as a UNE Combination by themselves, with a network element possessed by CLEC, or pursuant to Commingling, or whether as a new arrangement or from a Conversion of an existing service/circuit) that does not terminate to a Collocation arrangement that meets the requirements of Section 6.4.3 below of this Attachment.

6.4.3 A Collocation arrangement meets the requirements of Section 6.4 above of this Attachment if it is:

6.4.3.1 Established pursuant to Section 251(c)(6) of the Act and located at **AT&T-22STATE** Premises within the same LATA as the End User's premises, when **AT&T-22STATE** is not the Collocator; or

6.4.3.2 Located at a Third Party's premises within the same LATA as the End User's premises, when **AT&T-22STATE** is the Collocator.

6.4.4 An Interconnection Trunk meets the requirements of Section 6.4.2.1.5 above and Section 6.4.2.1.6 above of this Attachment if CLEC will transmit the calling party's local telephone number in connection with calls exchanged over the Trunk, and the Trunk is located in the same LATA as the End User premises served by the Included Arrangement.

6.4.5 For a new circuit to which Section 6.4.2 above applies, CLEC may initiate the ordering process if CLEC certifies that it will not begin to provide any service over that circuit until a local telephone number is assigned and 911/E911 capability is provided, as required by Section 6.4.2.1.1 above and Section 6.4.2.1.3 above respectively. In such case, CLEC shall satisfy Section 6.4.2.1.1 above and/or Section 6.4.2.1.3 above if it assigns the required Local Telephone Number(s), and implements 911/E911 capability, within thirty (30) calendar days after **AT&T-22STATE** provisions such new circuit. CLEC must provide **AT&T-22STATE** with sufficient proof that such assignment and/or implementation has occurred by the end of such 30th day.

6.4.5.1 Section 6.4.5 above does not apply to existing circuits to which Section 6.4.2 above applies, including Conversions or migrations (e.g., CLEC shall not be excused from meeting the Section 6.4.2.1.1 above and Section 6.4.2.1.3 above requirements for existing circuits at the time it initiates the ordering process).

6.4.6 CLEC hereby agrees that by submitting an order to **AT&T-22STATE** for an Included Arrangement (whether new, as a result of a requested Conversion, or otherwise), CLEC is certifying that it meets and will continue to meet the requirements of Section 6.4 above as to such Included Arrangement(s) on a circuit-by-circuit/service-by-service/Included Arrangement-by-Included Arrangement basis. Such certification-by-order shall have the same weight and effect as a separate certification, and certification-by-order shall not diminish or otherwise affect CLEC's obligation to meet and to continue to comply with the criteria or certification requirements set forth in this Section.

6.4.6.1 If the information previously provided in a certification is inaccurate (or ceases to be accurate), CLEC shall update such certification promptly with **AT&T-22STATE**.

6.4.7 In addition to any other audit rights provided for this Agreement and those allowed by law, **AT&T-22STATE** may obtain and pay for an independent auditor to audit CLEC, on an annual basis, applied on a State-by-State basis, for compliance with this Section. For purposes of calculating and applying an "annual basis," it means a consecutive twelve (12) month period for each individual State, beginning upon **AT&T-22STATE**'s written Notice that an audit will be performed for that State, subject to Section 6.4.7.4 below.

6.4.7.1 Unless otherwise agreed by the Parties (including at the time of the audit), the independent auditor shall perform its evaluation in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA), which will require the auditor to perform an "examination engagement" and issue an opinion regarding CLEC's compliance with the qualifying service eligibility criteria.

6.4.7.2 The independent auditor's report will conclude whether CLEC complied in all material respects with this Section 6.4 above.

6.4.7.3 Consistent with standard auditing practices, such audits require compliance testing designed by the independent auditor, which typically includes an examination of a sample selected in accordance with the independent auditor's judgment.

6.4.7.4 To the extent the independent auditor's report concludes that CLEC failed to comply with this Section 6.4 above, CLEC must true-up any difference in payments beginning from the date that the non-compliant circuit was established as a 251(c)(3) UNE/UNE Combination, in whole or in part (notwithstanding any other provision hereof), CLEC must convert the 251(c)(3) UNE or 251(c)(3) UNE Combination, or Commingled Arrangement, to an equivalent or substantially similar wholesale service, or group of wholesale services, (and **AT&T-22STATE** may initiate and affect such a conversion on its own without any further consent by CLEC), and CLEC shall timely make the correct payments on a going-forward basis, and all applicable remedies for failure to make such payments shall be available to **AT&T-22STATE**. In no event shall rates set under Section 252(d)(1) of the Act apply for the use of any 251(c)(3) UNE for any period in which CLEC does not meet the conditions set forth in this Section 6.4 above for that 251(c)(3) UNE, arrangement, or circuit, as the case may be. Also, the "annual basis" calculation and application shall be immediately reset, e.g., **AT&T-22STATE** shall not have to wait the remaining part of the consecutive twelve (12) month period before it is permitted to audit again in that state.

6.4.7.4.1 To the extent that the independent auditor's report concludes that CLEC failed to comply in all material respects with this Section 6.4 above, CLEC must reimburse **AT&T-22STATE** for the cost of the independent auditor and for **AT&T-22STATE**'s costs in the same manner and using the same methodology and rates that **AT&T-22STATE** is required to pay CLEC's costs under Section 6.4.7.4.2 below.

6.4.7.4.2 To the extent the independent auditor's report concludes that the CLEC complied in all material respects with this Section 6.4 above, **AT&T-22STATE** must reimburse CLEC for its reasonable staff time and other reasonable costs associated in responding to the audit (e.g., collecting data in response to the auditor's inquiries, meeting for interviews, etc.).

as two-wire and four-wire copper UNE Loops conditioned, at CLEC's request and subject to charges, to transmit the digital signals needed to provide digital subscriber line services, DS1 Digital UNE Loops (where they have not been Declassified and subject to Caps set forth in Section 8.1.3.4.4 below) and DS3 Digital UNE Loops (where they have not been Declassified and subject to Caps set forth in Section 8.1.3.5.4 below) where such UNE Loops are deployed and available in **AT&T-22STATE** Wire Centers. CLEC agrees to operate each UNE Loop type within applicable technical standards and parameters.

8.1.2.1 When a UNE Local Loop is ordered to a high voltage area, the Parties understand and agree that such UNE Loop will require High Voltage Protective Equipment (HVPE) (e.g., a positron), to ensure the safety and integrity of the network, the Parties' employees and/or representatives, and CLEC's End User. Therefore, any request by CLEC for a UNE Loop to a high voltage area will be submitted by CLEC to **AT&T-22STATE** via the BFR process set forth in Attachment 08 – Bona Fide Request, and CLEC shall be required to pay **AT&T-22STATE** for any HVPE that is provisioned by **AT&T-22STATE** to CLEC in connection with CLEC's UNE Local Loop order to the high voltage area.

8.1.3 The following types of UNE Loops will be provided at the rates, terms, and conditions set forth in this Attachment, Pricing Schedule or for **AT&T CONNECTICUT** only, the tariff.

8.1.3.1 **AT&T-21STATE** 2-Wire Analog UNE Loop (Unbundled Voice Loop –SL1 (UVL-SL1))

8.1.3.1.1 2-Wire Analog UNE Loop is a transmission facility that supports analog voice frequency, voice band services with UNE Loop start signaling within the frequency spectrum of approximately 300 Hz and 3000 Hz.

8.1.3.1.2 If CLEC requests one or more 2-Wire Analog UNE Loops serviced by Integrated Digital Loop Carrier (IDLC), **AT&T-21STATE** will, where available, move the requested UNE Loop(s) to a spare, existing all-copper UNE Local Loop at no additional charge to CLEC. If, however, no spare UNE Local Loop is available, as defined above, **AT&T-21STATE** will notify CLEC of the lack of available facilities.

8.1.3.2 **AT&T-21STATE** 4-Wire Analog UNE Loop

8.1.3.2.1 A 4-Wire Analog UNE Loop is a transmission facility that provides a non-signaling voice band frequency spectrum of approximately 300 Hz to 3000 Hz. The 4-Wire Analog UNE Loop provides separate transmits and receive paths.

8.1.3.3 **AT&T-21STATE** 2-Wire Digital UNE Loop/ 2-Wire ISDN

8.1.3.3.1 A 2-Wire Digital UNE Loop is a transmission facility that supports Basic Rate ISDN (BRI) digital exchange services and will be provisioned according to industry standards.

8.1.3.4 **AT&T-22STATE** DS1 Digital UNE Loop

8.1.3.4.1 A DS1 Digital UNE Loop is a transmission facility that will support DS1 service including Primary Rate ISDN (PRI). The DS1 Digital UNE Loop supports usable bandwidth up to 1.544 Mbps.

8.1.3.4.2 DS1 Digital UNE Loops will be offered and/or provided only where such UNE Loops have not been Declassified.

8.1.3.4.3 The procedures set forth in Section 8.1.4.1 below will apply in the event DS1 Digital UNE Loops are or have been Declassified.

8.1.3.4.4 DS1 UNE Loop "Caps" – **AT&T-22STATE** is not obligated to provide to CLEC more than ten (10) DS1 Digital UNE Loops to any single Building in which DS1 Digital UNE Loops have not been otherwise Declassified; accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering unbundled DS1 Digital UNE Loops once CLEC has already obtained ten DS1 Digital UNE Loops at the

same Building. If, notwithstanding this Section, CLEC submits such an order, at **AT&T-22STATE**'s option it may accept or reject the order, but convert any requested DS1 Digital UNE Loop(s) in excess of the Cap to Special Access; applicable Special Access charges will apply to CLEC for such DS1 Digital UNE Loop(s) as of the date of provisioning.

8.1.3.5 **AT&T-22STATE** DS3 Digital UNE Loop

8.1.3.5.1 A DS3 Digital UNE Loop provides a digital, 45 Mbps transmission facility from an **AT&T-22STATE** central office to an End User's premises.

8.1.3.5.2 DS3 Digital UNE Loops will be offered and/or provided only where such UNE Loops have not been Declassified.

8.1.3.5.3 The procedures set forth in Section 8.1.4.2 below will apply in the event DS3 Digital UNE Loops are or have been Declassified.

8.1.3.5.4 DS3 UNE Loop "Caps" – **AT&T-22STATE** is not obligated to provide to CLEC more than one (1) DS3 Digital UNE Loop per requesting carrier to any single Building in which DS3 Digital UNE Loops have not been otherwise Declassified; accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering unbundled DS3 Digital UNE Loops once CLEC has already obtained one DS3 Digital UNE Loop at the same Building. If, notwithstanding this Section, CLEC submits such an order, at **AT&T-22STATE**'s option it may accept or reject the order, but convert any requested DS3 Digital UNE Loop(s) in excess of the Cap to Special Access; applicable Special Access charges will apply to CLEC for such DS3 Digital UNE Loop(s) as of the date of provisioning.

8.1.3.6 FTTH/FTTC Loops

8.1.3.6.1 In new build (i.e. greenfield) areas, **AT&T-22STATE** is not required to provide access to any FTTH/FTTC Loops on an unbundled basis when **AT&T-22STATE** deploys any such Loop to a residential unit that previously has not been served by any Loop facility.

8.1.3.6.2 In Overbuild situations where **AT&T-22STATE** has deployed a FTTH or FTTC Loop parallel to, or in replacement of, an existing copper Loop facility and has not retired the copper Loop pursuant to 47 C.F.R §51.319(a)(3)(iv), **AT&T-22STATE** is not required to provide access to any FTTH/FTTC Loops on an unbundled basis when **AT&T-22STATE** has deployed any such Loop parallel to, or in replacement of an existing copper Loop facility, except that:

8.1.3.6.2.1 **AT&T-22STATE** will maintain the existing copper Loop connected to the particular End User's premises after deploying the FTTH/FTTC Loop and provide nondiscriminatory access to that copper Loop on an unbundled basis, unless **AT&T-22STATE** retires the copper Loop pursuant to 47 C.F.R. §51.319(a)(3)(iv).

8.1.3.6.2.2 When **AT&T-22STATE** maintains the existing copper Loops pursuant to 47 C.F.R. §51.319(a)(3)(iii)(A), **AT&T-22STATE** need not incur any expenses to ensure that the existing copper Loop remains capable of transmitting signals prior to receiving a request for access pursuant to that section, in which case **AT&T-22STATE** shall restore the copper Loop to serviceable condition upon request.

8.1.3.6.2.3 **AT&T-22STATE** may retire copper Loops that have been replaced with FTTH/FTTC facilities using the FCC's network disclosure

requirements as set forth in Section 251(c)(5) of the Act and in §§ 51.325 through 51.335 and any applicable state requirements.

8.1.3.6.2.4 If **AT&T-22STATE** retires the copper loop pursuant to this section, **AT&T-22STATE** shall provide nondiscriminatory access to one 64 kilobits per second transmission path capable of voice grade service over the fiber-to-the-home loop or fiber-to-the curb loop on an unbundled basis on the same rates and terms applicable under the Agreement to a 2Wire Voice Grade Loop to the same premises where such a loop is available.

8.1.4 Declassification Procedure

8.1.4.1 DS1 UNE Digital Loop – Subject to the Cap described in Section 8.1.3.4.4 above, **AT&T-22STATE** shall provide CLEC with access to a DS1 UNE Digital Loop, where available, to any Building not served by a Wire Center with 60,000 or more business lines and four (4) or more fiber-based Collocators. Once a Wire Center exceeds these thresholds, no future DS1 Digital Loop unbundling will be required in that Wire Center, or any Buildings served by that Wire Center, and DS1 Digital UNE Loops in that Wire Center, or any Buildings served by that Wire Center, shall be Declassified and no longer available as UNEs under this Agreement. Accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering DS1 UNE Digital UNE Loops in such Wire Center(s), or any Buildings served by such Wire Center(s).

8.1.4.2 DS3 Digital UNE Loop – Subject to the Cap described in Section 8.1.3.5.4 above, **AT&T-22STATE** shall provide CLEC with access to a DS3 UNE Digital UNE Loop, where available, to any Building not served by a Wire Center with at least 38,000 business lines and at least four (4) fiber-based Collocators. Once a Wire Center exceeds these thresholds, no future DS3 Digital UNE Loop unbundling will be required in that Wire Center, or any Buildings served by that Wire Center, and DS3 Digital UNE Loops in that Wire Center, or any Buildings served by that Wire Center, shall be Declassified, and no longer available as UNEs under this Agreement. Accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering DS3 UNE Digital UNE Loops in such Wire Center(s), or any Buildings served by such Wire Center(s).

8.1.4.3 Effect on Embedded Base – Upon Declassification of DS1 Digital UNE Loops and/or DS3 Digital UNE Loops already purchased by CLEC as UNEs under this Agreement, **AT&T-22STATE** will provide written Notice to CLEC of such Declassification and proceed in accordance with Sections 14.0 below 15.0 below, and 16.0 below.

8.1.4.3.1 Products provided by **AT&T-22STATE** in conjunction with such UNE Loops (e.g. cross-connects) shall also be subject to re-pricing under this Section and Section 14.0 below where such UNE Loops are Declassified.

8.1.4.4 The Parties agree that activity by **AT&T-22STATE** under this Section shall not be subject to the Network Disclosure Rules.

9.0 UNE DS1 and DS3 Dedicated Transport

9.1.1 Subject to Section 3.0 above of this Attachment, **AT&T-21STATE** shall provide DS1 (1.544 Mbps) and DS3 (44.736 Mbps) UDT under the following terms and conditions in this subsection.

9.1.2 For purposes of this Agreement, **AT&T-22STATE** is not obligated to provide CLEC with unbundled access to DS1/DS3 UDT that does not connect a pair of **AT&T-22STATE** Wire Centers.

9.1.3 **AT&T-22STATE** will be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide DS1/DS3 UDT.

9.1.4 Subject to the Caps set forth in Section 9.1.6.2 below and Section 9.1.6.3 below, DS1/DS3 UDT will be provided only where such facilities exist at the time of CLEC request, and only over Routes that are not or have not been Declassified.

9.1.5 **AT&T CONNECTICUT** offers DS1/DS3 UDT as described in Section 18 of the Connecticut Access Service Tariff.

9.1.6 DS1 and DS3 UDT includes, as follows:

9.1.6.1 Multiplexing – an option ordered in conjunction with DS1 or DS3 UDT that converts a circuit from higher to lower bandwidth, or from digital to voice grade. Multiplexing is only available when ordered at the same time as DS1 or DS3 UDT and at the rates set forth in the Pricing Schedule.

9.1.6.2 DS3 UDT Caps – **AT&T-22STATE** is not obligated to provide to CLEC more than twelve (12) DS3 UDT circuits on each Route on which DS3 Dedicated Transport has not been otherwise Declassified; accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering unbundled DS3 Dedicated Transport once CLEC has already obtained twelve DS3 UDT circuits on the same Route. If, notwithstanding this Section, CLEC submits such an order, at **AT&T-22STATE**'s option, it may accept or reject the order, but convert any requested DS3 UDT in excess of the Cap to Special Access; applicable Special Access charges will apply to CLEC for such DS3 Dedicated Transport circuits as of the date of provisioning.

9.1.6.3 DS1 UDT Caps - **AT&T-22STATE** is not obligated to provide to CLEC more than ten (10) DS1 251(c)(3) UDT circuits on each route on which DS1 Dedicated Transport has not been otherwise Declassified; accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering unbundled DS1 Dedicated Transport once CLEC has already obtained ten DS1 251(c)(3) UDT circuits on the same route. If, notwithstanding this Section, CLEC submits such an order, at **AT&T-22STATE**'s option it may accept the order, but convert any requested DS1 251(c)(3) UDT in excess of the Cap to Special Access, and applicable Special Access charges will apply to CLEC for such DS1 Dedicated Transport circuits as of the date of provisioning.

9.1.7 Declassification Procedure

9.1.7.1 Wire Center "Tiers" – For purposes of Sections 9.0 above and 10.0 below Wire Centers are classified into three "tiers," as follows:

9.1.7.1.1 Tier 1 Wire Centers are those **AT&T-22STATE** Wire Centers that contain at least four (4) fiber-based Collocators, at least 38,000 business lines, or both. Tier 1 Wire Centers also are those **AT&T-22STATE** tandem switching locations that have no Line-Side switching facilities, but nevertheless serve as a point of traffic aggregation accessible by CLEC. Once a Wire Center is determined to be a Tier 1 Wire Center, that Wire Center is not subject to later reclassification as a Tier 2 or Tier 3 Wire Center.

9.1.7.1.2 Tier 2 Wire Centers are those **AT&T-22STATE** Wire Centers that are not Tier 1 Wire Centers, but contain at least three (3) fiber-based Collocators, at least 24,000 business lines, or both. Once a Wire Center is determined to be a Tier 2 Wire Center, that Wire Center is not subject to later reclassification as a Tier 3 Wire Center.

9.1.7.1.3 Tier 3 Wire Centers are those **AT&T-22STATE** Wire Centers that do not meet the criteria for Tier 1 or Tier 2 Wire Centers.

9.1.7.2 DS1 Dedicated Transport Declassification

9.1.7.2.1 Subject to the Cap described in Section 9.1.6.3 above **AT&T-22STATE** shall provide CLEC with access to DS1 UDT on Routes, except Routes where both Wire Centers defining the Route are Tier 1 Wire Centers. As such, **AT&T-22STATE** must provide UNE DS1 Dedicated Transport under this Agreement only if a Wire Center at either end of a requested Route is not a Tier 1 Wire Center, or if neither is a Tier 1 Wire Center. DS1 Dedicated Transport circuits on Routes between Tier 1 Wire Centers are Declassified and no longer available as UNEs under this

Agreement. Accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering DS1 UNE Dedicated Transport on such Route(s).

9.1.7.3 DS3 Dedicated Transport Declassification

9.1.7.3.1 Subject to the Cap described in 9.1.6.1 above, **AT&T-22STATE** shall provide CLEC with access to DS3 UDT, except on Routes where both Wire Centers defining the Route are either Tier 1 or Tier 2 Wire Centers. As such, **AT&T-22STATE** must provide DS3 UDT under this Agreement only if a Wire Center on either end of the requested Route is a Tier 3 Wire Center. If both Wire Centers defining a requested Route are either Tier 1 or Tier 2 Wire Centers, then DS3 Dedicated Transport circuits on such Routes are Declassified and no longer available as UNEs under this Agreement. Accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering DS3 UNE Dedicated Transport on such Route(s).

9.1.7.4 Effect on Embedded Base – Upon Declassification of DS1 Dedicated Transport or DS3 Dedicated Transport already purchased by CLEC as UNEs under this Agreement, **AT&T-22STATE** will provide written Notice to CLEC of such Declassification, and proceed in accordance with Sections 14.0 below, 15.0 below and 16.0 below .

9.1.7.4.1 Products provided by **AT&T-22STATE** in conjunction with UNE DS1 and DS3 Dedicated Transport (e.g. cross-connects) shall also be subject to re-pricing under the section where Dedicated Transport is Declassified.

9.1.7.5 The Parties agree that activity by **AT&T-22STATE** under this Section 9.1.7 above shall not be subject to the Network Disclosure Rules.

10.0 UNE Dedicated Transport Dark Fiber

10.1 Subject to Section 4.0 above of this Attachment, **AT&T-22STATE** shall provide unbundled access to Dedicated Transport Dark Fiber under the following terms and conditions in this subsection. **AT&T-22STATE** is not required to provide UNE Loop and/or Dark Fiber Loop on an unbundled basis.

10.2 Dedicated Transport Dark Fiber is deployed, unlit optical fiber within **AT&T-22STATE**'s network. Dedicated Transport Dark Fiber charges are set forth in the Pricing Schedule. **AT&T CONNECTICUT** offers UNE Dedicated Transport Dark Fiber as described in Section 18.2.1N of the Connecticut Access Service Tariff.

10.3 At Dedicated Transport Dark Fiber segments in Routes that have not been Declassified, **AT&T-21STATE** will provide a UNE Dedicated Transport Dark Fiber segment that is considered "spare" as defined in Sections 10.4 below. **AT&T-21STATE** is not obligated to provide CLEC with unbundled access to Dedicated Transport Dark Fiber that does not connect a pair of **AT&T-21STATE** Wire Centers. **AT&T-21STATE** will offer UNE Dedicated Transport Dark Fiber to CLEC when CLEC has Collocation space in each **AT&T-21STATE** central office where the requested UNE Dedicated Transport Dark Fiber(s) terminate.

10.4 Spare Dark Fiber Transport Inventory Availability and Condition:

10.4.1 All available spare UNE Dedicated Transport Dark Fiber will be provided as is. No conditioning will be offered.

10.4.2 Spare Dedicated Transport Dark Fiber is fiber that can be spliced in all segments, point to point but not assigned. Spare Dedicated Transport Dark Fiber does not include maintenance spares, fibers set aside and documented for **AT&T-21STATE**'s forecasted growth, defective fibers, or fibers subscribed to by other Telecommunications Carriers.

10.4.3 CLEC will not obtain any more than twenty-five (25%) percent of the spare UNE Dedicated Transport Dark Fiber contained in the requested segment during any two-year period.

10.10.3 Products provided by **AT&T-22STATE** in conjunction with UNE Dedicated Transport Dark Fiber, if any, shall also be subject to termination under this section where such fiber is Declassified.

10.10.4 The Parties agree that activity by **AT&T-22STATE** under this Section shall not be subject to the Network Disclosure Rules.

11.0 Routine Network Modifications for UNE Loops, UNE DS1, DS3 and Dark Fiber Dedicated Transport

11.1.1 **AT&T-22STATE** shall make Routine Network Modifications (RNM) to UNE Loop and UNE DS1, DS3, and Dark Fiber Dedicated Transport facilities used by CLEC where the requested UNE facility has already been constructed. **AT&T-22STATE** shall perform RNM to UNE Loop and UNE DS1, DS3, and Dark Fiber Dedicated Transport facilities in a nondiscriminatory fashion, without regard to whether the UNE facility being accessed was constructed on behalf, or in accordance with the specifications, of any carrier.

11.1.2 A "Routine Network Modification" is an activity that AT&T regularly undertakes for its own customers. RNM include rearranging or splicing of existing cable; adding an equipment case; adding a doubler or repeater; adding a smart jack; installing a repeater shelf; adding a line card; deploying a new multiplexer or reconfiguring an existing multiplexer; and attaching electronic and other equipment that **AT&T-22STATE** ordinarily attaches to activate such UNE Loops or Transport facilities for its own retail End Users, under the same conditions and in the same manner that **AT&T-22STATE** does for its own End Users. RNM may entail activities such as accessing manholes, deploying bucket trucks to reach aerial cable and installing equipment casings. **AT&T-22STATE** will place drops in the same manner as it does for its own End Users

11.1.3 RNM do not include constructing new UNE Loops; or UNE DS1, DS3, or Dark Fiber Dedicated Transport; installing new cable or fiber; securing permits or rights-of-way; constructing and/or placing new manholes or conduits; installing new terminals; or removing or reconfiguring packetized transmission facility. Nor do RNM include the provision of electronics for the purpose of lighting dark fiber (i.e., optronics). **AT&T-22STATE** is not obligated to perform those activities for CLEC.

11.1.4 **AT&T-22STATE** shall determine whether and how to perform RNM using the same network or outside plant engineering principles that would be applied in providing service to **AT&T-22STATE**'s retail End Users.

11.1.5 **AT&T-22STATE** has no obligation to build Time Division Multiplexing (TDM) capability into new packet-based networks or into existing packet-based networks that never had TDM capability.

11.1.6 Notwithstanding anything to the contrary herein, **AT&T-22STATE**'s obligations with respect to RNM apply only where the UNE Loop and Transport transmission facilities are subject to unbundling and do not apply to FTTH UNE Loops or FTTC UNE Loops.

11.1.7 **AT&T-22STATE** shall provide RNM at the rates, terms and conditions set forth in this Attachment and in the Pricing Schedule or at rates to be determined on an individual case basis (ICB) or through the Special Construction (SC) process. **AT&T-22STATE** will impose charges for RNM in instances where such charges are not included in any costs already recovered through existing, applicable recurring and non-recurring charges. The Parties agree that the RNM for which **AT&T-22STATE** is not recovering costs in existing recurring and non-recurring charges, and for which costs will be imposed on CLEC as an ICB/SC include, but are not limited to: (i) adding an equipment case, (ii) adding a doubler or repeater including associated line card(s), (iii) installing a repeater shelf, and any other necessary work and parts associated with a repeater shelf, and (iv) where applicable, deploying multiplexing equipment, to the extent such equipment is not present on the UNE Loop or Transport facility when ordered.

12.0 911/E911 Database

12.1.1 Access to the **AT&T-22STATE** 911/ E911 call-related databases will be provided as described in Attachment 05 - 911/E911.

13.0 Operations Support Systems (OSS) FUNCTIONS

13.1.1 Operations Support Systems Functions consist of pre-ordering, ordering, provisioning, maintenance and repair, and billing functions supported by **AT&T-22STATE**'s databases and information. **AT&T-22STATE**

will provide CLEC access to its OSS Functions as outlined in Attachment 07 - Operations Support Systems (OSS).

14.0 Non-Impaired Wire Center Criteria And Related Processes

14.1 **AT&T-22STATE** has designated and posted, to AT&T CLEC Online website, the Wire Centers where it contends the thresholds for DS1 and DS3 Unbundled High-Capacity UNE Loops (as defined pursuant to Rule 51.319(a)(4) and Rule 51.319(a)(5) and for Tier 1 and Tier 2 Non-Impaired Wire Centers as defined pursuant to Rule 51.319(e)(3)(i) and Rule 51.319(e)(3)(ii)) have been met.

14.2 Commission-approved Wire Center Lists:

14.2.1 In states where the Commission has already determined that a Wire Center is properly designated as a Wire Center meeting the thresholds set forth pursuant to Rule 51.319(a)(4), Rule 51.319(a)(5), Rule 51.319(e)(3)(i) and Rule 51.319(e)(3)(ii), CLEC may no longer self-certify or request DS1/DS3 High-Capacity UNE Loops, DS1/DS3 Dedicated Transport or Dark Fiber Dedicated Transport arrangements declassified by the non-impairment status of the Wire Center in such Wire Center.

14.3 Wire Center Lists Pending Commission Approval:

14.3.1 In states where the Commission has not previously determined, in any proceeding, that a Wire Center is properly designated as a Wire Center meeting the thresholds set forth pursuant to Rule 51.319(a)(4), Rule 51.319(a)(5), Rule 51.319(e)(3)(i) and Rule 51.319(e)(3)(ii), **AT&T-22STATE**'s designations shall be treated as controlling (even if CLEC believes the list is inaccurate) for purposes of transition and ordering unless CLEC provides a self-certification as outlined below. If a CLEC withdraws its self-certification after a dispute has been filed with the Commission, but before the Commission has made a determination regarding the wire center designation, the wire center designation(s) that were the subject of the dispute will be treated as though the Commission approved **AT&T-22STATE**'s designations.

14.4 Self-Certifications:

14.4.1 CLEC shall perform a reasonably diligent inquiry to determine whether, to the best of CLEC 's knowledge, the Wire Center meets the non-impairment thresholds as set forth pursuant to Rule 51.319(a)(4), Rule 51.319(a)(5), Rule 51.319(e)(3)(i) and Rule 51.319(e)(3)(ii).

14.4.2 If, based on its reasonably diligent inquiry, the CLEC disputes the **AT&T-22STATE** Wire Center non-impairment designation, the CLEC will provide a self-certification to **AT&T-22STATE** identifying the Wire Center(s) for which it is self-certifying. To self-certify, CLEC can send a letter to **AT&T-22STATE** claiming Self Certification or CLEC may elect to self-certify using a written or electronic notification sent to **AT&T-22STATE**.

14.4.3 If CLEC makes such a self-certification, and CLEC is otherwise entitled to the ordered element under the Agreement, then **AT&T-22STATE** shall provision the requested facilities in accordance with CLEC's order and within **AT&T-22STATE**'s standard ordering interval applicable to such facilities.

14.4.4 If **AT&T-22STATE** in error rejects CLEC orders, where CLEC has provided self certification in accordance with this Section of this Agreement, **AT&T-22STATE** will modify its systems to accept such orders within 5 business hours of CLEC notification to its Local Service Specialist.

14.4.5 CLEC may not submit a self-certification for a Wire Center after the transition period for the DS1/DS3 UNE Loops and/or DS1/DS3 Dedicated Transport and/or Dark Fiber Dedicated Transport impacted by the designation of the Wire Center has passed.

14.5 CLEC may not self-certify that it is entitled to obtain Unbundled DS1/DS3 UNE Loops or Unbundled DS1/DS3 Dedicated Transport at a location where CLEC has met the volume Cap set forth in Sections 8.1.3.4.4 above and 8.1.3.5.4 above (for DS1/DS3 UNE Loops) and 9.1.6.3 above and 9.1.6.2 above (for DS1/DS3 Dedicated Transport).

14.6 Until CLEC provides a self-certification for High-Capacity UNE Loops and/or Transport for such Wire Center designations, CLEC will not submit High Capacity UNE Loop and/or Transport orders based on the Wire Center designation, and if no self-certification is provided will transition any remaining Embedded Base of DS1 and DS3

UNE Loop and Transport and Dark Fiber Transport arrangements affected by the designation by disconnecting or transitioning to an alternate facility or arrangement, if available, within thirty (30) calendar days of executing this Agreement. If CLEC fails to disconnect or transition to an alternate facility or arrangement within such thirty (30) calendar day period, **AT&T-22STATE** may disconnect such circuits or beginning billing CLEC the equivalent special access rate. If no equivalent special access rate exists, a true-up will be determined using the Transitional Rates.

14.7 **AT&T-22STATE** will update the AT&T CLEC Online website posted list and will advise CLECs of such posting via Accessible Letter, which term for the purposes of this Section above of this Agreement shall be deemed to mean an Accessible Letter issued after the Effective Date of this Agreement, as set forth in this Section 14.0 above of this Agreement

14.8 If it desires to do so, **AT&T-22STATE** can dispute the self-certification and associated CLEC orders for facilities pursuant to the following procedures:

14.8.1 **AT&T-22STATE** will notify the CLEC of its intent to dispute the CLEC's self-certification within thirty (30) calendar days of the CLEC 's self-certification or within thirty (30) calendar days of the Effective Date of this Agreement, whichever is later.

14.8.2 **AT&T-22STATE** will file the dispute for resolution with the state Commission within sixty (60) calendar days of the CLEC's self-certification or within sixty (60) calendar days of the Effective Date of this Agreement, whichever is later.

14.8.3 **AT&T-22STATE** will notify CLEC of the filing of such a dispute via Accessible Letter.

14.8.4 If the self-certification dispute is filed with the state Commission for resolution, the Parties will not oppose requests for intervention by other CLECs if such request is related to the disputed Wire Center designation(s). The Parties agree to urge the state Commission to adopt a case schedule resulting in the prompt resolution of the dispute.

14.9 During the timeframe of any dispute resolution proceeding, **AT&T-22STATE** shall continue to provide the High-Capacity UNE Loop or Transport facility in question to CLEC at the rates in the Pricing Schedule.

14.10 If CLEC withdraws its self-certification, or if the state Commission determines through arbitration or otherwise that CLEC was not entitled to the provisioned DS1/DS3 UNE Loops or DS1/DS3 Dedicated Transport or Dark Fiber Dedicated Transport under Section 251, the rates paid by CLEC for the affected UNE Loop or Transport shall be subject to true-up as follows:

14.10.1 For Wire Centers designated by **AT&T-22STATE** prior to March 11, 2005 and

14.10.2 For the affected UNE Loop/Transport element(s) installed prior to March 11, 2005,

14.10.2.1 CLEC will provide a true-up calculated using a beginning date of March 11, 2005 based on the FCC transitional rates which are the rates in effect at the time of the non-impairment designations plus 15% ("Transitional Rates"). If affected UNE Loops/Transport element(s) remain in place after the end of the initial TRRO transition period, CLEC will also provide a true-up for the period after the end of initial TRRO transition period calculated using the equivalent special access rates during the period between the end of the initial transition period and the date the circuit is actually transitioned. If no equivalent special access rate exists, a true-up will be determined using the Transitional Rates. The applicable equivalent special access rate/Transitional Rates as described above will continue to apply until the facility has been transitioned.

14.10.2.2 For the affected UNE Loop/Transport element(s) installed after March 11, 2005, CLEC will provide a true-up to an equivalent special access rate as of the later of the date billing began for the provisioned element or thirty (30) calendar days after **AT&T-22STATE**'s Notice of non-impairment. If no equivalent special access rate exists, a true-up will be determined using the Transitional Rates. The applicable equivalent special access rate/Transitional Rates will continue to apply until the facility has been transitioned.

14.10.2.3 For Wire Centers designated by **AT&T-22STATE** after March 11, 2005,

14.10.2.3.1 For affected UNE Loop/Transport elements ordered before **AT&T-22STATE**'s Wire Center designation,

14.10.2.3.1.1 if the applicable transition period is within the initial TRRO transition period described in Section 15.0 below of this Agreement, CLEC will provide a true-up during the period between the date that is thirty (30) calendar days after **AT&T-22STATE**'s Notice of non-impairment and the date the circuit is transitioned to the Transitional Rates.

14.10.2.3.1.2 if the applicable transition period is after the initial TRRO transition period described in Section 14.1 above of this Agreement has expired, CLEC will provide a true-up based on the Transitional Rates between the date that is thirty (30) calendar days after **AT&T-22STATE**'s Notice of non-impairment and the end of the applicable transition period described in Section 15.1 below and the equivalent special access rates during the period between the end of the initial transition period and the date the circuit is actually transitioned. If no equivalent special access rate exists, a true-up will be determined using the Transitional Rates. The applicable equivalent special access/Transitional Rates as described above will continue to apply until the facility has been transitioned.

14.10.2.3.2 For affected UNE Loop/Transport elements ordered after **AT&T-22STATE**'s Wire Center designation, CLEC will provide a true-up for the affected UNE Loop/Transport element(s) to an equivalent special access rate for the affected UNE Loop/Transport element(s) as of the later of the date billing began for the provisioned element or thirty (30) calendar days after **AT&T-22STATE**'s Notice of non-impairment. If no equivalent special access rate exists, a true-up will be determined using the Transitional Rates. The applicable equivalent special access/Transitional Rates will continue to apply until the facility has been transitioned.

14.10.3 In the event of a dispute following CLEC's Self-Certification, upon request by the Commission or CLEC, **AT&T-22STATE** will make available, subject to the appropriate state or federal protective order, and other reasonable safeguards, all documentation and all data upon which **AT&T-22STATE** intends to rely, which will include the detailed business line information for the **AT&T-22STATE** Wire Center or centers that are the subject of the dispute.

15.0 Future Wire Center Designations

15.1 The parties recognize that Wire Centers that **AT&T-22STATE** had not designated as meeting the FCC's non-impairment thresholds as of March 11, 2005, may meet those thresholds in the future. In the event that a Wire Center that is not currently designated as meeting one or more of the FCC's non-impairment thresholds, meets one or more of these thresholds at a later date, **AT&T-22STATE** may add the Wire Center to the list of designated Wire Centers and the Parties will use the following process:

15.1.1 **AT&T-22STATE** may update the Wire Center list as changes occur.

15.1.2 To designate a Wire Center that had previously not met one or more of the FCC's impairment thresholds but subsequently does so, **AT&T-22STATE** will provide notification to CLEC via Accessible Letter and by a posting on AT&T CLEC Online website.

15.1.3 **AT&T-22STATE** will continue to accept CLEC orders for impacted DS1/DS3 UNE Loops, DS1/DS3 Dedicated Transport and/or Dark Fiber Dedicated Transport without requiring CLEC self-certification for thirty (30) calendar days after the date the Accessible Letter is issued.

15.1.4 In the event the CLEC disagrees with **AT&T-22STATE**'s determination, CLEC will have sixty (60) calendar days from the issuance of the Accessible Letter to dispute **AT&T-22STATE**'s Wire Center determination by providing a self-certification to **AT&T-22STATE**.

15.1.5 If the CLEC does not use the self-certification process described in Section 15.1.4 above to self-certify against **AT&T-22STATE**'s Wire Center designation within sixty (60) calendar days of the issuance of the Accessible Letter, CLEC must transition all circuits that have been declassified by the Wire Center designation(s) by disconnecting or transitioning to an alternate facility or arrangement, if available, within thirty (30) calendar days ending on the 90th day after the issuance of the Accessible Letter providing the Wire Center designation of non-impairment; no additional notification from **AT&T-22STATE** will be required. CLEC may not obtain new DS1/DS3 UNE Loops, DS1/DS3 Dedicated Transport and/or Dark Fiber Dedicated Transport in Wire Centers and/or Routes where such circuits have been declassified during the applicable transition period. If CLEC fails to disconnect or transition to an alternate facility or arrangement within such thirty (30) day period, **AT&T-22STATE** may disconnect such circuits or beginning billing CLEC the equivalent special access rate. If no equivalent special access rate exists, a true-up will be determined using the transitional rates set forth in Section 15.2 below.

15.1.6 If CLEC does provide self-certification to dispute **AT&T-22STATE**'s designation determination within sixty (60) calendar days of the issuance of the Accessible Letter, **AT&T-22STATE** may dispute CLEC's self-certification as described in Section 14.8 above of this Agreement and **AT&T-22STATE** will accept and provision the applicable UNE Loop and Transport orders for the CLEC providing the self certification during a dispute resolution process.

15.2 During the applicable transition period, the transition rates paid will be rates in effect at the time of the non-impairment designations plus 15%.

16.0 Transition Procedures of DS1/DS3 UNE Loops, DS1/DS3 Dedicated Transport or Dark Fiber Dedicated Transport arrangements impacted by Wire Center designation(s)

16.1 The provisions of Section 14.1 above of this Attachment shall apply to the transition of DS1/DS3 UNE Loops, DS1/DS3 Dedicated Transport or Dark Fiber Dedicated Transport arrangements impacted by Wire Center designation(s). As outlined in Section 14.1 above of this Attachment, requested transitions of DS1/DS3 High Capacity UNE Loops, DS1/DS3 Dedicated Transport or Dark Fiber Dedicated Transport arrangements shall be performed in a manner that reasonably minimizes the disruption or degradation to CLEC 's End User's service, and all applicable charges shall apply. Cross-connects provided by **AT&T-22STATE** in conjunction with such UNE Loops and/or Transport shall be billed at applicable wholesale rates (e.g., prior to transition, cross connects will be billed at transitional rates, after transition, if conversion is to an access product, cross connects will be billed at applicable access rates. Cross-connects that are not associated with such transitioned DS1/DS3 High-Capacity UNE Loops, DS1/DS3 Dedicated Transport or Dark Fiber Dedicated Transport arrangements shall not be re-priced.

16.2 **AT&T-22STATE** will process CLEC orders for DS1/DS3 UNE Loops, DS1/DS3 Dedicated Transport, or Dark Fiber Transport conversion or disconnection. **AT&T-22STATE** will not convert or disconnect these services prior to the end of the applicable transitional period unless specifically requested by the CLEC; however, CLEC is responsible for ensuring that it submits timely orders in order to complete the transition by the end of applicable transitional period in an orderly manner.

16.3 A Building that is served by both an impaired Wire Center and a non impaired Wire Center and that is not located in the serving area for the non-impaired Wire Center will continue to have affected elements available from the impaired Wire Center and support incremental moves, adds, and changes otherwise permitted by the Agreement, as amended.

16.4 Notwithstanding anything to the contrary in the Agreement, including any amendments to this Agreement, at the end of the applicable transitional period, unless CLEC has submitted a disconnect/discontinuance LSR or ASR, as applicable, under Section 14.4.1 above of this Agreement, and if CLEC and **AT&T-22STATE** have failed to reach agreement under Section 14.4.1 above of this Agreement as to a substitute service arrangement or element, then **AT&T-22STATE** may, at its sole option, disconnect DS1/DS3 UNE Loops, DS1/DS3 Dedicated Transport or Dark

Fiber Dedicated Transport, whether previously provided alone or in combination with or as part of any other arrangement, or convert the subject element(s), whether alone or in combination with or as part of any other arrangement to an analogous resale or access service, if available, at rates applicable to such analogous service or arrangement.

Attachment 14 - xDSL Loops

Table of Contents

1.0 INTRODUCTION 3
2.0 GENERAL PROVISIONS 3
3.0 PRODUCT SPECIFIC SERVICE DELIVERY PROVISIONS 3

3.1.3 **AT&T-21STATE** does not guarantee accuracy or reliability of the Loop make up information provided. CLEC may obtain Loop makeup information according to the terms and conditions described on the AT&T CLEC Online website incorporated herein by reference, as may be amended from time to time.

3.2 Provisioning Intervals:

3.2.1 **AT&T-21STATE**'s provisioning intervals per order per End User location shall be the intervals set forth on the AT&T CLEC Online website.

3.3 Loop Conditioning (a.k.a Line Conditioning in **AT&T SOUTHEAST REGION 9-STATE**):

3.3.1 **AT&T 21STATE** will condition xDSL Loops and xDSL/UCSL Subloops in accordance with the lawful and effective requirements of 47 C.F.R. §51.319(a)(1)(iii).

3.3.2 All modifications for Loop Conditioning/Line Conditioning in this section will be performed at the rates set forth in the Pricing Schedule.

3.3.3 **AT&T-21STATE** shall provide Line Conditioning on 251(c)(3) Unbundled Loops, as requested by CLEC, even in instances where **AT&T-21STATE** does not provide advanced services to the End User on that 251(c)(3) Unbundled Loop.

3.3.4 **AT&T-21STATE** will not modify a 251(c)(3) Unbundled Loop in such a way that it no longer meets the technical parameters of the original 251(c)(3) Unbundled Loop type e.g., voice grade, etc., being ordered.

3.3.5 In **AT&T-12STATE** (i) If load coils, repeaters or excessive bridged tap are present on a loop less than 12,000 feet in actual loop length, conditioning to remove these elements will be performed without request; (ii) if the loop qualification indicates conditioning is available on a loop that is 12,000 feet in actual loop length or greater, CLEC may request that no conditioning be performed or that **AT&T-12STATE** perform some or all of the available loop conditioning to remove excessive bridged tap, load coils and/or repeaters at the rates set forth in the Pricing Schedule. CLEC may obtain loop conditioning information according to the terms and conditions described in the **AT&T** CLEC Online website; incorporated herein by reference, as may be modified from time to time.

3.3.6 **AT&T SOUTHEAST REGION 9-STATE** will remove load coils only on copper 251(c)(3) Unbundled Loops that are equal to or less than eighteen thousand (18,000) feet in length. **AT&T SOUTHEAST REGION 9-STATE** will remove load coils on copper 251(c)(3) Unbundled Subloops where the total loop distance (feeder plus distribution) from the **AT&T SOUTHEAST REGION 9-STATE** Central Office to the End User is equal to or less than 18,000 feet or, if there is no copper feeder, the distance from the remote terminal (RT) to the End User is equal to or less than 18,000 feet.

3.3.7 For any copper 251(c)(3) Unbundled Loop being ordered by CLEC which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from CLEC, so that the 251(c)(3) Unbundled Loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to CLEC. In **AT&T SOUTHEAST REGION 9-STATE** loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper 251(c)(3) Unbundled Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in the Pricing Schedule. CLEC may request removal of any unnecessary and non-Excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to **AT&T SOUTHEAST REGION 9-STATE**'s Special Construction (SC) Process, (which is a part of the service inquiry process), as mutually agreed to by the Parties.

3.3.8 If CLEC requests Unbundled Loop Modification (ULM) on a reserved facility for a new 251(c)(3) Unbundled Loop order, **AT&T SOUTHEAST REGION 9-STATE** may perform a pair change and provision a different 251(c)(3) Unbundled Loop facility in lieu of the reserved facility with ULM if feasible. The 251(c)(3) Unbundled Loop provisioned will meet or exceed specifications of the requested 251(c)(3) Unbundled Loop facility as modified. CLEC will not be charged for ULM if a different 251(c)(3) Unbundled Loop is provisioned. For 251(c)(3) Unbundled Loops that require a Design Layout Report (DLR) or its equivalent,

AT&T SOUTHEAST REGION 9 STATE will provide LMU detail of the 251(c)(3) Unbundled Loop provisioned.

3.3.9 CLEC shall request 251(c)(3) Unbundled Loop make up information pursuant to this Attachment prior to submitting a Service Inquiry, in accordance to the terms and conditions described in the AT&T CLEC Online website, and/or a Local Service Request (LSR) for the 251(c)(3) Unbundled Loop type that CLEC desires **AT&T SOUTHEAST REGION 9-STATE** to condition.

3.3.10 When requesting ULM for a 251(c)(3) Unbundled Loop that **AT&T SOUTHEAST REGION 9-STATE** has previously provisioned for CLEC, CLEC will submit a Service Inquiry to **AT&T SOUTHEAST REGION 9-STATE**. If a spare 251(c)(3) Unbundled Loop facility that meets the 251(c)(3) Unbundled Loop modification specifications requested by CLEC is available at the location for which the ULM was requested, CLEC will have the option to change the 251(c)(3) Unbundled Loop facility to the qualifying spare facility rather than to provide ULM. In the event that **AT&T SOUTHEAST REGION 9-STATE** changes the 251(c)(3) Unbundled Loop facility in lieu of providing ULM, CLEC will not be charged for ULM but will only be charged the service order charges for submitting an order.

3.4 Loops and Subloops available under this Attachment are further identified in the Pricing Schedule and AT&T CLEC Online website.

3.5 Pricing/Rates:

3.5.1 The rates applicable to xDSL Loops, xDSL/UCSL Subloops, and the associated charges including without limitation, the applicable service order charges and charges for mechanized and manual Loop qualification, Loop conditioning and cross-connects are set forth in the Pricing Schedule.

3.5.2 In those instances specified herein, or in the event that **AT&T-21STATE** agrees to perform any additional work on CLEC's behalf that is not explicitly addressed in this Attachment or for work performed outside of standard business hours, CLEC shall pay Maintenance of Service charges as outlined on the AT&T CLEC Online website and within Attachment 07 - Operations Support Systems (OSS).

ATTACHMENT 15 - COORDINATED HOT CUT

Table of Contents

1.0 INTRODUCTION 3
2.0 DEFINITIONS 3
3.0 CHC AND OC (CHC/OC) SERVICE DESCRIPTION 3
4.0 CHC/OC PRICING 3
5.0 ORDER COORDINATION-TIME SPECIFIC (OC-TS) AT&T SOUTHEAST REGION 9-STATE ONLY 3

1.0 Introduction

1.1 This Attachment sets forth terms and conditions for Coordinated Hot Cut (CHC) provided by **AT&T-13STATE** and for Order Coordination (OC) and Order Coordination-Time Specific (OC-TS) provided by **AT&T SOUTHEAST REGION 9-STATE**.

2.0 Definitions

2.1 "Conversion of Service" means the matching of the disconnect of one Telecommunications product or service with the installation of another Telecommunications product or service.

2.2 "Designated Installation" means an installation of service occurring at a specific time of day as specified.

3.0 CHC and OC (CHC/OC) Service Description

3.1 CHC/OC is an optional manual service offering that permits CLEC to request a Designated Installation and/or Conversion of Service during or after normal business hours.

3.2 CHC/OC allows the Parties to coordinate the installation of the SL2 Loops (**AT&T SOUTHEAST REGION 9-STATE**), Unbundled Digital Loops and other Loops where CHC/OC may be purchased as an option, to CLEC's facilities in order to limit the time an End User may be without service. CHC/OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. CHC/OC for physical conversions will be scheduled at **AT&T-22STATE**'s discretion during normal working hours on the committed due date.

3.3 CLEC will initiate the beginning of a CHC/OC by contacting the appropriate coordination center. This special request enables CLEC to schedule and coordinate particular provisioning requirements with **AT&T-22STATE**.

3.4 **AT&T-22STATE** may limit the number of service orders that can be coordinated based on workload and resources available. **AT&T-22STATE** shall approve the CHC/OC request on a non-discriminatory basis, by requesting carrier, and on a first come first served basis.

3.5 **AT&T-22STATE** reserves the right to suspend the availability of CHC/OC service during unanticipated heavy workload/activity periods. Heavy workload includes any unanticipated volume of work that impacts **AT&T-22STATE**'s ability to provide its baseline service. Where time permits, **AT&T-22STATE** will make every effort to notify CLEC when such unanticipated activities occur.

4.0 CHC/OC Pricing

4.1 CHC/OC is a time sensitive labor operation. Total charges are determined by a number of factors including the volume of lines, day of the week, and the time of day requested for the coordinated cut.

4.2 When CLEC orders CHC/OC service, **AT&T-22STATE** shall charge and CLEC agrees to pay for CHC/OC service at the "additional labor" or "Time and Material" rates set forth in the Pricing Schedule.

4.3 In the event **AT&T-22STATE** fails to meet a CHC/OC service commitment for reasons within the control of **AT&T-22STATE**, **AT&T-22STATE** will not charge CLEC a CHC/OC service charge. However, in the event **AT&T-22STATE** misses a CHC/OC service commitment due to reasons outside of **AT&T-22STATE**'s control, including but not limited to actions of CLEC, its agent or End User, the CHC/OC service charge will still apply. For example, if CLEC requests any change to an order with CHC/OC service including, but not limited to, no access to the CLEC's End User's premises, or CLEC/End User not ready to proceed with the order, the CHC/OC service charge will apply and **AT&T-22STATE** will not be obligated to ensure a CHC/OC for that order.

5.0 Order Coordination-Time Specific (OC-TS) AT&T SOUTHEAST REGION 9-STATE Only

5.1 OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. CLEC may specify a time between 9:00 a.m. and 4:00 p.m. (local time) Monday through Friday, excluding **AT&T SOUTHEAST REGION 9-STATE**'s holidays. If CLEC specifies a time outside this window, or selects a time or quantity of loops that requires **AT&T SOUTHEAST REGION 9-STATE** technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied

based on the amount of overtime worked and in accordance with the rates set forth in the Pricing Schedule. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.

ATTACHMENT 16 - RESALE

Table of Contents

1.0 INTRODUCTION **3**
2.0 DEFINITIONS **3**
3.0 GENERAL PROVISIONS **3**
4.0 RESPONSIBILITIES OF PARTIES **5**
5.0 BILLING AND PAYMENT OF RATES AND CHARGES **5**
6.0 ANCILLARY SERVICES **6**
7.0 SUSPENSION OF SERVICE **6**

3.5 Except where otherwise explicitly permitted in **AT&T-22STATE**'s Tariff(s), CLEC shall not permit the sharing of a service by multiple End User(s) or the aggregation of traffic from multiple End User(s) onto a single service.

3.6 CLEC shall only resell services provided under this Attachment to the same category of End User(s) to whom **AT&T-22STATE** offers such services (for example, residence service shall not be resold to business End Users).

3.6.1 Where available for Resale in accordance with state-specific Tariffs, CLEC may resell Special Needs Services and/or low income assistance services (e.g., LifeLine and Link-Up) to End Users who are eligible for each such service. To the extent CLEC resells services that require certification on the part of the End User, CLEC shall ensure that the End User meets all the Tariff eligibility requirements, has obtained proper certification, continues to be eligible for the program(s), and complies with all rules and regulations as established by the appropriate Commission and state Tariffs.

3.7 When ordering services that have an eligibility requirement (e.g., available only in a "retention", "winback", or "competitive acquisition" setting), CLEC shall maintain (and provide to **AT&T-22STATE** upon reasonable request) appropriate documentation, including, but not limited to, original end user service order data, evidencing the eligibility of its End Users for such offering or promotion. **AT&T-22STATE** may request up to one (1) audit for each promotion per 12-month period that may cover up to the preceding twenty-four (24) month period.

3.8 Promotions of ninety (90) calendar days or less ("Short-Term Promotions") shall not be available for Resale, whether at the Resale Discount or otherwise; provided, however, that **AT&T-22STATE** shall offer Short-Term Promotions for Resale at no Resale Discount in a particular state if and only to the extent required by Commission order in that state.

3.9 CLEC shall pay the Federal End User Common Line (EUCL) charge and any other appropriate Commission-approved charges, as set forth in the appropriate Tariff(s), for each local exchange line furnished to CLEC under this Attachment.

3.10 To the extent allowable by law, CLEC shall be responsible for both Primary Interexchange Carrier (PIC) and Local Primary IntraLATA Presubscription (LPIC) change charges associated with each local Exchange line furnished to CLEC under this Attachment. CLEC shall pay all charges for PIC and LPIC changes at the rates set forth in the Pricing Schedule or, if any such rate is not listed in the Pricing Schedule, then as set forth in the applicable Tariff.

3.11 If CLEC is in violation of any provision of this Attachment, **AT&T-22STATE** will notify CLEC of the violation in writing ("Resale Notice"). Such Resale Notice shall refer to the specific provision being violated. CLEC will have thirty (30) calendar days to correct the violation and notify **AT&T-22STATE** in writing that the violation has been corrected. **AT&T-22STATE** will bill CLEC a sum equal to:

(i) the charges that would have been billed by **AT&T-22STATE** to CLEC or any Third Party but for the stated violation and

(ii) the actual revenues CLEC billed its End User(s) in connection with the stated violation, whichever is greater.

Should CLEC dispute the stated violation, CLEC must notify **AT&T-22STATE** in writing of the specific details and reasons for its dispute within fourteen (14) calendar days of receipt of the Resale Notice from **AT&T-22STATE** and comply with the Dispute Resolution provisions of the General Terms and Conditions (GT&C) of the Agreement ("Dispute Resolution provisions"). Resolution of any dispute under this Attachment shall also be conducted in compliance with the Dispute Resolution provisions in the GT&C.

3.12 Notwithstanding any other provision of this Agreement, CLEC acknowledges and agrees that the assumption (or resale to similarly-situated end users) of customer specific arrangement contracts, individual case basis contracts, or any other customer specific pricing contract is not addressed in this Agreement and that if CLEC would like to resell such arrangements, it may only do so consistent with applicable law and after negotiating an amendment hereto that establishes the rates, terms and conditions thereof (including, without limitation, the wholesale discount, if any,

associated with such resale). Such amendment will only be effective upon written execution by both Parties and approval by the Commission(s).

3.13 Except where otherwise required by law, CLEC shall not, without **AT&T-22STATE**'s prior written authorization, offer the services covered by this Attachment using the trademarks, service marks, trade names, brand names, logos, insignia, symbols or decorative designs of **AT&T-22STATE** or its Affiliates, nor shall CLEC state or imply that there is any joint business association or similar arrangement with **AT&T-22STATE** in the provision of Telecommunications Services to CLEC 's End Users.

4.0 Responsibilities of Parties

4.1 CLEC shall be responsible for modifying and connecting any of its systems with **AT&T-22STATE**-provided interfaces, as outlined in Attachment 07 – Operations Support Systems (OSS), and CLEC agrees to abide by **AT&T-22STATE** procedures for ordering Resale Services. CLEC shall obtain End User authorization as required by applicable federal and state laws and regulations, and assumes responsibility for applicable charges as specified in Section 258(b) of the Act.

4.2 CLEC shall release End User accounts in accordance with the directions of its End Users or an End User's authorized agent. When a CLEC End User switches to another carrier, **AT&T-22STATE** is free to reclaim the End User or process orders for another carrier, as applicable.

4.3 CLEC will have the ability to report trouble for its End Users to the appropriate **AT&T-22STATE** maintenance center(s) twenty-four (24) hours a day, seven (7) days a week, or otherwise shall be in parity with the ability offered by **AT&T-22STATE** to its End Users. CLEC will be assigned Maintenance Center(s) when CLEC 's initial service agreements are made. CLEC End Users calling **AT&T-22STATE** will be referred to CLEC at the telephone number(s) provided by CLEC to **AT&T-22STATE**. Nothing herein shall be interpreted to authorize CLEC to repair, maintain, or in any way touch **AT&T-22STATE**'s network facilities, including without limitation those on End User premises.

4.4 CLEC's End Users' activation of Call Trace and annoying call complaints shall be handled by the **AT&T-22STATE** operations centers responsible for handling such requests. **AT&T-22STATE** shall notify CLEC of requests by its End Users to provide call records to the proper authorities. Subsequent communication and resolution of each case involving one of CLEC's End Users (whether that End User is the victim or the suspect) will be coordinated through CLEC. **AT&T-22STATE** shall be indemnified, defended and held harmless by CLEC and/or the End User against any claim, loss or damage arising from providing this information to CLEC. It is the responsibility of CLEC to take the corrective action necessary with its End User who makes annoying calls. Failure to do so will result in **AT&T-22STATE** taking corrective action, up to and including disconnecting the End User's service.

4.5 CLEC acknowledges that information **AT&T-22STATE** provides to law enforcement agencies at the agency's direction (e.g., Call Trace data) shall be limited to available billing number and address information. It shall be CLEC's responsibility to provide additional information necessary for any law enforcement agency's investigation.

4.5.1 In addition to any other indemnity obligations in this Agreement, CLEC shall indemnify **AT&T-22STATE** against any Claim that insufficient information led to inadequate prosecution.

4.5.2 **AT&T-22STATE** shall handle law enforcement requests in accordance with the Law Enforcement provisions of the GT&C's of the Agreement.

5.0 Billing and Payment of Rates and Charges

5.1 CLEC is solely responsible for the payment of all charges for all services furnished under this Attachment, including but not limited to calls originated or accepted at CLEC's location and its End Users' service locations.

5.1.1 Interexchange carried traffic (e.g. sent-paid, information services and alternate operator services messages) received by **AT&T-22STATE** for billing to Resale End User accounts will be returned as unbillable and will not be passed to CLEC for billing. An unbillable code will be returned with those messages to the carrier indicating that the messages were generated by a Resale account and will not be billed by **AT&T-22STATE**.

5.2 **AT&T-22STATE** shall not be responsible for the manner in which utilization of Resale Services or the associated charges are allocated to End Users or others by CLEC. Applicable rates and charges for services provided to CLEC under this Attachment will be billed directly to CLEC and shall be the responsibility of CLEC.

5.2.1 Charges billed to CLEC for all services provided under this Attachment shall be paid by CLEC regardless of CLEC's ability or inability to collect from its End Users for such services.

5.2.2 If CLEC does not wish to be responsible for Alternately Billed Traffic ("ABT"), including but not limited to payment of charges for collect, third number billed, and toll and information services (for example, 900) calls, CLEC must order the appropriate available blocking for lines provided under this Attachment and pay any applicable charges. It is the responsibility of CLEC to order the appropriate toll restriction or blocking on lines resold to End Users. CLEC acknowledges that blocking is not available for certain types of calls, including without limitation 800, 888, 411 and Directory Assistance Express Call Completion. Depending on the origination point, for example, calls originating from correctional facilities, some calls may bypass blocking systems. CLEC acknowledges all such limitations and accepts all responsibility for any charges associated with calls for which blocking is not available and any charges associated with calls that bypass blocking systems. The rates, terms and conditions for ABT can be referenced in Attachment 10 - ABT.

6.0 Ancillary Services

6.1 E911 Emergency Service: The terms and conditions for the provision of **AT&T-22STATE** 911 services are contained in Attachment 05 – 911/E911.

6.2 White Pages: The rates, terms and conditions for the provision of White Pages services are contained in White Pages section of Attachment 06 - Customer Information Services.

6.3 Resale Operator Services and Directory Assistance (OS/DA): The rates, terms and conditions for reselling **AT&T-22STATE** OS/DA services are contained in OS/DA section of Attachment 06 - Customer Information Services.

6.4 Payphone Services: CLEC may provide certain local Telecommunications Services to Payphone Service Providers (PSPs) for PSPs' use in providing payphone service. Pay Telephone Service is the only local service available for resale to PSPs. Rates for Pay Telephone Service are established under the provisions of Section 276 of the Federal Telecommunications Act of 1996 and are not subject to a wholesale discount under Section 251(c) (4) of the Act.

7.0 Suspension of Service

7.1 See applicable Tariff(s) for rates, terms and conditions regarding Suspension of Service.

7.2 CLEC may offer to resell Customer Initiated Suspension and Restoral Service, as defined in the applicable Tariff(s), to its End Users. This service is not considered a Telecommunications Service and will receive no Resale Discount unless required by Commission order(s).

7.3 **AT&T-22STATE** will offer Suspension of Service to CLEC for the purpose of CLEC initiated suspension of service of the CLEC's End Users. This service is not considered a Telecommunications Service and will receive no Resale Discount, unless required by Commission order(s).

PRICING SCHEDULE

1.0 Pricing Schedule

1.1 This Attachment sets forth the pricing terms and conditions. The rate tables included in this Attachment may be divided into categories. These categories are for convenience only and shall not be construed to define or limit any of the terms herein or affect the meaning or interpretation of this Agreement.

1.2 Replacement of Non-Interim Rates

1.2.1 Certain of the current rates, prices and charges set forth in this Agreement may have been established by the Commission ("Commission-established "Current Rate(s)"). All rates included in this Agreement that are not specifically excluded from treatment under this Section 1.2, or that are not marked as interim or as "TBD" (To Be Determined) shall be considered Commission-established Current Rates. If, during the Term of this Agreement the Commission or the FCC modifies a Commission-established Current Rate(s) in an order or docket that is established by the Commission or FCC to be generally applicable (i.e. not an order or docket relating only to a specific complaint or interconnection agreement arbitration) to the Interconnection Services, either Party may provide written notice ("Rate Change Notice") to the other Party, after the effective date of such order, that it wishes for the modified Commission-established Non-Interim Rate(s), ("Modified Rate(s)") to replace and supersede the Commission-established Current Rate(s) already set forth in this Agreement. Following such Rate Change Notice by either Party, and without the need for any written amendment or further Commission action, CLEC's billing tables will be updated to reflect (and CLEC shall pay) the Modified Rate(s), pursuant to timeframes as specifically set forth in Section 1.2.1.1 below and Section 1.2.1.3 below, and the Modified Rate(s) will be deemed effective between the Parties as provided in Section 1.2.1.1 below and Section 1.2.1.3 below. Nonetheless, the Parties shall negotiate a conforming amendment which shall reflect that the Commission-established Current Rate(s) were replaced by the Modified Rate(s), and shall submit such amendment to the Commission for approval. In addition, as soon as is reasonably practicable after such Rate Change Notice, each Party shall issue to the other Party any adjustments that are necessary to reflect that the Modified Rate(s) became effective between the Parties as provided:

1.2.1.1 If the Rate Change Notice is issued by a Party within ninety (90) calendar days after the effective date of any such order, the Modified Rate(s) will be deemed effective between the Parties as of the effective date of the order, and **AT&T-22STATE** will issue any adjustments that are appropriate (e.g., billing of additional charges, billing credit adjustments) to retroactively true-up the Modified Rate(s) with the Commission-established current Rate(s) for the period after the effective date of the order, in accordance herewith.

1.2.1.2 In the event that neither Party issues a Rate Change Notice to the other Party with respect to an order, the Commission-established Non-Interim Rate(s) set forth in the Agreement shall continue to apply, notwithstanding the issuance of that order.

1.2.1.3 In the event that a Party issues a Rate Change Notice under this Section 1.2 above, but not within ninety (90) calendar days after the effective date of the order, then the Modified Rate(s) will be deemed effective between the Parties as of the date the amendment incorporating such Modified Rate(s) into the Agreement is effective between the Parties (following the date the amendment is approved or is deemed to have been approved by the state commission), and shall apply, on a prospective basis only, upon the amendment effective date, on a prospective basis only. Further, the Party shall be foreclosed from replacing or otherwise superseding the Commission-established Current Rate(s) with the Modified Rate(s) if the terms and conditions of this Section 1.2 above were not part of an approved and effective agreement between the Parties at the time the order became effective, either Party may still give a Rate Change Notice, and the Modified Rate(s) shall be effective as of the date the Parties' Agreement (containing this Section 1.2,) becomes effective (following the date the Agreement is approved or deemed to have been approved by the

Commission) and shall apply, beginning on the Agreement's effective date, on a prospective basis only. Further, the Party shall be foreclosed from replacing or otherwise superseding the Commission-established current Rate(s) with the Modified Rate(s) for any period prior to the effective date of the Agreement containing this Section 1.2 above.

1.3 Replacement of Interim Rates

1.3.1 Certain of the rates, prices and charges set forth in this Agreement may be denoted as interim rates ("Current Interim Rates"). Upon the effective date of a Commission Order establishing non-interim rates for any rates, prices, charges, Interconnection Services specifically identified herein as interim, either Party may, within ninety (90) calendar days after the effective date of such Commission order, provide written notice ("Replacement Rate Notice") to the other Party that it wishes to obtain the new Commission-established rate(s) ("Replacement Rates") to replace and supersede the Interim Rate counterpart(s) in this Agreement. Following such Replacement Rate Notice, and without the need for any formal amendment or further Commission action, **AT&T-22STATE** will update CLEC's billing tables to replace the Current Interim Rates with their Replacement Rate(s) counterpart(s), as specified in the Replacement Rate Notice. Nonetheless, the Parties shall negotiate a conforming amendment to reflect such Replacement Rates and shall submit such amendment to the Commission for approval.

1.3.2 If the Replacement Rate Notice is given within ninety (90) calendar days after the effective date of such order, then the Replacement Rate(s) shall apply as of the effective date of the order and **AT&T-22STATE** will issue any adjustments that are appropriate (e.g., billing of additional charges, billing credit adjustments) to retroactively true-up the Replacement Rates with the Interim Rates for the period after the effective date of this Agreement, in accordance herewith.

1.3.3 In the event that neither Party issues a Rate Notice to the other Party with respect to an order, the Interim Rate(s) set forth in the Agreement shall continue to apply, notwithstanding the issuance of that order.

1.3.4 In the event that a Party issues a Rate Notice under this Section 1.3 above, but not within ninety (90) calendar days after the effective date of the order, then the Replacement Rate(s) will be deemed effective between the Parties as of the date the amendment incorporating such Replacement Rate(s) into the Agreement is effective between the Parties (following the date the amendment is approved or is deemed to have been approved by the Commission), and shall apply, upon the amendment effective date, on a prospective basis only. Further, the Party shall be foreclosed from replacing or otherwise superseding the Current Interim Rate(s) with the Replacement Rate(s) for any period prior to the effective date of such amendment.

1.3.5 In the event the terms and conditions of this Section 1.3 above were not part of an approved and effective agreement between the Parties at the time the order became effective, either Party may still give a Replacement Rate Notice, and the Replacement Rate(s) shall be effective as of the date the Parties' Agreement (the Agreement containing this Section 1.3 above) becomes effective (following the date the Agreement is approved or deemed to have been approved by the Commission) and shall apply, beginning on the Agreement's effective date, on a prospective basis only. Further, the Party shall be foreclosed from replacing or otherwise superseding the Current Interim Rate(s) with the Replacement Rate(s) for any period prior to the effective date of the Agreement containing this Section 1.3 above.

1.4 Notice to Adopting CLECs

1.4.1 Notwithstanding anything to the contrary in this Pricing Schedule and Agreement, in the event that any other CLEC should seek to adopt the Agreement pursuant to Section 252(i) of the Act ("Adopting CLEC"), the Adopting CLEC would only be entitled to the current and/or interim rates set forth in this Agreement as of the date that the MFN'd Agreement provisions become effective between **AT&T-22STATE** and the Adopting CLEC (i.e. following the date the Commission approves or is deemed to have approved the Adopting CLEC's Section 252(i) adoption ("MFN Effective Date")) and on a prospective basis only. Nothing in this

Agreement shall entitle an Adopting CLEC to any retroactive application of any rates under this Agreement to any date prior to the MFN Effective Date and any adopting CLEC is foreclosed from making any such claim hereunder.

1.4.2 **AT&T-22STATE** obligation, under this Agreement, per the GT&C is to only provide Interconnection Services for which complete rates, terms and conditions are contained in this Agreement. Accordingly, to the extent CLEC orders a product or service for which there are not complete rates, terms and conditions contained in this Agreement, **AT&T-22STATE** may reject the order. CLEC must amend this Agreement to allow ordering of products and services for which complete rates, terms and conditions did not exist as of the Effective Date of the Agreement to the extent such product or service is still available at the time of the request. In the event that CLEC orders, and **AT&T-22STATE** provisions, a product or service to CLEC for which there are not complete rates, terms and conditions in this Agreement, then CLEC understands and agrees that one of the following will occur:

1.4.3 CLEC shall pay for the product or service provisioned to CLEC at the rates set forth in **AT&T-22STATE**'s applicable intrastate tariff(s) for the product or service or, to the extent there are no tariff rates, terms or conditions available for the product or service in the applicable state, then CLEC shall pay for the product or service at **AT&T-22STATE**'s current generic contract rate for the product or service set forth in **AT&T-22STATE**'s applicable state-specific generic Pricing Schedule as published on the AT&T CLEC Online website; or

1.4.4 CLEC will be billed and shall pay for the product or service as provided in Section 1.4.3 above, and **AT&T-22STATE** may, without further obligation, reject future orders and further provisioning of the product or service until such time as applicable rates, terms and conditions are incorporated into this Agreement as set forth in this Section 1.4.2 above. If CLEC and **AT&T-22STATE** cannot agree on rates, terms, and conditions either Party may institute the Dispute Resolution provisions as contained in the GT&Cs.

1.4.5 **AT&T-22STATE**'s provisioning of orders for such Interconnection Services is expressly subject to this Section 1.4.2 above, and in no way constitutes a waiver of **AT&T-22STATE**'s right to charge and collect payment for such products and/or services.

1.4.6 Where the rate for an **AT&T-22STATE** Interconnection Service is identified as a tariffed rate, any changes to the tariff rate shall be automatically incorporated into this Agreement. The issuance of a Commission Order approving such rate change shall be the only Notice required under this Agreement. Provided however, should a tariff or tariff rate, incorporated into this Agreement, be withdrawn or invalidated in any way during the term of this Agreement, the last rate in effect at the time of such withdrawal or invalidation shall continue to apply during the remaining term of this Agreement.

1.4.7 The Resale Discount applicable to purchases of Resold Services in each State is the current Commission-approved rate. Any Commission approved or ordered change in the Resale discount for Resold Services shall be automatically incorporated into this Agreement for the state in which such Commission approves or orders the change. The issuance of the Commission Order approving such change shall be the only Notice required under this Agreement.

1.5 Establishment of "TBD" Rates

1.5.1 When a rate, price or charge in this Agreement is noted as "To Be Determined" or "TBD" or no rate is shown, the Parties understand and agree that when a rate, price or charge is established by **AT&T-22STATE** for that Interconnection Service and incorporated into **AT&T-22STATE**'s current state-specific Generic Pricing Schedule as published on the AT&T CLEC Online website, that rate(s) ("Established Rate") shall automatically apply to the Interconnection Service provided under this Agreement back to the Effective Date of this Agreement as to any orders CLEC submitted and **AT&T-22STATE** provisioned for that Interconnection Service without the need for any additional modification(s) to this Agreement or further Commission action. **AT&T-22STATE** shall provide Written Notice to CLEC of the application of the rate,

price or charge that has been established, and the CLEC's billing tables will be updated to reflect (and CLEC will be charged) the Established Rate, and the Established Rate will be deemed effective between the Parties as of the Effective Date of the Agreement. The Parties shall negotiate a conforming amendment which shall reflect the Established Rate that applies to such Product or Service pursuant to this Section 1.5 above, and shall submit such Amendment to the State Commission for approval. In addition, as soon as is reasonably practicable after such Established Rate begins to apply, **AT&T-22STATE** shall bill CLEC to reflect the application of the Established Rate retroactively to the Effective Date of the Agreement between the Parties.

1.5.2 **AT&T-22STATE**'s provisioning of such orders for such Interconnection Services is expressly subject to this Section 1.5 above and in no way constitutes a waiver of **AT&T-22STATE**'s right to charge and collect payment for such Interconnection Services.

1.6 Recurring Charges

1.6.1 Unless otherwise identified in the Pricing Tables, where rates are shown as monthly, a month will be defined as a thirty (30) day calendar month. The minimum term for each monthly rated Interconnection Services will be one (1) month. After the initial month, billing will be on the basis of whole or fractional months used. The minimum term for Interconnection Services, if applicable, will be specified in the rate tables included in this Attachment.

1.6.2 Where rates are distance sensitive, the mileage will be calculated on the airline distance involved between the locations. To determine the rate to be billed **AT&T-22STATE** will first compute the mileage using the V&H coordinates method, as set forth in the National Exchange Carrier Association, Inc. Tariff FCC No 4. When the calculation results in a fraction of a mile, **AT&T-22STATE** will round up to the next whole mile before determining the mileage and applying rates.

1.7 Non-Recurring Charges:

1.7.1 Where rates consist of usage sensitive charges or per occurrence charges, such rates are classified as "non-recurring charges."

1.7.2 Consistent with FCC Rule 51.307(d), there may be non-recurring charges for each 251(c)(3) UNE.

1.7.3 When CLEC converts an End-User currently receiving non-complex service from **AT&T-22STATE**, without any facilities rearrangements to **AT&T-22STATE**'s network, the normal service order charges and/or nonrecurring charges associated with said additions and/or changes will apply.

1.7.4 CLEC shall pay the applicable service order processing/administration charge for each service order submitted by CLEC to **AT&T-22STATE** to process a request for installation, disconnection, rearrangement, change, or record order.

1.7.5 In some cases, Commissions have ordered **AT&T-22STATE** to separate disconnect costs and installation costs into two separate nonrecurring charges. Accordingly, unless otherwise noted in this Agreement, the Commission-ordered disconnect charges will be applied at the time the disconnect activity is performed by **AT&T-22STATE**, regardless of whether or not a disconnect order is issued by CLEC.

1.7.6 Time and Material charges (a.k.a. additional labor charges) are defined in the Price Schedule contained herein.

1.7.7 Loop Zone charges are defined in the Price Schedule contained herein.

	A	B	C	D	E	F
1	**Product Type**	**Rate Element Description**	**USOCs**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**	**Current Non-Recurring Rate (Additional)**
2	Local Loops	Disconnect Loop from inside wiring, per NID	**NRBND**	N/A	$ 68.35	$ 34.15
3		2-Wire Analog Zone 1 (Rural)	**U21**	$ 71.05	$ 41.05	$ 16.50
4		2-Wire Analog Zone 2 (Suburban)	**U21**	$ 31.60	$ 41.05	$ 16.50
5		2-Wire Analog Zone 3 (Urban)	**U21**	$ 18.75	$ 41.05	$ 16.50
6						
7						
8						
9						
10						
11						
12						
13						
14						$ 117.95
15		DS1 Loop Zone 3 (Urban)	**U4D1X**	$ 131.85	$ 299.10	$ 117.95
16		DS3 Loop Zone 1 (Rural)	**U4D3X**	$ 1,493.71	$ 876.30	$ 379.52
17		DS3 Loop Zone 2 (Suburban)	**U4D3X**	$ 1,028.05	$ 876.30	$ 379.52
18		DS3 Loop Zone 3 (Urban)	**U4D3X**	$ 783.80	$ 876.30	$ 379.52
19	DSL Capable Loops					
20	2-Wire xDSL Loop	PSD #1 - 2-Wire xDSL Loop - Zone 1 (Rural)	**2SLAX**	$ 71.05	$ 41.05	$ 16.50
21		PSD #1 - 2-Wire xDSL Loop - Zone 2 (Suburban)	**2SLAX**	$ 31.60	$ 41.05	$ 16.50
22		PSD #1 - 2-Wire xDSL Loop - Zone 3 (Urban)	**2SLAX**	$ 18.75	$ 41.05	$ 16.50
23						
24		PSD #2 - 2-Wire xDSL Loop - Zone 1 (Rural)	**2SLCX**	$ 71.05	$ 41.05	$ 16.50
25		PSD #2 - 2-Wire xDSL Loop - Zone 2 (Suburban)	**2SLCX**	$ 31.60	$ 41.05	$ 16.50
26		PSD #2 - 2-Wire xDSL Loop - Zone 3 (Urban)	**2SLCX**	$ 18.75	$ 41.05	$ 16.50
27						
28		PSD #3 - 2-Wire xDSL Loop - Zone 1 (Rural)	**2SLBX**	$ 71.05	$ 41.05	$ 16.50
29		PSD #3 - 2-Wire xDSL Loop - Zone 2 (Suburban)	**2SLBX**	$ 31.60	$ 41.05	$ 16.50
30		PSD #3 - 2-Wire xDSL Loop - Zone 3 (Urban)	**2SLBX**	$ 18.75	$ 41.05	$ 16.50
31						
32		PSD #4 - 2-Wire xDSL Loop - Zone 1 (Rural)	**2SLDX**	$ 71.05	$ 41.05	$ 16.50
33		PSD #4 - 2-Wire xDSL Loop - Zone 2 (Suburban)	**2SLDX**	$ 31.60	$ 41.05	$ 16.50
34		PSD #4 - 2-Wire xDSL Loop - Zone 3 (Urban)	**2SLDX**	$ 18.75	$ 41.05	$ 16.50
35						
36		PSD #5 - 2-Wire xDSL Loop - Zone 1 (Rural)	**U2F**	$ 71.05	$ 41.05	$ 16.50
37		PSD #5 - 2-Wire xDSL Loop - Zone 2 (Suburban)	**U2F**	$ 31.60	$ 41.05	$ 16.50
38		PSD #5 - 2-Wire xDSL Loop - Zone 3 (Urban)	**U2F**	$ 18.75	$ 41.05	$ 16.50
39						
40		PSD #7 - 2-Wire xDSL Loop - Zone 1 (Rural)	**2SLFX**	$ 71.05	$ 41.05	$ 16.50
41		PSD #7 - 2-Wire xDSL Loop - Zone 2 (Suburban)	**2SLFX**	$ 31.60	$ 41.05	$ 16.50
42		PSD #7 - 2-Wire xDSL Loop - Zone 3 (Urban)	**2SLFX**	$ 18.75	$ 41.05	$ 16.50
43						
44	4-Wire xDSL Loop	PSD #3 - 4-Wire xDSL Loop - Zone 1 (Rural)	**4SL1X**	$ 145.50	$ 282.20	$ 107.95
45		PSD #3 - 4-Wire xDSL Loop - Zone 2 (Suburban)	**4SL1X**	$ 64.80	$ 282.20	$ 107.95
46		PSD #3 - 4-Wire xDSL Loop - Zone 3 (Urban)	**4SL1X**	$ 38.80	$ 282.20	$ 107.95
47						
48	IDSL Capable Loops	IDSL Loop Zone 1 (Rural)	**UY5FX**	$ 119.95	$ 126.65	$ 66.40
49		IDSL Loop Zone 2 (Suburban)	**UY5FX**	$ 59.95	$ 126.65	$ 66.40
50		IDSL Loop Zone 3 (Urban)	**UY5FX**	$ 42.55	$ 126.65	$ 66.40
51						
52	Loop Qualification Process	Loop Qualification Process - Mechanized	**NR98U**	N/A	$0.00	N/A
53		Loop Qualification Process - Manual	**NRBXU**	N/A	$ 84.52	N/A
54	DSL Conditioning Options	Removal of Repeaters	**NRBXV**	N/A	$ 353.30	$ 16.80
55		Incremental Removal of Repeater (> than 17.5 Kft.same location/same cable)	**NRBNL**	N/A	$ 353.30	$ 16.80
56		Incremental Additional Removal of Repeater (> than 17.5 Kft.same location/different cable)	**NRBNP**	N/A	$ 138.30	$ 16.80
57		Removal of Excessive Bridged Taps and Repeaters	**NRBXH**	N/A	$ 901.85	$ 47.20
58		Incremental Removal of Excessive Bridged Taps and Repeaters (>than 17.5K same location/same cable)	**NRBTV**	N/A	$ 618.00	$ 32.00

	A	B	C	D	E	F
1	**Product Type**	**Rate Element Description**	**USOCs**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**	**Current Non-Recurring Rate (Additional)**
110		Manual Expedited - Simple	**NRMV1**	N/A	$ 66.05	N/A
111		Manual Customer Not Ready - Simple	**NRMV5**	N/A	$ 66.05	N/A
112		Manual Due Date Change or Cancellation - Simple	**NRMV3**	N/A	$ 66.05	N/A
113		Manual New - Complex	**NRBUR**	N/A	$ 270.70	N/A
114		Manual Change - Complex	**NRBUP**	N/A	$ 150.40	N/A
115		Manual Record - Complex	**NRBUV**	N/A	$ 126.15	N/A
116		Manual Disconnect - Complex	**NRBUX**	N/A	$ 72.30	N/A
117		Manual Expedited - Complex	**NRMV2**	N/A	$ 270.70	N/A
118		Manual Customer Not Ready - Complex	**NRMV6**	N/A	$ 270.70	N/A
119		Manual Due Date Change or Cancellation - Complex	**NRMV4**	N/A	$ 270.70	N/A
120		Electronic New - Simple	**NR9W2**	N/A	$ 5.00	N/A
121		Electronic New - Complex	**NRBGX**	N/A	$ 79.62	N/A
122		Electronic Change - Simple	**NR9GG**	N/A	$ 5.00	N/A
123		Electronic Change - Complex	**NR9G8**	N/A	$ 79.62	N/A
124		Electronic Record - Simple	**NR9GU**	N/A	$ 5.00	N/A
125		Electronic Record - Complex	**NR9G7**	N/A	$ 5.03	N/A
126		Electronic Disconnect - Simple	**NR9GZ**	N/A	$ 5.00	N/A
127		Electronic Disconnect - Complex	**NR9G9**	N/A	$ 27.21	N/A
128		Electronic Expedited - Simple	**NRMV7**	N/A	$ 5.00	N/A
129		Electronic Expedited Complex	**NRMVX**	N/A	$ 5.00	N/A
130		Electronic Customer Not Ready - Simple	**NRMV9**	N/A	$ 5.00	N/A
131		Electronic Customer Not Ready - Complex	**NRMVY**	N/A	$ 5.00	N/A
132		Electronic Due Date Change or Cancellation Simple	**NRMV8**	N/A	$ 5.00	N/A
133		Electronic Due Date Change or Cancellation Complex	**NRMVZ**	N/A	$ 5.00	N/A
134		PIC Change Charge	**NRBL9**	N/A	$ 5.00	N/A
135						
136	Directory Assistance	Directory Assistance (DA) - per call	**ZZUO3**	$ 0.40	N/A	N/A
137		Directory Assistance (DA) - per call	**ZZUO4**	$ 0.40	N/A	N/A
138		Directory Assistance Call Completion (DACC) - per call	**ZZUO7**	$ 0.15	N/A	N/A
139		National Directory Assistance (NDA)	**ZZUO5**	$ 0.65	N/A	N/A
140		National Directory Assistance (NDA)	**ZZUO6**	$ 0.65	N/A	N/A
141		Directory Assistance Non-Pub Emergency Service	**N/A**	$ 2.00	N/A	N/A
142		Directory Assistance - Branding - Initial/Subsequent Load	**NRBDG**	N/A	$ 1,800.00	$ 1,800.00
143		Directory Assistance - Branding - per call	**ZZUCB**	$ 0.030	N/A	N/A
144						
145		Directory Assistance - Rate Reference Initial Load	**NRBDL**	N/A	$ 5,000.00	N/A
146		Directory Assistance - Rate Reference Subsequent Load	**NRBDM**	N/A	N/A	$ 1,500.00
147		Directory Assistance Listings (DAL)-Initial Load, per listing	**N/A**	N/A	$ 0.0585	N/A
148		Directory Assistance Listings (DAL)-Update, per listing	**N/A**	$ 0.0585		N/A
149		Directory Assistance Listings (DAL)-Non-Pub Emergency Message Service	**N/A**	$ 2.10	N/A	N/A
150		Business Category Search (BCS)	**ZZUOB**	$ 0.65	N/A	N/A
151		Reverse Directory Assistance (RDA)	**ZZUO8**	$ 0.65	N/A	N/A
152		Reverse Directory Assistance (RDA)	**ZZUO9**	$ 0.65	N/A	N/A
153	Operator Services	Operated Services - Fully Automated Call Processing (Per completed automated call)	**ZZUO1**	$ 0.15	N/A	N/A
154		Operator Services - Operator Assisted Call Processing (Per work second)	**ZZUO2**	$ 0.030	N/A	N/A
155						
156		Operator Services - Branding - Initial/Subsequent Load	**NRBDG**	N/A	$ 1,800.00	$ 1,800.00
157		Operator Services - Branding - per call	**ZZUCB**	$ 0.030	N/A	N/A
158						
159		Operator Services - Rate Reference Initial Load	**NRBDL**	N/A	$ 5,000.00	N/A
160		Operator Services - Rate Reference Subsequent Load	**NRBDM**	N/A	N/A	$ 1,500.00
161						
162	Emergency Services	For each DS0 E911 Trunk Terminated		$ 22.86	$ 312.00	$ 312.00
163						
164	Miscellaneous	NXX Migration - Migration Charge per NXX	**N/A**	N/A	$ 10,000.00	N/A
165		Provision of Message Detail a.k.a. Daily Usage File (DUF)	**ASBS**	$ 0.000289	N/A	N/A
166	BCR	Per interstate local message	**N/A**	$ 0.08	N/A	N/A
167		Per local message	**N/A**	$ 0.05	N/A	N/A

	A	B	C	D	E	F
1	**Product Type**	**Rate Element Description**	**USOCs**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**	**Current Non-Recurring Rate (Additional)**
168	Clearinghouse	CH processing charge for service - per originated CH record	**N/A**	$ 0.020	N/A	N/A
169		CH billing message - per message	**N/A**	$ 0.050	N/A	N/A
170	Maintenance of Service Charges & Non-Productive Dispatch	Basic Time - per half hour	**MVV**	N/A	$ 71.20	$ 34.25
171		Overtime - per half hour	**MVV**	N/A	$ 88.85	$ 43.10
172		Premium Time - per half hour	**MVV**	N/A	$ 106.55	$ 51.90
173	Time and Materials Charges	Basic Time - per half hour	**ALK**	N/A	$ 71.20	$ 34.25
174		Basic Time - per half hour	**ALT**	N/A	$ 71.20	$ 34.25
175		Basic Time - per half hour	**ALH**	N/A	$ 71.20	$ 34.25
176		Overtime - per half hour	**ALK**	N/A	$ 88.85	$ 43.10
177		Overtime - per half hour	**ALT**	N/A	$ 88.85	$ 43.10
178		Overtime - per half hour	**ALH**	N/A	$ 88.85	$ 43.10
179		Premium Time - per half hour	**ALK**	N/A	$ 106.55	$ 51.90
180		Premium Time - per half hour	**ALT**	N/A	$ 106.55	$ 51.90
181		Premium Time - per half hour	**ALH**	N/A	$ 106.55	$ 51.90
182	Poles and Duct (Structure)	Poles ($/attachment/yr.)* ##		$ 1.68		
183						
184		Per Foot Conduit Occupancy Fees ##				
185		Full Duct ($/ft/yr.)		$ 0.70		
186		Half Duct ($/ft/yr)		$ 0.35		
187						
188	Contract Administration Fee				$ 125.00	
189	Administrative Record-Keeping Fee				$ 125.00	
190						
191		Unauthorized Attachment Fee		5 Times the Annual Rate per Pole		
192		Unauthorized Occupancy Fee		5 Times the Annual Rate per Conduit Foot		
193						
194		* For(1) each one foot of usable space, or fraction thereof, occupied and (2) each additional one foot of space,				
195		or fraction thereof, rendered unusable by the attachment's presence.				
196		## Note: All pole and conduit license fees are for a period of one year from January 1 thru December 31,				
197		effective January 1, 2005 and billable semi-annually in advance in January and July of each year.				
198		New rates will be communicated to CLEC no later than November 1st for the succeeding year.				
199						
200	INTERCARRIER COMPENSATION					
201	Rate for All ISP-Bound and Section 251(b)(5) Traffic as per FCC 01-131, per MOU		**ZZUR2**	$ 0.0007		
202						
203	Optional EAS Transport and Termination per MOU		**ZZUR2**	$ 0.016000		
204						
205	Bona Fide Request	Deposit			$2,000.00	
206						
207	RESALE					
208	BUSINESS					
209	LOCAL EXCHANGE SERVICE					
210		Business 1 Party		14.50%	14.50%	
211		Business - Multi-Line Hunting		14.50%	14.50%	
212		Business Measured		14.50%	14.50%	
213		Business Measured (HTG Class of Service)		14.50%	14.50%	
214		Customer Owned Pay Telephone Service		14.50%	14.50%	
215		Line Amplifier		14.50%	14.50%	
216		Message Register Equipment		14.50%	14.50%	
217		Service Connections, Moves and Changes		14.50%	14.50%	
218		Special Billing Numbers		14.50%	14.50%	
219		Telephone Answering and Secretarial Service		14.50%	14.50%	
220						

	A	B	C	D	E	F
1	**Product Type**	**Rate Element Description**	**USOCs**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**	**Current Non-Recurring Rate (Additional)**
221	EXPANDED LOCAL CALLING					
222		Mandatory EAS		14.50%	14.50%	
223		MetroPlus		14.50%	14.50%	
224						
225	VERTICAL SERVICES					
226		Auto Redial		14.50%	14.50%	
227		Call Blocker		14.50%	14.50%	
228		Call Forwarding		14.50%	14.50%	
229		Call Forwarding - Busy Line		14.50%	14.50%	
230		Call Forwarding - Busy Line/Don't Answer		14.50%	14.50%	
231		Call Forwarding - Don't Answer		14.50%	14.50%	
232		Call Return		14.50%	14.50%	
233		Call Trace		14.50%	14.50%	
234		Call Waiting		14.50%	14.50%	
235		Calling Name		14.50%	14.50%	
236		Calling Number		14.50%	14.50%	
237		Personalized Ring (1 dependent number)		14.50%	14.50%	
238		Personalized Ring (2 dependent numbers - 1st number)		14.50%	14.50%	
239		Personalized Ring (2 dependent numbers - 2nd number)		14.50%	14.50%	
240		Priority Call		14.50%	14.50%	
241		Remote Access to Call Forwarding		14.50%	14.50%	
242		Selective Call Forwarding		14.50%	14.50%	
243		Simultaneous Call Forwarding		14.50%	14.50%	
244		Speed Calling		14.50%	14.50%	
245		Three Way Calling		14.50%	14.50%	
246						
247	DID					
248		DID (First Block of 100 - Category 1)		14.50%	14.50%	
249		DID (First Block of 10 - Category 1)		14.50%	14.50%	
250		DID (Ea. adl. block of 10 after first 10 - Category 1)		14.50%	14.50%	
251		DID (Ea. adl. block of 100 after first 100 - Category 2)		14.50%	14.50%	
252		DID (Ea. adl. block of 10 assigned over 1st 100 - Category 2)		14.50%	14.50%	
253		DID (with Multifrequency)		14.50%	14.50%	
254		DID (with Dual-Tone Multifrequency)		14.50%	14.50%	
255		DID (1st 10 Trunks or access lines)		14.50%	14.50%	
256		DID (11th thru 50th trunk or network access line)		14.50%	14.50%	
257		DID (51st trunk or network access line)		14.50%	14.50%	
258						
259	TRUNKS					
260		Analog Trunks		14.50%	14.50%	
261		Digital Trunks		14.50%	14.50%	
262		PBX Dormitory Trunks		14.50%	14.50%	
263						
264	AIN					
265		Area Wide Networking		14.50%	14.50%	
266		Caller Intelidata		14.50%	14.50%	
267		Disaster Routing Service		14.50%	14.50%	
268		Intelligent Redirectsm		14.50%	14.50%	
269		Intellinumber		14.50%	14.50%	
270		Positive ID		14.50%	14.50%	
271						
272	OTHER					
273		Bundled Telecommunications Services (e.g., the Works)		14.50%	14.50%	
274		Busy Out Arrangement		14.50%	14.50%	
275		Conference Telephone Service		14.50%	14.50%	
276		Customer Alerting Enablement		14.50%	14.50%	
277		Grandfathered Services		14.50%	14.50%	
278		Hot Line		14.50%	14.50%	

	A	B	C	D	E	F
1	**Product Type**	**Rate Element Description**	**USOCs**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**	**Current Non-Recurring Rate (Additional)**
279		Hunting		14.50%	14.50%	
280		Improved Transmission		14.50%	14.50%	
281		Intercept Referral Service		14.50%	14.50%	
282		Local Operator Assistance Service		14.50%	14.50%	
283		Night Number associated with Telephone Number		14.50%	14.50%	
284		Night Number associated with a Terminal		14.50%	14.50%	
285		Promotions (Greater than 90 days)		14.50%	14.50%	
286		Telebranch®		14.50%	14.50%	
287		Preferred Number Service		14.50%	14.50%	
288		Second Line Control		14.50%	14.50%	
289		TouchTone		14.50%	14.50%	
290		Voice Dial		14.50%	14.50%	
291		Warm Line		14.50%	14.50%	
292						
293	Data Services					
294		Gigabit Ethernet Metropolitan Area Network (GigaMAN)		14.50%	14.50%	
295		PBX Trunks		14.50%	14.50%	
296		Multi-Service Optical Network (MON)		14.50%	14.50%	
297		OCn-PTP		14.50%	14.50%	
298		DS3		14.50%	14.50%	
299						
300	ISDN					
301		Digilinesm (ISDN BRI)		14.50%	14.50%	
302		Select Video Plus®		14.50%	14.50%	
303		Smart Trunks (ISDN PRI)		14.50%	14.50%	
304		SuperTrunk		14.50%	14.50%	
305						
306	TOLL					
307		IntraLata MTS		14.50%	14.50%	
308		MaxiMizer 800®		14.50%	14.50%	
309		OutWATS		14.50%	14.50%	
310		800 Service		14.50%	14.50%	
311						
312	OPTIONAL TOLL CALLING PLANS					
313		1+ SAVERsm		14.50%	14.50%	
314		Designated Number Service (1+SAVER Directsm)		14.50%	14.50%	
315		Circle Saver		14.50%	14.50%	
316		Circle Saver Trial Plan (Fort Smith Lata Only)		14.50%	14.50%	
317		Community Calling Service		14.50%	14.50%	
318		Extended Community Saver		14.50%	14.50%	
319						
320	PLEXAR®					
321		Plexar I®		14.50%	14.50%	
322		Plexar II®		14.50%	14.50%	
323						
324	PRIVATE LINE					
325		Analog Private Lines		14.50%	14.50%	
326		Announcement Distribution Services		14.50%	14.50%	
327		DOVLink		14.50%	14.50%	
328		Foreign Exchange Service		14.50%	14.50%	
329		Foreign Serving Office		14.50%	14.50%	
330		Frame Relay		14.50%	14.50%	
331		Group Alerting Services		14.50%	14.50%	
332		MegaLink I®		14.50%	14.50%	
333		MegaLink II®		14.50%	14.50%	
334		MegaLink III®		14.50%	14.50%	
335		MicroLink I®		14.50%	14.50%	
336		MicroLink II®		14.50%	14.50%	

	A	B	C	D	E	F
1	**Product Type**	**Rate Element Description**	**USOCs**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**	**Current Non-Recurring Rate (Additional)**
337		Public Response Calling Service		$ 0.145	$ 0.14	
338						
339	RESIDENCE					
340	LOCAL EXCHANGE SERVICE					
341		Life Line and Link Up America Services		14.50%	14.50%	
342		Residence 1 Party		14.50%	14.50%	
343		Residence Measured		14.50%	14.50%	
344		Service Connections, Moves and Changes		14.50%	14.50%	
345						
346	EXPANDED LOCAL CALLING					
347		Expanded Local Calling (Mandatory)		14.50%	14.50%	
348		MetroPlus		14.50%	14.50%	
349						
350	VERTICAL SERVICES					
351		Auto Redial		14.50%	14.50%	
352		Call Blocker		14.50%	14.50%	
353		Call Forwarding		14.50%	14.50%	
354		Call Forwarding - Busy Line		14.50%	14.50%	
355		Call Forwarding - Busy Line/Don't Answer		14.50%	14.50%	
356		Call Forwarding - Don't Answer		14.50%	14.50%	
357		Call Return		14.50%	14.50%	
358		Call Trace		14.50%	14.50%	
359		Call Waiting		14.50%	14.50%	
360		Calling Name		14.50%	14.50%	
361		Calling Number		14.50%	14.50%	
362		ComCall®		14.50%	14.50%	
363		Personalized Ring (1 dependent number)		14.50%	14.50%	
364		Personalized Ring (2 dependent numbers - 1st number)		14.50%	14.50%	
365		Personalized Ring (2 dependent numbers - 2nd number)		14.50%	14.50%	
366		Priority Call		$ 0.145	$ 0.14	
367		Remote Access to Call Forwarding		$ 0.14	$ 0.14	
368		Selective Call Forwarding		$ 0.14	$ 0.14	
369		Simultaneous Call Forwarding		$ 0.14	$ 0.14	
370		Speed Calling		$ 0.14	$ 0.14	
371		Three Way Calling		$ 0.14	$ 0.14	
372						
373	ISDN					
374		Digiline		$ 0.145	$ 0.14	
375						
376	OTHER					
377		Bundled Telecommunications Services (e.g., the Works)		14.50%	14.50%	
378		Conference Telephone Service		14.50%	14.50%	
379		Customer Alerting Enablement		14.50%	14.50%	
380		Grandfathered Services		14.50%	14.50%	
381		Hot Line		14.50%	14.50%	
382		Improved Transmission		14.50%	14.50%	
383		Intercept Referral Service		14.50%	14.50%	
384		Local Operator Assistance Service		14.50%	14.50%	

	A	B	C	D	E	F
1	**Product Type**	**Rate Element Description**	**USOCs**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**	**Current Non-Recurring Rate (Additional)**
385		Promotions (Greater than 90 days)		14.50%	14.50%	
386		Preferred Number Service		14.50%	14.50%	
387		Second Line Control		14.50%	14.50%	
388		TouchTone		14.50%	14.50%	
389		Voice Dial		14.50%	14.50%	
390		Warm Line		14.50%	14.50%	
391						
392	OTHER (Resale)					
393		**Directory Assistance / Operator Services**				
394		Directory Assistance Services		14.50%	N/A	N/A
395		Local Operator Assistance Service		14.50%	N/A	N/A
396						
397		**OS/DA Automated Call Greeting and References / Rates**				
398		Branding - Initial/Subsequent Load, per switch		N/A	$ 1,800.00	$ 1,800.00
399		Brand and Reference/Rate Look Up, per OS/DA call	**ZZUCB**	$ 0.03	N/A	N/A
400		Rate Reference Initial Load, per state, per OCN	**NRBDL**	N/A	$ 5,000.00	N/A
401		Rate Reference Subsequent Load, per state, per OCN	**NRBDM**	N/A	N/A	$ 1,500.00
402						
403	TOLL					
404		Home 800sm		14.5%	14.5%	
405		IntraLATA MTS		14.5%	14.5%	
406		WATS		14.5%	14.5%	
407						
408	OPTIONAL TOLL CALLING PLANS					
409		1+ SAVERsm		14.5%	14.5%	
410		Designated Number Service (1+SAVER Directsm)		14.5%	14.5%	
411		Circle Saver		14.5%	14.5%	
412		Circle Saver Trial Plan (Fort Smith Lata Only)		14.5%	14.5%	
413		Community Calling Service		14.5%	14.5%	
414		Extended Community Saver		14.5%	14.5%	
415		900 Call Restriction		14.5%	14.5%	
416		Access Services		0.0%	0.0%	
417		Additional Directory Listings		14.5%	14.5%	
418		Bill Plus		5.0%	5.0%	
419		Company Initiated Suspension Service		0.0%	0.0%	
420		Connections with Terminal Equipment and Communications Equipment		0.0%	0.0%	
421		Consolidated Billing		5.0%	5.0%	
422		Construction Charges		0.0%	0.0%	
423		Customer Initiated Suspension Service		0.0%	0.0%	
424		Exchange Connection Service		0.0%	0.0%	
425		Joint User Service		0.0%	0.0%	
426		Maintenance of Service Charges		0.0%	0.0%	
427		Plexar Custom®		0.0%	0.0%	
428		Prepaid Calling Cards		14.5%	14.5%	
429		Telecommunications Service Priority Systems		0.0%	0.0%	
430		Toll Billing Exception (Billed Number Screen)		14.5%	14.5%	
431		Toll Restriction		14.5%	14.5%	
432		Wireless Carrier Interconnection Services		0.0%	0.0%	
433						
434	Electronic Billing Information Data (daily usage) per message			$ 0.003	N/A	N/A
435						
436	Simple conversion charge per billable number			N/A	$ 25.00	N/A
437	Electronic conversion orders per billable number			N/A	$ 5.00	N/A
438	Complex conversion orders per billable number			N/A	$ 125.00	N/A
439						
440	AT&T Arkansas transmittal of CLEC end-user listing to 3rd party pub, per occurrence, per dir publisher			N/A	$ 100.00	N/A

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
1	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGED**				
2	**REAL ESTATE**				
3	Site Conditioning	Per Sq. Ft. of space used by CLEC	**S8FWB**		$9.28
4	Safety & Security	Per Sq. Ft. of space used by CLEC	**S8F4N**		$19.56
5	Floor Space Usage	Per Sq. Ft. of space used by CLEC	**S8F4L**	$5.97	
6	**COMMON SYSTEMS**				
7	Common Systems - Cage	Per Sq. Ft. of space used by CLEC	**S8F4A**	$0.44	$59.86
8	**PLANNING**				
9	Planning - Central Office	Per Sq. Ft. of space used by CLEC	**S8GCA**	$0.09	$7.55
10	Planning	Per Request	**NRFCD**		$5,244.43
11	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
12	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
13	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
14	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
15	**POWER PROVISIONING**				
16	**Power Panel:**				
17	50 Amp	Per Power Panel (CLEC Provided)	**NONE**		
18	200 Amp	Per Power Panel (CLEC Provided)	**NONE**		
19	**Power Cable and Infrastructure:**				
20	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
21	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	**C1F31**	$0.25	$48.23
22	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	**S8GF1**	$0.25	$48.23
23	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	**C1F32**	$0.25	$48.23
24	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	**C1F33**	$0.25	$48.23
25	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	**S8GF2**	$0.25	$48.23
26	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC Provided)	**S8GF3**	$0.25	$48.23
27	**Equipment Grounding:**				
28	Ground Cable Placement	Per Sq. Ft. of space used by CLEC	**S8FCR**	$0.03	$0.92
29	**DC POWER AMPERAGE CHARGE**				
30	HVAC	Per 10 Amps	**S8GCS**	$14.62	
31	Per Amp	Per Amp	**S8GCR**	$10.61	
32	**FIBER CABLE PLACEMENT**				
33	**Central Office:**				
34	Fiber Cable	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	**S8FQ9**	$4.85	$809.13
35	Entrance Conduit	Per Fiber Cable Sheath	**S8FW5**	$8.76	
36	**MISCELLANEOUS & OPTIONAL COST:**				
37	**MISCELLANEOUS COSTS**				
38	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8F45**	$0.08	$14.81
39	Bits Timing	Based on two (2) leads per circuit	**S8FQT**	$3.58	$698.82
40	Space Availability Report	Per Premise	**NRFCQ**		$168.04
41	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
42	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
43	**CAGE COMMON COSTS**				
44	AC Circuit Placement	Per Sq. Ft. (CLEC provides cage)	**NRL6O**		$5.29
45	**INTERCONNECTION COSTS:**				
46	**ILEC TO CLEC CONNECTION**				
47	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F48**	$3.86	$156.02
48	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8FWU**	$3.86	$156.02
49	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8FQM**	$295.42	$3,105.79
50	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F46**	$6.07	$486.89
51	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F47**	$115.30	$1,809.40
52	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8FQN**	$5.69	$116.67
53	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8FQR**	$3.58	$698.82
54	**CLEC TO CLEC CONNECTION**				
55	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
56	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
57	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	
58	Route Design		**NRFCX**		$424.88
59	Connection for DS1	Per 28 Circuits (CLEC provides cable)	**S8GFH**	$0.18	
60	Connection for DS3	Per Circuit (CLEC provides cable)	**S8GFJ**	$0.12	
61	Connection for Optical	Per Cable (CLEC provides cable)	**S8GFK**	$0.31	
62	**TIME SENSITIVE ACTIVITIES**				
63	**PRE-VISITS**				
64	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
65	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
66	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
67	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
68	**CONSTRUCTION VISITS**				
69	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
70	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23
71					
72	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGED**				
73	**REAL ESTATE**				
74	Site Conditioning	Per Sq. Ft. of space used by CLEC	**S8GCE**		$9.28
75	Safety & Security	Per Sq. Ft. of space used by CLEC	**S8GCF**		$19.56
76	Floor Space Usage	Per Sq. Ft. of space used by CLEC	**S8GCD**	$5.97	

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
77	**COMMON SYSTEMS**				
78	Common Systems - Cage	Per Sq. Ft. of space used by CLEC	**S8GCG**	$0.44	$59.86
79	**PLANNING**				
80	Planning - Central Office	Per Sq. Ft. of space used by CLEC	**S8GCA**	$0.09	$7.55
81	Planning	Per Request	**NRFCD**		$5,244.43
82	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
83	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
84	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
85	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
86	**POWER PROVISIONING**				
87	**Power Panel:**				
88	50 Amp	Per Power Panel	**S8GC8**	$15.77	$3,079.47
89	200 Amp	Per Power Panel	**S8GC9**	$18.75	$3,659.46
90	**Power Cable and Infrastructure:**				
91	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3A**	$5.83	$1,378.83
92	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8GCU**	$7.74	$1,570.84
93	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3B**	$8.35	$1,700.70
94	2.40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3C**	$8.96	$1,830.56
95	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8GCV**	$9.57	$1,954.85
96	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	**S8GCW**	$11.39	$2,344.44
97	**Equipment Grounding:**				
98	Ground Cable Placement	Per Sq. Ft. of space used by CLEC	**S8GDA**	$0.03	$0.92
99	**DC POWER AMPERAGE CHARGE**				
100	HVAC	Per 10 Amps	**S8GCS**	$14.62	
101	Per Amp	Per Amp	**S8GCR**	$10.61	
102	**FIBER CABLE PLACEMENT**				
103	**Central Office:**				
104	Fiber Cable	Per Fiber Cable Sheath	**S8GDE**	$4.85	$1,619.88
105	Entrance Conduit to Vault	Per Fiber Cable Sheath	**S8GDD**	$8.76	
106	**MISCELLANEOUS & OPTIONAL COST:**				
107	**MISCELLANEOUS COSTS**				
108	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8GEK**	$0.08	$14.81
109	Bits Timing	Based on two (2) leads per circuit	**S8GEJ**	$3.58	$698.82
110	Space Availability Report	Per Premise	**NRFCQ**		$168.04
111	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
112	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
113	**CAGE COMMON COSTS**				
114	Cage Preparation	Per Sq. Ft. of space used by CLEC	**S8GCH**	$0.27	$19.70
115	**INTERCONNECTION COSTS:**				
116	**ILEC TO CLEC CONNECTION**				
117	Voice Grade Arrangement	100 Copper Pairs	**S8GD4**	$4.92	$1,027.16
118	Voice Grade Arrangement	100 Shielded Pairs	**S8GD5**	$4.92	$1,027.16
119	DS1 Arrangement - DCS	28 DS1	**S8GDK**	$297.44	$3,613.06
120	DS1 Arrangement - DSX	28 DS1	**S8GDP**	$9.79	$1,346.48
121	DS3 Arrangement - DCS	1 DS3	**S8GDV**	$115.58	$2,181.58
122	DS3 Arrangement - DSX	1 DS3	**S8GDZ**	$7.14	$603.89
123	Fiber Arrangement	12 Fiber Pairs (24 Fiber strands)	**S8GED**	$6.55	$1,779.78
124	**CLEC TO CLEC CONNECTION**				
125	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
126	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
127	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	
128	Route Design		**NRFCX**		$424.88
129	Connection for DS1	Per 28 Circuits	**S8GFC**	$1.41	$982.35
130	Connection for DS3	Per Circuit	**S8GFD**	$1.30	$433.86
131	Connection for Optical (Fiber)	Per Cable	**S8GFB**	$1.38	$1,404.07
132	**TIME SENSITIVE ACTIVITIES**				
133	**PRE-VISITS**				
134	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
135	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
136	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
137	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
138	**CONSTRUCTION VISITS**				
139	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
140	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23
141					
142	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGELESS**				
143	**REAL ESTATE**				
144	Site Conditioning	Per Frame (Standard Bay=10 sq ft)	**S8FWC**		$92.81
145	Safety & Security	Per Frame (Standard Bay=10 sq ft)	**S8FWG**		$195.57
146	Floor Space Usage	Per Frame (Standard Bay=10 sq ft)	**S8F9C**	$64.21	
147	**COMMON SYSTEMS**				
148	Common Systems - Cageless	Per Frame (Standard Bay=10 sq ft)	**S8FWE**	$9.35	$760.45
149	**PLANNING**				
150	Planning - Central Office	Per Frame (Standard Bay=10 sq ft)	**S8GCB**	$1.13	$75.54
151	Planning	Per Request	**NRFCJ**		$4,601.93
152	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
153	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
154	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
155	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
156	**POWER PROVISIONING**				
157	**Power Panel:**				
158	50 Amp	Per Power Panel (CLEC Provided)	**NONE**		
159	200 Amp	Per Power Panel (CLEC Provided)	**NONE**		
160	**Power Cable and Infrastructure:**				
161	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
162	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	**C1F34**	$0.25	$48.23
163	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	**S8GF1**	$0.25	$48.23
164	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	**C1F35**	$0.25	$48.23
165	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	**C1F36**	$0.25	$48.23
166	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	**S8GF2**	$0.25	$48.23
167	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC Provided)	**S8GF3**	$0.25	$48.23
168	**Equipment Grounding:**				
169	Ground Cable Placement	Per Frame	**S8GDB**	$0.33	$15.32
170	**DC POWER AMPERAGE CHARGE**				
171	HVAC	Per 10 Amps	**S8GCS**	$14.62	
172	Per Amp	Per Amp	**S8GCR**	$10.61	
173	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8GCT**	$1.27	
174	**FIBER CABLE PLACEMENT**				
175	**Central Office:**				
176	Fiber Cable	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	**S8FQ9**	$4.85	$809.13
177	Entrance Conduit	Per Fiber Cable Sheath	**S8FW5**	$8.76	
178	**CEV, HUT & Cabinets:**				
179	Fiber Cable Placement	Per Fiber Cable Sheath	**S8GDH**		$53.58
180	Entrance Conduit	Per Fiber Cable Sheath	**S8GDJ**	$2.61	
181	**MISCELLANEOUS & OPTIONAL COST:**				
182	**MISCELLANEOUS COSTS**				
183	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8F45**	$0.08	$14.81
184	Bits Timing	Based on two (2) leads per circuit	**S8FQT**	$3.58	$698.82
185	Space Availability Report	Per Premise	**NRFCQ**		$168.04
186	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
187	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
188	**CAGELESS / POT BAY OPTIONS**				
189	Standard Equipment Bay	Each (CLEC Provided)	**NONE**		
190	Non-Standard Cabinet Bay	Each (CLEC Provided)	**NONE**		
191	VF/DS0 Termination Panel	Each (CLEC Provided)	**NONE**		
192	VF/DS0 Termination Module	Each (CLEC Provided)	**NONE**		
193	DDP-1 Panel	Each (CLEC Provided)	**NONE**		
194	DDP-1 Jack Access Card	Each (CLEC Provided)	**NONE**		
195	DS3/STS-1 Interconnect Panel	Each (CLEC Provided)	**NONE**		
196	DS3 Interconnect Module	Each (CLEC Provided)	**NONE**		
197	Fiber Optic Splitter Panel	Each (CLEC Provided)	**NONE**		
198	Fiber Termination Dual Module	Each (CLEC Provided)	**NONE**		
199	**CEV, HUT, CABINET**				
200	24 Foot CEV	2 Inch Mounting Space	**S8GE3**	$1.64	
201	16 Foot CEV	2 Inch Mounting Space	**S8GE4**	$1.77	
202	Maxi-Hut	2 Inch Mounting Space	**S8GE1**	$0.77	
203	Mini-Hut	2 Inch Mounting Space	**S8GE2**	$1.33	
204	Large Cabinet	2 Inch Mounting Space	**S8GEX**	$1.63	
205	Medium Cabinet	2 Inch Mounting Space	**S8GEY**	$2.19	
206	Small Cabinet	2 Inch Mounting Space	**S8GEZ**	$3.29	
207	**INTERCONNECTION COSTS:**				
208	**ILEC TO CLEC CONNECTION**				
209	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F3E**	$3.86	$156.02
210	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8FWV**	$3.86	$156.02
211	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8F2J**	$295.42	$3,105.79
212	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F2P**	$6.07	$486.89
213	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F21**	$115.30	$1,809.40
214	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8F25**	$5.69	$116.67
215	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8F49**	$3.76	$495.49
216	**CLEC TO CLEC CONNECTION**				
217	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
218	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
219	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	
220	Route Design		**NRFCX**		$424.88
221	Connection for DS1	Per 28 Circuits (CLEC provides cable)	**S8GFL**	$0.18	$0.00
222	Connection for DS3	Per Circuit (CLEC provides cable)	**S8GFM**	$0.12	$0.00
223	Connection for Optical	Per Cable (CLEC provides cable)	**S8GFN**	$0.31	$0.00
224	**PROJECT MANAGEMENT**				
225	**CEV, HUT & CABINET**				
226	Project Coordination	Per CLEC Application	**NRFCK**		$631.17
227	**TIME SENSITIVE ACTIVITIES**				
228	**PRE-VISITS**				
229	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
230	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
231	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
232	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
233	**CONSTRUCTION VISITS**				
234	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
235	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
236					
237	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGELESS**				
238	**REAL ESTATE**				
239	Site Conditioning	Per Frame (Standard Bay=10 sq ft)	**S8GCL**		$92.81
240	Safety & Security	Per Frame (Standard Bay=10 sq ft)	**S8GCN**		$195.57
241	Floor Space Usage	Per Frame (Standard Bay=10 sq ft)	**S8GCK**	$64.21	
242	**COMMON SYSTEMS**				
243	Common Systems - Cageless	Per Frame (Standard Bay=10 sq ft)	**S8GCM**	$9.35	$760.45
244	**PLANNING**				
245	Planning - Central Office	Per Frame (Standard Bay=10 sq ft)	**S8GCB**	$1.13	$75.54
246	Planning	Per Request	**NRFCJ**		$4,601.93
247	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
248	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
249	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
250	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
251	**POWER PROVISIONING**				
252	**Power Panel:**				
253	50 Amp	Per Power Panel	**S8GC8**	$15.77	$3,079.47
254	200 Amp	Per Power Panel	**S8GC9**	$18.75	$3,659.46
255	**Power Cable and Infrastructure:**				
256	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3D**	$5.83	$2,100.33
257	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8GCX**	$7.74	$2,262.52
258	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3E**	$8.35	$2,424.71
259	2-40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3F**	$8.96	$2,586.91
260	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8GCY**	$9.57	$2,749.10
261	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	**S8GCZ**	$11.39	$3,236.32
262	**Equipment Grounding:**				
263	Ground Cable Placement	Per Frame	**S8GDB**	$0.33	$15.32
264	**DC POWER AMPERAGE CHARGE**				
265	HVAC	Per 10 Amps	**S8GCS**	$14.62	
266	Per Amp	Per Amp	**S8GCR**	$10.61	
267	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8GCT**	$1.27	
268	**FIBER CABLE PLACEMENT**				
269	**Central Office:**				
270	Fiber Cable	Per Fiber Cable Sheath	**S8GDE**	$4.85	$1,619.88
271	Entrance Conduit	Per Fiber Cable Sheath	**S8GDD**	$8.76	
272	**CEV, HUT & Cabinets:**				
273	Fiber Cable Placement	Per Fiber Cable Sheath	**S8GDH**		$53.58
274	Entrance Conduit	Per Fiber Cable Sheath	**S8GDJ**	$2.61	
275	**MISCELLANEOUS & OPTIONAL COST:**				
276	**MISCELLANEOUS COSTS**				
277	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8GEK**	$0.08	$14.81
278	Bits Timing	Based on two (2) leads per circuit	**S8GEJ**	$3.58	$698.82
279	Space Availability Report	Per Premise	**NRFCQ**		$168.04
280	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
281	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
282	**CAGELESS / POT BAY OPTIONS**				
283	Standard Equipment Bay	Each	**NRFCO**	$8.89	$721.28
284	Non-Standard Cabinet Bay	Each	**NRFCP**	$17.78	$3,470.81
285	VF/DS0 Termination Panel/Module	Each	**S8GE5**	$3.10	$605.64
286	DDP-1 Panel/Jack Access Card	Each	**S8GE6**	$8.08	$1,576.65
287	DS3/STS-1 Interconnect Panel	Each	**S8GE7**	$2.38	$465.47
288	DS3 Interconnect Module	Each	**S8GE8**	$0.45	$87.35
289	Fiber Optic Splitter Panel	Each	**S8GE9**	$1.52	$297.00
290	Fiber Termination Dual Module	Each	**S8GFA**	$1.37	$267.88
291	**CEV, HUT, CABINET**				
292	24 Foot CEV	2 Inch Mounting Space	**S8GE3**	$1.64	
293	16 Foot CEV	2 Inch Mounting Space	**S8GE4**	$1.77	
294	Maxi-Hut	2 Inch Mounting Space	**S8GE1**	$0.77	
295	Mini-Hut	2 Inch Mounting Space	**S8GE2**	$1.33	
296	Large Cabinet	2 Inch Mounting Space	**S8GEX**	$1.63	
297	Medium Cabinet	2 Inch Mounting Space	**S8GEY**	$2.19	
298	Small Cabinet	2 Inch Mounting Space	**S8GEZ**	$3.29	
299	**INTERCONNECTION COSTS:**				
300	**ILEC TO CLEC CONNECTION**				
301	Voice Grade Arrangement	100 Copper Pairs	**S8GD6**	$4.92	$1,027.16
302	Voice Grade Arrangement	100 Shielded Pairs	**S8GD7**	$4.92	$1,027.16
303	DS1 Arrangement - DCS	28 DS1	**S8GDL**	$297.44	$3,613.06
304	DS1 Arrangement - DSX	28 DS1	**S8GDQ**	$9.79	$1,346.48
305	DS3 Arrangement - DCS	1 DS3	**S8GDW**	$115.58	$2,181.58
306	DS3 Arrangement - DSX	1 DS3	**S8GD1**	$7.14	$603.89
307	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8GEE**	$6.55	$1,779.78
308	**CLEC TO CLEC CONNECTION**				
309	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
310	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
311	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	
312	Route Design		**NRFCX**		$424.88

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
313	Connection for DS1	Per 28 Circuits	**S8GFC**	$1.41	$982.35
314	Connection for DS3	Per Circuit	**S8GFD**	$1.30	$433.86
315	Connection for Optical (Fiber)	Per Cable	**S8GFB**	$1.38	$1,404.07
316	**PROJECT MANAGEMENT**				
317	**CEV, HUT & CABINET**				
318	Project Coordination	Per CLEC Application	**NRFCK**		$631.17
319	**TIME SENSITIVE ACTIVITIES**				
320	**PRE-VISITS**				
321	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
322	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
323	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
324	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
325	**CONSTRUCTION VISITS**				
326	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
327	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23
328					
329	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGED COMMON**				
330	**REAL ESTATE**				
331	Site Conditioning	Per Frame (Standard Bay=10 sq ft)	**S8FWC**		$92.81
332	Safety & Security	Per Frame (Standard Bay=10 sq ft)	**S8FWG**		$195.57
333	Floor Space Usage	Per Linear Foot	**S8GCO**	$24.87	
334	**COMMON SYSTEMS**				
335	Common Systems - Common	Per Linear Foot	**S8GCP**	$3.62	$294.37
336	**PLANNING**				
337	Planning - Central Office	Per Linear Foot	**S8GCC**	$0.44	$29.24
338	Planning	Per Request	**NRFCJ**		$4,601.93
339	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
340	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
341	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
342	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
343	**POWER PROVISIONING**				
344	**Power Panel:**				
345	50 Amp	Per Power Panel (CLEC provides)	**NONE**		
346	200 Amp	Per Power Panel (CLEC provides)	**NONE**		
347	**Power Cable and Infrastructure:**				
348	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
349	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	**C1F31**	$0.25	$48.23
350	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	**S8GF1**	$0.25	$48.23
351	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	**C1F32**	$0.25	$48.23
352	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	**C1F33**	$0.25	$48.23
353	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	**S8GF2**	$0.25	$48.23
354	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC Provided)	**S8GF3**	$0.25	$48.23
355	**Equipment Grounding:**				
356	Ground Cable Placement	Per Linear Foot	**S8GDC**	$0.13	$5.93
357	**DC POWER AMPERAGE CHARGE**				
358	HVAC	Per 10 Amps	**S8GCS**	$14.62	
359	Per Amp	Per Amp	**S8GCR**	$10.61	
360	**FIBER CABLE PLACEMENT**				
361	**Central Office:**				
362	Fiber Cable	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	**S8FQ9**	$4.85	$809.13
363	Entrance Conduit	Per Fiber Cable Sheath	**S8FW5**	$8.76	
364	**MISCELLANEOUS & OPTIONAL COST:**				
365	**MISCELLANEOUS COSTS**				
366	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8F45**	$0.08	$14.81
367	Bits Timing	Based on two (2) leads per circuit	**S8FQT**	$3.58	$698.82
368	Space Availability Report	Per Premise	**NRFCQ**		$168.04
369	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
370	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
371	**CAGE COMMON COSTS**				
372	Cage Preparation	Per Linear Foot	**S8GCJ**	$1.00	$157.00
373	**INTERCONNECTION COSTS:**				
374	**ILEC TO CLEC CONNECTION**				
375	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F3E**	$3.86	$156.02
376	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8FWV**	$3.86	$156.02
377	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8F2J**	$295.42	$3,105.79
378	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F2P**	$6.07	$486.89
379	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F21**	$115.30	$1,809.40
380	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8F25**	$5.69	$116.67
381	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8F49**	$3.76	$495.49
382					
383	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGED COMMON**				
384	**REAL ESTATE**				
385	Site Conditioning	Per Bay	**S8GCL**		$92.81
386	Safety & Security	Per Frame	**S8GCN**		$195.57
387	Floor Space Usage	Per Linear Foot	**S8GCO**	$24.87	
388	**COMMON SYSTEMS**				

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
389	Common Systems - Common	Per Linear Foot	**S8GCP**	$3.62	$294.37
390	**PLANNING**				
391	Planning - Central Office	Per Linear Foot	**S8GCC**	$0.44	$29.24
392	Planning	Per Request	**NRFCJ**		$4,601.93
393	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
394	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
395	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
396	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
397	**POWER PROVISIONING**				
398	**Power Panel:**				
399	50 Amp	Per Power Panel	**S8GC8**	$15.77	$3,079.47
400	200 Amp	Per Power Panel	**S8GC9**	$18.75	$3,659.46
401	**Power Cable and Infrastructure:**				
402	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3A**	$5.83	$1,378.83
403	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8GC1**	$7.74	$1,570.84
404	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3B**	$8.35	$1,700.70
405	2.40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3C**	$8.96	$1,830.56
406	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8GC2**	$9.57	$1,954.85
407	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	**S8GC3**	$11.39	$2,344.44
408	**Equipment Grounding:**				
409	Ground Cable Placement	Per Linear Foot	**S8GDC**	$0.13	$5.93
410	**DC POWER AMPERAGE CHARGE**				
411	HVAC	Per 10 Amps	**S8GCS**	$14.62	
412	Per Amp	Per Amp	**S8GCR**	$10.61	
413	**FIBER CABLE PLACEMENT**				
414	**Central Office:**				
415	Fiber Cable	Per Fiber Cable Sheath	**S8GDE**	$4.85	$1,619.88
416	Entrance Conduit	Per Fiber Cable Sheath	**S8GDD**	$8.76	
417	**MISCELLANEOUS & OPTIONAL COST:**				
418	**MISCELLANEOUS COSTS**				
419	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8GEK**	$0.08	$14.81
420	Bits Timing	Based on two (2) leads per circuit	**S8GEJ**	$3.58	$698.82
421	Space Availability Report	Per Premise	**NRFCQ**		$168.04
422	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
423	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
424	**CAGE COMMON COSTS**				
425	Cage Preparation	Per Linear Foot	**S8GCJ**	$1.00	$157.00
426	**INTERCONNECTION COSTS:**				
427	**ILEC TO CLEC CONNECTION**				
428	Voice Grade Arrangement	100 Copper Pairs	**S8GD8**	$4.92	$1,027.16
429	Voice Grade Arrangement	100 Shielded Pairs	**S8GD9**	$4.92	$1,027.16
430	DS1 Arrangement - DCS	28 DS1	**S8GDM**	$297.44	$3,613.06
431	DS1 Arrangement - DSX	28 DS1	**S8GDR**	$9.79	$1,346.48
432	DS3 Arrangement - DCS	1 DS3	**S8GDX**	$115.58	$2,181.58
433	DS3 Arrangement - DSX	1 DS3	**S8GD2**	$7.14	$603.89
434	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8GEF**	$6.55	$1,779.78
435					
436	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: VIRTUAL**				
437	**REAL ESTATE**				
438	Site Conditioning	Per Frame	**S8FX5**		$92.81
439	Safety & Security	Per Frame	**S8FX6**		$195.57
440	Floor Space Usage	Per Frame	**S8F62**	$28.91	
441	**COMMON SYSTEMS**				
442	Common Systems - Standard	Per Frame	**S8F64**	$10.75	
443	Common Systems - Non-Standard	Per Cabinet	**S8F65**	$19.36	
444	**PLANNING**				
445	Planning	Per Request	**NRM99**		$5,555.76
446	Planning - Subsequent Inter. Cabling	Per Request	**NRMA3**		$2,224.49
447	Planning - Subsequent Power Cabling	Per Request	**NRMAA**		$2,303.84
448	Planning - Subs. Inter./Power Cabling	Per Request	**NRMAX**		$2,882.61
449	**POWER PROVISIONING**				
450	**Power Cable and Infrastructure:**				
451	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
452	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	**C1F37**	$0.52	
453	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	**S8GFO**	$0.52	
454	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	**C1F38**	$0.52	
455	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	**C1F39**	$0.52	
456	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	**S8GFP**	$0.52	
457	**Equipment Grounding:**				
458	Ground Cable Placement	Per Frame	**S8F69**	$0.36	
459	**DC POWER AMPERAGE CHARGE**				
460	HVAC	Per 10 Amps	**S8FXO**	$14.62	
461	Per Amp	Per Amp	**S8FXN**	$10.61	
462	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8FXP**	$1.27	
463	**FIBER CABLE PLACEMENT**				
464	**Central Office:**				
465	Fiber Cable	Per Fiber Cable Sheath	**S8F8F**	$11.01	$1,971.42
466	Entrance Conduit	Per Fiber Cable Sheath	**S8F8G**	$8.17	

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
467	**CEV, HUT & Cabinets:**				
468	Fiber Cable Placement	Per Fiber Cable Sheath	**S8FXQ**		$53.58
469	Entrance Conduit	Per Fiber Cable Sheath	**S8FXR**	$2.61	
470	**MISCELLANEOUS & OPTIONAL COST:**				
471	**MISCELLANEOUS COSTS**				
472	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8FXT**	$0.08	$14.81
473	Bits Timing	Based on two (2) leads per circuit	**S8FXS**	$3.58	$698.82
474	**VIRTUAL FRAME OPTIONS**				
475	Standard Equipment Bay	Each (CLEC Provided)	**NONE**		
476	**CEV, HUT, CABINET**				
477	24 Foot CEV	2 Inch Mounting Space	**S8FXZ**	$1.64	
478	16 Foot CEV	2 Inch Mounting Space	**S8FY6**	$1.77	
479	Maxi-Hut	2 Inch Mounting Space	**S8FXX**	$0.77	
480	Mini-Hut	2 Inch Mounting Space	**S8FXY**	$1.33	
481	Large Cabinet	2 Inch Mounting Space	**S8FXU**	$1.63	
482	Medium Cabinet	2 Inch Mounting Space	**S8FXV**	$2.19	
483	Small Cabinet	2 Inch Mounting Space	**S8FXW**	$3.29	
484	**INTERCONNECTION COSTS:**				
485	**ILEC TO CLEC CONNECTION**				
486	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F82**	$3.86	$225.02
487	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8F83**	$3.86	$225.02
488	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8F8X**	$295.42	$3,496.22
489	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F8Y**	$6.07	$651.13
490	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F8Z**	$115.30	$2,186.12
491	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8F81**	$5.69	$204.42
492	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8F84**	$10.47	$152.71
493	**VIRTUAL TO VIRTUAL CONNECTION**				
494	Cable Racking and Hole for Optical	Per Cable	**S8FY7**	$0.90	
495	Cable Racking and Hole for DS1	Per Cable	**S8FY8**	$0.49	
496	Cable Racking and Hole for DS3	Per Cable	**S8FY9**	$0.35	
497	Route Design		**NRLWF**		$463.36
498	Connection for DS1	Per 28 Circuits (CLEC provides cable)	**S8GFQ**	$0.41	$0.00
499	Connection for DS3	Per Circuit (CLEC provides cable)	**S8GFR**	$0.27	$0.00
500	Connection for Optical	Per Cable (CLEC provides cable)	**S8GFS**	$0.81	$0.00
501	**PROJECT MANAGEMENT**				
502	**CEV, HUT & CABINET**				
503	Project Coordination	Per CLEC Application Augment	**NRFCK**		$631.17
504	**EQUIPMENT MAINTENANCE AND SECURITY ESCORT**				
505	**CENTRAL OFFICE TYPE**				
506	Staffed CO During Normal Business Hours	Per 1/4 Hour	**NRMHK**		$15.15
507	Staffed CO During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMHN**		$242.35
508	Staffed CO During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRMJ7**		$15.15
509	Not Staffed CO/RT During Normal Business Hours	Per 1/4 Hour	**NRMJ8**		$15.15
510	Not Staffed CO/RT During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMJ9**		$242.35
511	Not Staffed CO/RT During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRML7**		$15.15
512	**CEV, HUT & CABINET**				
513	Per Visit	4 Hour Minimum - Initial	**NRMJ9**		$242.35
514	Per Visit	Per 1/4 Hour - Additional	**NRML7**		$15.15
515	**ADDITIONAL LABOR ELEMENTS**				
516	**TRAINING**				
517	Communications Tech	Per 1/2 Hour	**NRMCD**		$39.21
518	CO Manager	Per 1/2 Hour	**NRME9**		$39.45
519	Power Engineer	Per 1/2 Hour	**NRMF9**		$38.47
520	Equipment Engineer	Per 1/2 Hour	**NRMHJ**		$38.47
521	**EQUIPMENT EVALUATION COST**				
522	Equipment Engineer	Per 1/2 Hour	**NRMO9**		$38.47
523	**TEST AND ACCEPTANCE**				
524	Communications Tech	Per 1/2 Hour	**NRMP2**		$39.21
525					
526	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: VIRTUAL**				
527	**REAL ESTATE**				
528	Site Conditioning	Per Frame	**S8FX5**		$92.81
529	Safety & Security	Per Frame	**S8FX6**		$195.57
530	Floor Space Usage	Per Frame	**S8FX1**	$28.91	
531	**COMMON SYSTEMS**				
532	Common Systems - Standard	Per Frame	**S8FX3**	$10.75	
533	Common Systems - Non-Standard	Per Frame	**S8FX4**	$19.36	
534	**PLANNING**				
535	Planning	Per Request	**NRM99**		$5,555.76
536	Planning - Subsequent Inter. Cabling	Per Request	**NRMA3**		$2,224.49
537	Planning - Subsequent Power Cabling	Per Request	**NRMAA**		$2,303.84
538	Planning - Subs. Inter./Power Cabling	Per Request	**NRMAX**		$2,882.61
539	**POWER PROVISIONING**				
540	**Power Cable and Infrastructure:**				
541	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3G**	$5.83	$1,378.83
542	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8FX7**	$7.74	$1,570.84
543	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3H**	$8.35	$1,700.70
544	2.40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3J**	$8.96	$1,830.56

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
545	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8FX8**	$9.57	$1,954.85
546	**Equipment Grounding:**				
547	Ground Cable Placement	Per Frame	**S8FX9**	$0.36	
548	**DC POWER AMPERAGE CHARGE**				
549	HVAC	Per 10 Amps	**S8FXO**	$14.62	
550	Per Amp	Per Amp	**S8FXN**	$10.61	
551	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8FXP**	$1.27	

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
552	**FIBER CABLE PLACEMENT**				
553	**Central Office:**				
554	Fiber Cable	Per Fiber Cable Sheath	**S8F8F**	$11.01	$1,971.42
555	Entrance Conduit	Per Fiber Cable Sheath	**S8F8G**	$8.17	
556	**CEV, HUT & Cabinets:**				
557	Fiber Cable Placement	Per Fiber Cable Sheath	**S8FXQ**		$53.58
558	Entrance Conduit	Per Fiber Cable Sheath	**S8FXR**	$2.61	
559	**MISCELLANEOUS & OPTIONAL COST:**				
560	**MISCELLANEOUS COSTS**				
561	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8FXT**	$0.08	$14.81
562	Bits Timing	Based on two (2) leads per circuit	**S8FXS**	$3.58	$698.82
563	**VIRTUAL FRAME OPTIONS**				
564	Standard Equipment Bay	Each	**S8FX2**	$22.19	
565	**CEV, HUT, CABINET**				
566	24 Foot CEV	2 Inch Mounting Space	**S8FXZ**	$1.64	
567	16 Foot CEV	2 Inch Mounting Space	**S8FY6**	$1.77	
568	Maxi-Hut	2 Inch Mounting Space	**S8FXX**	$0.77	
569	Mini-Hut	2 Inch Mounting Space	**S8FXY**	$1.33	
570	Large Cabinet	2 Inch Mounting Space	**S8FXU**	$1.63	
571	Medium Cabinet	2 Inch Mounting Space	**S8FXV**	$2.19	
572	Small Cabinet	2 Inch Mounting Space	**S8FXW**	$3.29	
573	**INTERCONNECTION COSTS:**				
574	**ILEC TO CLEC CONNECTION**				
575	Voice Grade Arrangement	100 Copper Pairs	**S8FXC**	$4.94	$1,481.37
576	Voice Grade Arrangement	100 Shielded Pairs	**S8FXD**	$4.94	$1,481.37
577	DS1 Arrangement - DCS	28 DS1	**S8FXE**	$297.44	$4,067.27
578	DS1 Arrangement - DSX	28 DS1	**S8FXF**	$9.79	$1,800.69
579	DS3 Arrangement - DCS	1 DS3	**S8FXG**	$115.59	$2,635.79
580	DS3 Arrangement - DSX	1 DS3	**S8FXH**	$7.14	$1,058.10
581	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8FXJ**	$6.55	$1,996.19
582	**VIRTUAL TO VIRTUAL CONNECTION**				
583	Cable Racking and Hole for Optical	Per Cable	**S8FY7**	$0.90	
584	Cable Racking and Hole for DS1	Per Cable	**S8FY8**	$0.49	
585	Cable Racking and Hole for DS3	Per Cable	**S8FY9**	$0.35	
586	Route Design		**NRML9**		$463.36
587	Connection for DS1	Per 28 Circuits	**S8FXL**	$3.34	$930.53
588	Connection for DS3	Per Circuit	**S8FXM**	$3.26	$706.77
589	Connection for Optical	Per Cable	**S8FXK**	$3.32	$1,095.09
590	**PROJECT MANAGEMENT**				
591	**CEV, HUT & CABINET**				
592	Project Coordination	Per CLEC Application Augment	**NRFCK**		$631.17
593	**EQUIPMENT MAINTENANCE AND SECURITY ESCORT**				
594	**CENTRAL OFFICE TYPE**				
595	Staffed CO During Normal Business Hours	Per 1/4 Hour	**NRMHK**		$15.15
596	Staffed CO During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMHN**		$242.35
597	Staffed CO During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRMJ7**		$15.15
598	Not Staffed CO/RT During Normal Business Hours	Per 1/4 Hour	**NRMJ8**		$15.15
599	Not Staffed CO/RT During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMJ9**		$242.35
600	Not Staffed CO/RT During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRML7**		$15.15
601	**CEV, HUT & CABINET**				
602	Per Visit	4 Hour Minimum - Initial	**NRMJ9**		$242.35
603	Per Visit	Per 1/4 Hour - Additional	**NRML7**		$15.15
604	**ADDITIONAL LABOR ELEMENTS**				
605	**TRAINING**				
606	Communications Tech	Per 1/2 Hour	**NRMCD**		$39.21
607	CO Manager	Per 1/2 Hour	**NRME9**		$39.45
608	Power Engineer	Per 1/2 Hour	**NRMF9**		$38.47
609	Equipment Engineer	Per 1/2 Hour	**NRMHJ**		$38.47
610	**EQUIPMENT EVALUATION COST**				
611	Equipment Engineer	Per 1/2 Hour	**NRMO9**		$38.47
612	**TEST AND ACCEPTANCE**				
613	Communications Tech	Per 1/2 Hour	**NRMP2**		$39.21
614					
615	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: ADJACENT ON-SITE**				
616	**PLANNING**				
617	Planning - Initial	Per Request	**NRFA1**		$9,268.73
618	Planning - Subsequent	Per Request	**NRFA2**		$1,606.77
619	**REAL ESTATE**				
620	Land Rental	Per Square Foot	**S8GEN**	$0.44	
621	**POWER PROVISIONING**				
622	**Power Cable and Infrastructure:**				
623	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC provides cable)	**NONE**		
624	2-200 Amp Feeds	Per 2-200 Amp Power Feeds (CLEC provides cable)	**NONE**		
625	2-300 Amp Feeds	Per 2-300 Amp Power Feeds (CLEC provides cable)	**NONE**		
626	2-400 Amp Feeds	Per 2-400 Amp Power Feeds (CLEC provides cable)	**NONE**		
627	**AC Service:**				
628	Extension of 100 Amp AC Service (Opt.)	Per Request	**NRFCW**		$6,447.00

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
629	AC Usage	Per KWH	**S8GEO**	$0.05	

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
702	Fiber Arrangement	12 Fiber Pairs (Hole, Racking, FDF) (CLEC Vendor Pulls and Installs Cable)	**S8GF9**	$9.02	
703					
704	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: ADJACENT OFF-SITE**				
705	**PLANNING**				
706	Planning	Per Request	**NRFA3**		$1,254.32
707	**CONDUIT**				
708	Conduit Space	Per Innerduct	**S8GEW**	$1.17	
709	**INTERCONNECTION COSTS:**				
710	**ILEC TO CLEC CONNECTION**				
711	Voice Grade/DS0 Arrangement	900 DS0	**S8GEC**	$311.43	$485.31
712	DS1 Arrangement - DCS	28 DS1	**S8GDO**	$439.96	$1,830.99
713	DS1 Arrangement - DSX	28 DS1	**S8GDT**	$35.03	$1,830.99
714	DS1 Arrangement - MDF	450 DS1	**S8GDU**	$311.43	$485.31
715	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8GEH**	$9.02	$3,370.20
716					
717	**RATES AND CHARGES FOR**				
718	**COMPLETE SPACE DISCONTINUANCE**				
719	Application Fee	Per Request	**NRFX1**		$503.95
720	Project Management Fee – Complete Space Discontinuance	Per Request	**NRFX2**		$2,883.10
721	Remove Fiber Jumpers	Per linear foot	**NRFX3**		$18.79
722	Remove Fiber Cables	Per linear foot	**NRFX4**		$14.43
723	Remove VF/DS0 Cable	Per linear foot	**NRFX5**		$2.60
724	Remove DS1 Cable	Per linear foot	**NRFX6**		$4.89
725	Remove DS3 Cable (Coax)	Per linear foot	**NRFX7**		$3.57
726	Remove Timing Cable	Per Request	**NRFX8**		$9.64
727	Remove Power Cable-50AMP feed & below	Per linear foot	**NRFX9**		$24.76
728	Remove Power Cable-100AMP feed & above	Per linear foot	**NRFXA**		$22.73
729	Remove Cage Grounding Material	Each grounding lead & ground bar	**NRFXB**		$1,462.85
730	Remove Fiber Entrance Cable	Per cable removal job	**NRFXC**		$1,664.00
731	Infrastructure Maps & Records	Per cable removal job	**NRFXD**		$104.00
732	Engineering Work Order	Per cable removal job	**NRFXE**		$104.00
733	Work Group Information Distribution	Per cable removal job	**NRFXF**		$104.00
734	Restore Floor Tile – per Standard Bay	Per Standard Bay	**NRFXG**		$71.79
735	Floor Restoration Contractor Trip Charge	Per trip	**NRFXH**		$144.63
736	Restore Floor Tile	Per Non-Standard Bay	**NRFXJ**		$81.53
737					
738	**RATES AND CHARGES FOR**				
739	**SPACE REASSIGNMENT/RESTENCILING**				
740	Application Fee	Per Request	**NRFXK**		$503.95
741	Project Management Fee – Space Reassignment	Per Request	**NRFXL**		$2,883.10
742	Restencil DS0/DSL Block	Per 100 pair block	**NRFXM**		$15.33
743	Restencil DS1 Block	Per 28 DS1s	**NRFXN**		$6.02
744	Restencil DS3 Coax Cable	Per cable	**NRFXO**		$4.90
745	Restencil Fiber Cable Block	Per 12 pair cable	**NRFXP**		$91.95
746	Restencil Fiber Jumper Block	Per 4 jumpers	**NRFXQ**		$61.30
747	Restencil Power and tag cables	Per 1-4 feeds	**NRFXR**		$107.28
748	Restencil Timing Source and tag cable	Per cable	**NRFXS**		$122.60
749	Timing Record Book Update	Per element	**NRFXT**		$45.98
750	Interconnection Records Update	Per element	**NRFXU**		$296.61
751	Power Records Update	Per element	**NRFXV**		$355.94
752	Vendor Engineering	Per Space Reassignment job	**NRFXW**		$711.88
753					
754	**RATES AND CHARGES FOR**				
755	**POWER REDUCTION (CABLE REMOVAL)**				
756	Application Fee	Per Request	**NRFXX**		$503.95
757	Project Management Fee – Power Reduction(cable removal)	Per Request	**NRFXY**		$2,220.45
758	Remove Power Cable-50AMP feed & below	Per linear foot	**NRFXZ**		$24.76
759	Remove Power Cable-100AMP feed & above	Per linear foot	**NRFY1**		$22.73
760					
761	**RATES AND CHARGES FOR**				
762	**POWER REDUCTION (REFUSING ONLY)**				
763	Application Fee	Per Request	**NRFY2**		$503.95
764	Project Management Fee – Power Refusing Only	50AMP A&B feeds & below	**NRFY3**		$1,562.80
765	Project Management Fee – Power Refusing Only	100AMP A&B feeds & above	**NRFY4**		$2,004.57
766	Power Fuse Reductions on Company BDFB	50AMP A&B feeds & below	**NRFY5**		$367.81
767	Restencil Power and tag cables	Per 1-4 feeds	**NRFY6**		$107.28
768	Power Records Update	Per element	**NRFY7**		$355.94
769	Vendor Engineering	Per Space Reassignment job	**NRFY8**		$711.88
770	Power Fuse Reductions on Power Board	100AMP A&B feeds & above	**NRFY9**		$490.41
771	Restencil Power and tag cables	Per 1-4 feeds	**NRFYA**		$107.28
772	Power Records Update	Per element	**NRFYB**		$355.94
773	Vendor Engineering	Per Space Reassignment job	**NRFYC**		$711.88
774					
775	**RATES AND CHARGES FOR**				
776	**INTERCONNECTION TERMINATION REDUCTION**				
777	Application Fee	Per Request	**NRFYD**		$503.95

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
778	Project Management Fee – Interconnection Cable Reduction	Per Request	**NRFYE**		$2,441.33
779	Remove VF/DS0 Cable	Per linear foot	**NRFYF**		$2.60
780	Remove DS1 Cable	Per linear foot	**NRFYG**		$4.89
781	Remove DS3 Cable (Coax)	Per linear foot	**NRFYH**		$3.57
782	Remove Fiber Cables	Per linear foot	**NRFYJ**		$14.43
783	Remove Fiber Jumpers	Per linear foot	**NRFYK**		$18.79

Directory White Pages Price Sheet				
Directory			**Price per single sided informational page**	
Little Rock			$964.44	
Ashdown			$178.60	
Batesville			$178.60	
Benton			$178.60	
Blytheville			$178.60	
Conway			$178.60	
El Dorado			$178.60	
Eureka Springs			$178.60	
Fayetteville			$178.60	
Forrest City			$178.60	
Fort Smith			$178.60	
Haber Springs			$178.60	
Helena			$178.60	
Hope			$178.60	
Hot Springs			$178.60	
Jonesboro			$178.60	
Lonoke			$178.60	
Mena			$178.60	
Monticello			$178.60	
Nashville			$178.60	
Newport			$178.60	
Osceola			$178.60	
Pine Bluff			$178.60	
Searcy			$178.60	
Warren			$178.60	
West Memphis			$178.60	
Brinkley			$61.59	
Hamburg			$61.59	
Lake Village			$61.59	

Line	ILLINOIS	AT&T Generic Rates	USOC	Recurring Rate	Non-Recurring Rate	Non-Recurring Rate
1	***NETWORK ELEMENTS***					
2	**Loops**					
3	2-Wire Analog -Rural (Access Area C)		U2HXC	$ 14.91	See NRC prices below	
4	2-Wire Analog - Suburban (Access Area B)		U2HXB	$ 12.40	See NRC prices below	
5	2-Wire Analog - Metro (Access Area A)		U2HXA	$ 5.17	See NRC prices below	
6	2-Wire Ground Start, Analog/Reverse Battery-Rural(Access Area C)		U2WXC	$ 12.38	See NRC prices below	
7	2-Wire Ground Start, Analog/Reverse Battery-Suburban(Access Area B)		U2WXB	$ 7.84	See NRC prices below	
8	2-Wire Ground Start, analog/Reverse Battery-Metro(Access Area A)		U2WXA	$ 2.64	See NRC prices below	
9	2-Wire Ground Start, PBX-Rural (Access Area C)		U2JXC	$ 16.71	See NRC prices below	
10	2-Wire Ground Start, PBX-Suburban (Access Area B)		U2JXB	$ 13.13	See NRC prices below	
11	2-Wire Ground Start, PBX-Metro (Access Area A)		U2JXA	$ 4.11	See NRC prices below	
12	2-Wire COPTS Coin-Rural(Access Area C)		U2CXC	$ 16.94	See NRC prices below	
13	2-Wire COPTS Coin-Suburban(Access Area B)		U2CXB	$ 13.28	See NRC prices below	
14	2-Wire COPTS Coin-Metro(Access Area A)		U2CXA	$ 4.11	See NRC prices below	
15	2-Wire EKL--Rural(Access Area C)		U2KXC	$ 21.62	See NRC prices below	
16	2-Wire EKL-Suburban(Access Area B)		U2KXB	$ 16.30	See NRC prices below	
17	2-Wire EKL-Metro(Access Area A)		U2KXA	$ 4.24	See NRC prices below	
18	Conditioning for dB Loss			N/A	See NRC prices below	
19	4-Wire Analog - Rural (Access Area C)		U4XHC	$ 34.97	See NRC prices below	
20	4-Wire Analog - Suburban (Access Area B)		U4HXB	$ 27.25	See NRC prices below	
21	4-Wire Analog - Metro Access Area A)		U4HXA	$ 8.27	See NRC prices below	
22	2-Wire Digital - Rural (Access Area C)		U2QXC	$ 22.24	See NRC prices below	
23	2-Wire Digital - Suburban (Access Area B)		U2QXB	$ 17.76	See NRC prices below	
24	2-Wire Digital - Metro (Access Area A)		U2QXA	$ 5.44	See NRC prices below	
25	DS1 Loop - Rural (Access Area C)		4U1XC	$ 53.82	See NRC prices below	
26	DS1 Loop - Suburban (Access Area B)		4U1XB	$ 40.49	See NRC prices below	
27	DS1 Loop - Metro (Access Area A)		4U1XA	$ 27.72	See NRC prices below	
28	DS3 Loop - Rural (Access Area C)		U4D3C	$ 528.15	See NRC prices below	
29	DS3 Loop - Suburban (Access Area B)		U4D3B	$ 405.76	See NRC prices below	
30	DS3 Loop - Metro (Access Area A)		U4D3A	$ 335.73	See NRC prices below	
31	**DSL Capable Loops**					
32	**2-Wire xDSL Loop**					
33		PSD #1 - 2-Wire xDSL Loop Access Area C- Rural	2SLA3	$ 17.81	See NRC prices below	
34		PSD #1 - 2-Wire xDSL Loop Access Area B- Suburban	2SLA2	$ 11.57	See NRC prices below	
35		PSD #1 - 2-Wire xDSL Loop Access Area A- Metro	2SLA1	$ 5.09	See NRC prices below	
36						
37		PSD #2 - 2-Wire xDSL Loop Access Area C- Rural	2SLC3	$ 17.81	See NRC prices below	
38		PSD #2 - 2-Wire xDSL Loop Access Area B- Suburban	2SLC2	$ 11.57	See NRC prices below	
39		PSD #2 - 2-Wire xDSL Loop Access Area A- Metro	2SLC1	$ 5.09	See NRC prices below	
40						
41		PSD #3 - 2-Wire xDSL Loop Access Area C- Rural	2SLB3	$ 17.81	See NRC prices below	
42		PSD #3 - 2-Wire xDSL Loop Access Area B- Suburban	2SLB2	$ 11.57	See NRC prices below	
43		PSD #3 - 2-Wire xDSL Loop Access Area A- Metro	2SLB1	$ 5.09	See NRC prices below	
44						
45		PSD #4 - 2-Wire xDSL Loop Access Area C- Rural	2SLD3	$ 17.81	See NRC prices below	
46		PSD #4 - 2-Wire xDSL Loop Access Area B- Suburban	2SLD2	$ 11.57	See NRC prices below	
47		PSD #4 - 2-Wire xDSL Loop Access Area A- Metro	2SLD1	$ 5.09	See NRC prices below	
48						
49		PSD #5 - 2-Wire xDSL Loop Access Area C- Rural	UWRA3	$ 17.81	See NRC prices below	
50		PSD #5 - 2-Wire xDSL Loop Access Area B- Suburban	UWRA2	$ 11.57	See NRC prices below	
51		PSD #5 - 2-Wire xDSL Loop Access Area A- Metro	UWRA1	$ 5.09	See NRC prices below	
52						
53		PSD #7 - 2-Wire xDSL Loop Access Area C- Rural	2SLF3	$ 17.81	See NRC prices below	
54		PSD #7 - 2-Wire xDSL Loop Access Area B- Suburban	2SLF2	$ 11.57	See NRC prices below	
55		PSD #7 - 2-Wire xDSL Loop Access Area A- Metro	2SLF1	$ 5.09	See NRC prices below	
56	**4-Wire xDSL Loop**					
57		PSD #3 - 4-Wire xDSL Loop Access Area C- Rural	4SL13	$ 33.59	See NRC prices below	
58		PSD #3 - 4-Wire xDSL Loop Access Area B- Suburban	4SL12	$ 20.93	See NRC prices below	
59		PSD #3 - 4-Wire xDSL Loop Access Area A- Metro	4SL11	$ 7.93	See NRC prices below	
60	**IDSL Capable Loop**					
61	IDSL Loop Access Area C - Rural		UY5FC	$ 22.24	See NRC prices below	
62	IDSL Loop Access Area B - Suburban		UY5FB	$ 17.76	See NRC prices below	
63	IDSL Loop Access Area A - Metro		UY5FA	$ 5.44	See NRC prices below	
64						
65	LST					
66		Line & Station Transfer(LST) performed on CODSLAM Loop	URCLD	N/A	$ 237.74	
67	**Loop Qualification Process**					
68	Loop Qualification Process - Mechanized		NR98U	N/A	$0.00	N/A
69	Loop Qualification Process - Manual per minute		NRBXU	N/A	$0.00	N/A
70						

Line	ILLINOIS		AT&T Generic Rates	USOC	Recurring Rate	Non-Recurring Rate	Non-Recurring Rate
71	**DSL Conditioning Options**						
72		**DSL Conditioning Options - >12KFT and < 17.5KFT**					
73	**		Removal of Repeater Options - per element	NRBXV	N/A	$ 21.49	N/A
74	**		Removal Excessive Bridged Tap Option - per element	NRBXW	N/A	$ 14.00	N/A
75	**		Removal of Load Coil - per element	NRBXZ	N/A	$ 14.08	N/A
76		**DSL Conditioning Options - >17.5KFT in addition to the rates for > 12KFT and < 17.5KFT per element**					
77	**		Removal of Repeater Options - per element	NRBNL	N/A	$ 21.49	N/A
78	**		Removal Excessive Bridged Tap Option - per element	NRBNK	N/A	$ 14.00	N/A
79	**		Removal of Load Coil - per element	NRBNJ	N/A	$ 14.08	N/A
80							
81	**Remove All or NON-Excessive Bridged Tap (RABT) - MMP**						
82			Removal of non-excessive bridged tap DSL loops >0Kft. And <17.5Kft.	NRMRJ	None	$ 286.75	N/A
83			Removal of All Bridged Tap DSL Loops 12Kft. To 17.5Kft.	NRMRP	None	$ 742.35	N/A
84			Removal of non-excessive bridged tap DSL loops >17.5Kft DSL Loops - per element incremental	NRMRS	None	$ 286.75	N/A
85			Removal of All Bridged Tap DSL loops >17.5KFt. - per element incremental	NRMRM	None	$ 286.75	N/A
86							
87							
88	**Loop Non-Recurring Charges**						
89		Service Ordering Charge - Analog Loops - Intitial - Per Occasion (Connect + Disconnect) /1/					
90		Service Order - Initial (Connect) /2/		SEPUP	N/A	$ 6.76	N/A
91	*	Service Order - (Disconnect) /2/		NKCG6	N/A	$ 6.36	N/A
92	*	Service Ordering Charge - Analog Loops - Subsequent - Per Occasion /1/		REAH9	N/A	$ 6.76	N/A
93	*	Service Ordering Charge - Analog Loops - Record Work Only - Per Occasion /1/		NR9UP	N/A	$ 5.78	N/A
94		Service Ordering Charge - Analog Loops - Intitial - Per Occasion (Connect + Disconnect) /1/					
95		Line Connection (Initial) /2/		SEPUC	N/A	$ 49.00	N/A
96		Line Connection (Additional) /2/		1CRG7	N/A	$ 33.92	N/A
97		Line Connection (Disconnect-Initial) /2/		NKCG7	N/A	$ 9.50	N/A
98		Line Connection (Disconnect-Additional) /2/		NKCG5	N/A	$ 7.03	N/A
99	*	Service Ordering -(DS1) - Administrative Charge (Connect + Disconnect) /1/			N/A		
100		Service Ordering -(DS1) - Administrative Charge (Connect) /2/		NR90R	N/A	$ 10.64	N/A
101		Service Ordering -(DS1) - Administrative Charge (Disconnect /2/		NR9OT	N/A	$ 8.60	N/A
102		Service Provisioning (DS1) (Connect + Disconnect) /1/					
103			Connection Initial	1CRG1	N/A	$ 200.75	N/A
104			Connection Additional	1CRG2	N/A	$ 100.57	N/A
105			Disconnection Initial	NKCG1	N/A	$ 7.49	N/A
106			Disconnection Additional	NKCG2	N/A	$ 5.83	N/A
107		Service Provisioning (DS3) - Administrative Charge (Connect - Disconnect)					
108			Connection Initial	NR9OY	N/A	$ 10.64	N/A
109			Connection Additional	NR9OZ	N/A	$ 8.60	N/A
110		Service Provisioning DS3 (Connect + Disconnect)					
111			Connection Initial	1CRG3	N/A	$ 84.49	N/A
112			Connection Additional	1CRG4	N/A	$ 28.79	N/A
113			Disconnection Initial	NKCG3	N/A	$ 7.68	N/A
114			Disconnection Additional	NKCG4	N/A	$ 6.02	N/A
115							
116	**Cross Connects**						
117		2-Wire		CXCT2	$ 0.14	N/A	N/A
118		DS1/LT1		CXCDX	$ 0.43	N/A	N/A
119		DS3/LT3		CXC8X	$ 0.76	N/A	N/A
120		DS3 Loop Cross-Connect to Collocation		CXCBX	$ 33.14	N/A	N/A
121							
122		**Interoffice Transport:**					
123		DS1	Interoffice Mileage Termination - Per Point of Termination - All Areas	CZ4XA-XC	$ 17.35	N/A	N/A
124			Interoffice Mileage - Per Mile - All Areas	1YZXA-XC	$ 1.88	N/A	N/A
125		DS3	Interoffice Mileage Termination - Per Point of Termination - All Areas	CZ4XA-XC	$ 146.93	N/A	N/A
126			Interoffice Mileage - Per Mile - All Areas	1YZXA-XC	$ 29.81	N/A	N/A
127			Interoffice Mileage Termination - Per Point of Termination - All Areas	CZ4WA-WC	$ 146.93	N/A	N/A
128			Interoffice Mileage - Per Mile - All Areas	1YZBA-BC	$ 29.81	N/A	N/A
129							
130	**Multiplexing**						
131		DS1 to Voice Grade		QMVXA-XC	$ 275.34	N/A	N/A
132		DS3 to DS1		QM3XA-XC	$ 404.30	N/A	N/A
133							
134	**Dedicated Transport Cross Connects**						
135		DS1		CXCDX	$ 0.43	N/A	N/A
136		DS3		CXCEX	$ 0.76	N/A	N/A
137							
138	**Dedicated Transport Optional Features & Functions**						
139	*	**DS1**	Clear Channel Capability - Per 1.544 Mbps Circuit Arranged	CLYXA-XC		$ 443.18	N/A

Line	ILLINOIS		AT&T Generic Rates	USOC	Recurring Rate	Non-Recurring Rate	Non-Recurring Rate
140							
141	**Dedicated Transport Installation & Rearrangement Charges**						
142	*	**DS1**	Administration Charge - Per Order	ORCMX	N/A	$ 406.61	N/A
143	*		Design & Central Office Connection Charge - Per Circuit	NRBCL	N/A	$ 632.71	N/A
144	*		Carrier Connection Charge - Per Order	NRBBL	N/A	$ 585.51	N/A
145	*	**DS3**	Administration Charge - Per Order	ORCMX	N/A	$ 308.22	N/A
146	*		Design & Central Office Connection Charge - Per Circuit	NRBC4	N/A	$ 671.16	N/A
147	*		Carrier Connection Charge - Per Order	NRBDT	N/A	$ 377.25	N/A
148							
149	**Enhanced Extended Loop (EEL) Service Order per LSR**						
150	Analog Loop Service Order Charge, per ASR or LSR						
151	Electronic Establish (Connection + Disconnection) /1/						N/A
152			Connection	NKCAR	N/A	$ 10.48	N/A
153			Disconnection /2/	NKCAS	N/A	$ 8.63	N/A
154			Electronic Subsequent	NKCAT		$ 10.04	N/A
155	Manual Establish (Connection + Disconnection) /1/						N/A
156			Connection	NKCAU	N/A	$ 63.12	N/A
157			Disconnection	NKCAV	N/A	$ 42.47	N/A
158			Manual Subsequent	NKCAW	N/A	$ 59.18	N/A
159							
160	2-Wire Digital Loop Service Order Charge						
161	Electronic Establish (Connection + Disconnection) /1/						N/A
162			Connection	NKCAR	N/A	$ 10.48	N/A
163			Disconnection	NKCAS	N/A	$ 8.63	N/A
164			Electronic Subsequent	NKCAT	N/A	$ 10.04	N/A
165	Manual Establish (Connection + Disconnection) /1/						N/A
166			Connection	NKCAU	N/A	$ 63.12	N/A
167			Disconnection	NKCAV	N/A	$ 42.47	N/A
168			Manual Subsequent	NKCAW	N/A	$ 59.18	N/A
169	DS1 Loop Service Order Charge Per LSR or ASR						
170			Electronic Establish (Connection + Disconnection)				
171			Connection	NKCAX	N/A	$ 11.14	
172			Disconnection	NKCAY	N/A	$ 8.63	
173			Electronic Subsequent	NKCAZ	N/A	$ 10.04	
174			Manual Establish (Connection + Disconnection)				
175			Connection	NKCB1	N/A	$ 69.74	
176			Disconnection	NKCB2	N/A	$ 42.47	
177			Manual Subsequent	NKCB3	N/A	$ 59.18	
178	DS1 Transport Service Order Charge Per LSR or ASR						
179			Electronic Establish (Connection + Disconnection)				
180			Connection	PENDING	N/A	$ 11.44	
181			Disconnection	PENDING	N/A	$ 8.63	
182			Manual Establish (Connection + Disconnection)				
183			Connection	PENDING	N/A	$ 72.70	
184			Disconnection	PENDING	N/A	$ 42.47	
185	DS3 Transport Service Order Charge Per LSR or ASR						
186			Electronic Establish (Connection + Disconnection)				
187			Connection	PENDING	N/A	$ 11.44	
188			Disconnection	PENDING	N/A	$ 8.63	
189			Manual Establish (Connection + Disconnection)				
190			Connection	PENDING	N/A	$ 72.70	
191			Disconnection	PENDING	N/A	$ 42.47	
192	Central Office DS1 to Voice Mux Service Order						
193			Electronic Establish (Connection + Disconnection)				
194			Connection	PENDING	N/A	$ 11.44	
195			Disconnection	PENDING	N/A	$ 8.63	
196			Manual Establish (Connection + Disconnection)				
197			Connection	PENDING	N/A	$ 72.70	
198			Disconnection	PENDING	N/A	$ 42.47	
199	Non-Channelized DS1 EEL Service Order						
200			Electronic Establish (Connection + Disconnection)				
201			Connection	NKCB4	N/A	$ 11.14	
202			Disconnection	NKCB5	N/A	$ 8.63	
203			Manual Establish (Connection + Disconnection)				
204			Connection	NKCB6	N/A	$ 69.74	
205			Disconnection	NKCB7	N/A	$ 42.47	
206	**Provisioning**						
207	2-Wire Analog Loop Connection - Initial (Connection + Disconnection) /1/						
208			Connection	NKCB8	N/A	$ 49.44	
209			Disconnection	NKCB9	N/A	$ 9.50	

Line	ILLINOIS	AT&T Generic Rates	USOC	Recurring Rate	Non-Recurring Rate	Non-Recurring Rate
210	2-Wire Analog Loop Connection - Additional (Connection + Disconnection) /1/					
211		Connection	NKCBA	N/A	$ 33.86	
212		Disconnection	NKCBB	N/A	$ 7.03	
213	4-Wire Analog Loop Connection - Initial (Connection + Disconnection) /1/					
214		Connection	NKCBC	N/A	$ 49.44	
215		Disconnection	NKCBD	N/A	$ 9.50	
216	4-Wire Analog Loop Connection - Additional (Connection + Disconnection) /1/					
217		Connection	NKCBE	N/A	$ 33.86	
218		Disconnection	NKCBF	N/A	$ 7.03	
219	2-Wire Digital Loop Connection - Initial (Connection + Disconnection) /1/					
220		Connection	NKCBG	N/A	$ 65.76	
221		Disconnection	NKCBH	N/A	$ 9.50	
222	2-Wire Digital Loop Connection - Additional (Connection + Disconnection) /1/					
223		Connection	NKCBJ	N/A	$ 30.46	
224		Disconnection	NKCBK	N/A	$ 7.03	
225	4-Wire DS1 Digital Loop Connection - Initial (Connection + Disconnection)					
226		Connection	NKCBL		$ 248.22	
227		Disconnection	NKCBM		$ 11.97	
228	4-Wire DS1 Digital Loop Connection - Additional (Connection + Disconnection)					
229		Connection	NKCBN		$ 135.15	
230		Disconnection	NKCBO		$ 8.25	
231	Central Office Multiplexing DS1 to Voice - Initial (Connection + Disconnection)					
232		Connection	PENDING		$ 66.78	
233		Disconnection	PENDING		$ 7.92	
234	Central Office Multiplexing DS1 to Voice - Additional (Connection + Disconnection)					
235		Connection	PENDING		$ 36.59	
236		Disconnection	PENDING		$ 4.20	
237	DS1 Interoffice UDT - Collocated Initial (Connection + Disconnection)					
238		Connection	PENDING		$ 95.69	
239		Disconnection	PENDING		$ 12.35	
240	DS1 Interoffice UDT - Collocated Additional (Connection + Disconnection)					
241		Connection	PENDING		$ 61.65	
242		Disconnection	PENDING		$ 8.64	
243	4-Wire DS1 Digital Loop to DS1 Interoffice UDT - Collocated - Initial (Connection + Disconnnection)					
244		Connection	NKCBT		$ 356.20	
245		Disconnection	NKCBU		$ 17.20	
246	4-Wire DS1 Digital Loop to DS1 Interoffice UDT - Collocated - Additional (Connection + Disconnection)					
247		Connection	NKCBV		$ 146.40	
248		Disconnection	NKCBW		$ 12.13	
249	DS3 Interoffice UDT - Collocated - Initial (Connection + Disconnection)					
250		Connection	PENDING		$ 139.71	
251		Disconnection	PENDING		$ 17.20	
252	DS3 Interoffice UDT - Collocated - Additional (Connection + Disconnection)					
253		Connection	PENDING		$ 48.78	
254		Disconnection	PENDING		$ 12.13	
255	Clear Channel Capability, Initial, Install		NKCC6		$ 70.32	
256	Clear Channel Capability, Additional, Install		PENDING		$ 8.87	
257	Clear Channel Capability, Additional, Disconnect		NKCC7		$ 8.87	
258						
259	**Special Access to UNE Conversion**					
260	Channalized Facility (DS1 or DS3) Term.to Collo. w Circuits (DS0 or S1) Terminating to EU Prem. With mileage					
261		Channelized Facility from Cage, DS1 , Design and Coordination Charge	NKCC9	N/A	N/A	
262		Channelized Facility from Cage, DS3, Design and Coordination Charge	NKCCA	N/A	N/A	
263	Non Channelized Facility (DS1, DS3, or DSO) Terminating to EU Prem. With Mileage					
264		Non-Channelized Facility from Cage, DSO, Design and Coordination Charge	NKCCB	N/A	N/A	
265		Non-Channelized Facility from Cage, DS1, Design and Coordination Charge	NKCCC	N/A	N/A	
266		Non-Channelized Facility from Cage, DS3, Design and Coordination charge	NKCCD	N/A	N/A	
267	Channelized Facility (DS1 or DS3) Term. To Collo. With Circuits (DSO or DS1) Terminating to Collo					
268		Channelized Facility from POP, DS1, Design and Coordination charge	NKCCE	N/A	N/A	
269		Channelized Facility from POP, DS3, Design and Coordination Charge	NKCCF	N/A	N/A	
270		Channelized Facility from POP, DS0, Design and Coordination Charge	PENDING	N/A		
271	Non Channelized Facility (DS1, DS3, or DSO) Termination to EU Prem. W/O Mileage				N/A	
272		Non-Channelized Facility from POP, DSO, Design and Coordination Charge	PENDING	N/A	N/A	
273		Non-Channelized Facility from OPO, DSO, Design and coordination Charge	NKCCG	N/A	N/A	
274		Non-Channelized Facility from POP, DS1, Design and Coordination Charge	NKCCH	N/A	N/A	
275		Non-Channelized Facility from POP, DS3, Design and Coordination Charge	NKCCJ	N/A	N/A	
276		Private Line to UNE Conversion	PENDING	N/A	$ 25.57	
277		AC2U Project Administrative Activity Per Service Circuit	NKCC8		$ 21.23	
278						
279	**Dark Fiber**					
280		Dark Fiber Interoffice				
281	*	Dark Fiber Interoffice Termination (Per Termination per Fiber)	ULYCX	$ 16.24	N/A	N/A
282		Dark Fiber Interoffice Mileage (Per Fiber per Foot)	ULNCF	$ 0.0018	N/A	N/A
283		Dark Fiber Interoffice Cross Connect (Per Termination per Fiber)	UKCJX	$ 3.43	N/A	N/A

Line	ILLINOIS	AT&T Generic Rates	USOC	Recurring Rate	Non-Recurring Rate	Non-Recurring Rate
284		Inquiry (Per Request)				
285	*	Dark Fiber Interoffice Transport - NRC	NR9D6	N/A	$ 325.28	N/A
286		FIRM ORDER (Per Fiber Strand)				
287	*	Administrative per Order	NRB51	N/A	$ 28.63	N/A
288	*	Dark Fiber Interofcfice Transport - NRC	NRB54	N/A	$ 612.88	N/A
289						
290		**Routine Modifications**				
291		Routine Modiifications to Existing Facilities Charge	PENDING	N/A	ICB	N/A
292						
293						
294	**LNP**					
295	***Local Number Portability		NSR	$0.00	N/A	
296		***Pursuant to FCC Tariff #2, Section 4 effective from June 1, 2004 and shall cease billing				
297		effective October 1, 2004.				
298						
299	**Maintenance of Service**		VRP	N/A	$ 71.00	
300						
301	***OTHER***					
302	**Directory Assistance**					
303						
304	**Directory Assistance**					
305		Directory Assistance, per call	OPEN	$ 0.40	N/A	
306		National Directory Assistance (NDA), per call	OPEN	$ 0.65	N/A	
307		Reverse Directory Assistance (RDA), per call	OPEN	$ 0.65	N/A	
308		Business Category Search (BCS) / where applicable, per call	OPEN	$ 0.65	N/A	
309		Directory Assistance Call Completion (DACC), per call	OPEN	$ 0.15	N/A	
310						
311		OS/DA Automated Call Greeting and Reference / Rates				
312		Branding - Other - Initial/Subsequent Load, per switch, per OCN	OPEN	N/A	$ 1,800.00	
313		Brand and Reference/Rate Look Up, per OS/DA call	OPEN	$ 0.03	N/A	
314		Branding - Facility Based - Initial/Subsequent Load				
315		- Branding, per trunk group	OPEN	N/A	$ 800.00	
316		Rate Reference - Initial Load, per state, per OCN	OPEN	N/A	$ 5,000.00	
317		Rate Reference - Subsequent Load, per state, per OCN	OPEN	N/A	$ 1,500.00	
318						
319	**Operator Services**					
320		Fully Automated Call Processing, per call	OPEN	$ 0.15	N/A	
321		Operator Assisted Call Processing -- All Types (Including Busy Line Verify [BLV]				
322		and Busy Line Verification / Interrupt [BLV/I]), per work second	OPEN	$ 0.03	N/A	
323						
324	**DA Listing**					
325		- per listing for initial load	OPEN	N/A	$ 0.040	N/A
326		- per listing for subsequent updates	OPEN	$ 0.060		N/A
327						
328	**Resale**					
329		**DIRECTORY ASSISTANCE / OPERATOR SERVICES**				
330		Local Directory Assistance	RESALE	21.46%	N/A	
331		Local Operator Assistance Services	RESALE	21.46%	N/A	
332						
333		National Directory Assistance (NDA), per call	OPEN	$ 0.65	N/A	
334		Reverse Directory Assistance (RDA), per call	OPEN	$ 0.65	N/A	
335		Business Category Search (BCS) / where applicable, per call	OPEN	$ 0.65	N/A	
336		Directory Assistance Call Completion (DACC), per call	OPEN	$ 0.15	N/A	
337						
338		**OS/DA Automated Call Greeting and Reference / Rates**				
339		Branding - Other - Initial/Subsequent Load, per switch, per OCN	OPEN	N/A	$ 1,800.00	
340		Brand and Reference/Rate Look Up, per OS/DA call	OPEN	$ 0.03	N/A	
341		Rate Reference - Initial Load, per state, per OCN	OPEN	N/A	$ 5,000.00	
342		Rate Reference - Subsequent Load, per state, per OCN	OPEN	N/A	$ 1,500.00	
343						
344	**Ancillary Message Billing Compensation (Per Message)**		OPEN	$ 0.03	N/A	N/A
345		Non Intercompany Settlement (NICS) Billing Charge (Per Message)	Not Applicable	$ 0.05		
346						
347	**Structure Access - Poles & Ducts**			Annually		
348		Poles ($/Attachment/yr.)*##				
349		Per Pole Attachment*	OPEN	$ 2.46	N/A	N/A
350		Per Foot of innderduct##	OPEN	$ 0.49	N/A	N/A
351		Application fee	OPEN		$ 200.00	
352		Unauthorized Attachment Fee	OPEN		$500.00 per pole	
353		Unauthoirzed Occupancy6 Fee	OPEN		$50.00 per Conduit Foot	
354		*For (1) each one foot of usable space, or fraction thereof, occupied and (2) each additional				
355		one foot of space, or fraction thereof, rendered unusable by the attachment's presence.				
356		## Note All pole and conduit license fees are for a period of one yer from January 1 thru December 31,				
357		effective January 1, 2005 and billable semi-annually in advance in January and July of each year.				
358		New rates will be communicated to CLEC no later than November 1st for the succeeding year				
359						

Line	ILLINOIS	AT&T Generic Rates	USOC	Recurring Rate	Non-Recurring Rate	Non-Recurring Rate
360	**Emergency Number Service Access**					
361	911 Selective Router Interconnection					
362	- Digital DS1 Interface			$ 198.11	$ 706.64	
363	-Each DSO installed		USAGE	$0.00	$ 507.00	
364	-Analog Channel Interface		EVG9X	$ 19.99	$ 610.45	
365	ANI/ALI/SR and Database Management					
366	- Per 100 records, rounded up to nearest 100		9S89X	$ 3.53	$ 713.33	
367	Access Routing File (CD-ROM)		USAGE	$ 25.95		
368	911 Selective Router Switch Administration					
369	-Per Selective Router		USAGE	$ 91.49	$ 5,557.82	
370						
371	Bona Fide Request					
372		Deposit				
373					$ 2,000.00	
374	**INTERCARRIER COMPENSATION**					
375	**Rate for All ISP-Bound and Section 251(b)(5) Traffic as per FCC 01-131, per MOU**		USAGE	$0.0007		
384						
385	**/1/**	These rates will be replaced effective March 31, 2005 by the rates identified by footnote /2/				
386	**/2/**	In accordance with the Order in ICC Docket 02-0864, these rates will become effective on March 31, 2005.				
387	*	This rate is interim, pursuant to the February 6, 2003 Order of the Illinois Commerce Commission in Docket No. 01-0662, and are subject to true-up to reflect any adjustments made by legally binding rulings in subsequent proceedings. The true-up period shall begin as of February 6, 2003, the date of the Order. True-ups pursuant to this provision shall be effectuated only upon written notice by a Party ("Noitce"). Upon such Notice, the billing party shall perform the appropriate true-up calculation and issue appropriate credits or bills to the other party. If the true-up results in additional amounts to be billed, any backbilling limitations applicable to amounts billed under this Agreement will not apply.				
388						
389	***RESALE***					
390	See ILL.C.C. No. 20 Tariff Part 22					
391	**Line Connection Charge**					
392	Residence		See ILL.C.C. No. 20 Tariff Part 22			
393	Business		See ILL.C.C. No. 20 Tariff Part 22			
394	**Service Order/Service Request Charge**					
395	Residence		See ILL.C.C. No. 20 Tariff Part 22			
396	Business		See ILL.C.C. No. 20 Tariff Part 22			
397	**Non-Electronic (Manual) Service Order Charge**					
398	Residence		See ILL.C.C. No. 20 Tariff Part 22			
399	Business		See ILL.C.C. No. 20 Tariff Part 22			
400						

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
1	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGED**				
2	**REAL ESTATE**				
3	Site Conditioning	Per Sq. Ft. of space used by CLEC	**S8FWB**		$9.28
4	Safety & Security	Per Sq. Ft. of space used by CLEC	**S8F4N**		$19.56
5	Floor Space Usage	Per Sq. Ft. of space used by CLEC	**S8F4L**	$5.97	
6	**COMMON SYSTEMS**				
7	Common Systems - Cage	Per Sq. Ft. of space used by CLEC	**S8F4A**	$0.44	$59.86
8	**PLANNING**				
9	Planning - Central Office	Per Sq. Ft. of space used by CLEC	**S8GCA**	$0.09	$7.55
10	Planning	Per Request	**NRFCD**		$5,244.43
11	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
12	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
13	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
14	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
15	**POWER PROVISIONING**				
16	**Power Panel:**				
17	50 Amp	Per Power Panel (CLEC Provided)	**NONE**		
18	200 Amp	Per Power Panel (CLEC Provided)	**NONE**		
19	**Power Cable and Infrastructure:**				
20	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
21	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	**C1F31**	$0.25	$48.23
22	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	**S8GF1**	$0.25	$48.23
23	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	**C1F32**	$0.25	$48.23
24	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	**C1F33**	$0.25	$48.23
25	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	**S8GF2**	$0.25	$48.23
26	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC Provided)	**S8GF3**	$0.25	$48.23
27	**Equipment Grounding:**				
28	Ground Cable Placement	Per Sq. Ft. of space used by CLEC	**S8FCR**	$0.03	$0.92
29	**DC POWER AMPERAGE CHARGE**				
30	Per Amp	Per Amp	**C1FWA**	$9.80	
31	**FIBER CABLE PLACEMENT**				
32	**Central Office:**				
33	Fiber Cable	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	**S8FQ9**	$4.85	$809.13
34	Entrance Conduit	Per Fiber Cable Sheath	**S8FW5**	$8.76	
35	**MISCELLANEOUS & OPTIONAL COST:**				
36	**MISCELLANEOUS COSTS**				
37	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8F45**	$0.08	$14.81
38	Bits Timing	Based on two (2) leads per circuit	**S8FQT**	$3.58	$698.82
39	Space Availability Report	Per Premise	**NRFCQ**		$168.04
40	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
41	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
42	**CAGE COMMON COSTS**				
43	AC Circuit Placement	Per Sq. Ft. (CLEC provides cage)	**NRL6O**		$5.29
44	**INTERCONNECTION COSTS:**				
45	**ILEC TO CLEC CONNECTION**				
46	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F48**	$3.86	$156.02
47	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8FWU**	$3.86	$156.02
48	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8FQM**	$295.42	$3,105.79
49	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F46**	$6.07	$486.89
50	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F47**	$115.30	$1,809.40
51	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8FQN**	$5.69	$116.67
52	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8FQR**	$3.58	$698.82
53	**CLEC TO CLEC CONNECTION**				
54	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
55	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
56	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	
57	Route Design		**NRFCX**		$424.88
58	Connection for DS1	Per 28 Circuits (CLEC provides cable)	**S8GFH**	$0.18	
59	Connection for DS3	Per Circuit (CLEC provides cable)	**S8GFJ**	$0.12	
60	Connection for Optical	Per Cable (CLEC provides cable)	**S8GFK**	$0.31	
61	**TIME SENSITIVE ACTIVITIES**				
62	**PRE-VISITS**				
63	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
64	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
65	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
66	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
67	**CONSTRUCTION VISITS**				
68	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
69	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23
70					

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
71	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGED**				
72	**REAL ESTATE**				
73	Site Conditioning	Per Sq. Ft. of space used by CLEC	**S8GCE**		$9.28
74	Safety & Security	Per Sq. Ft. of space used by CLEC	**S8GCF**		$19.56
75	Floor Space Usage	Per Sq. Ft. of space used by CLEC	**S8GCD**	$5.97	
76	**COMMON SYSTEMS**				
77	Common Systems - Cage	Per Sq. Ft. of space used by CLEC	**S8GCG**	$0.44	$59.86
78	**PLANNING**				
79	Planning - Central Office	Per Sq. Ft. of space used by CLEC	**S8GCA**	$0.09	$7.55
80	Planning	Per Request	**NRFCD**		$5,244.43
81	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
82	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
83	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
84	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
85	**POWER PROVISIONING**				
86	**Power Panel:**				
87	50 Amp	Per Power Panel	**S8GC8**	$15.77	$3,079.47
88	200 Amp	Per Power Panel	**S8GC9**	$18.75	$3,659.46
89	**Power Cable and Infrastructure:**				
90	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3A**	$5.83	$1,378.83
91	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8GCU**	$7.74	$1,570.84
92	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3B**	$8.35	$1,700.70
93	2.40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3C**	$8.96	$1,830.56
94	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8GCV**	$9.57	$1,954.85
95	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	**S8GCW**	$11.39	$2,344.44
96	**Equipment Grounding:**				
97	Ground Cable Placement	Per Sq. Ft. of space used by CLEC	**S8GDA**	$0.03	$0.92
98	**DC POWER AMPERAGE CHARGE**				
99	Per Amp	Per Amp	**C1FWA**	$9.80	
100	**FIBER CABLE PLACEMENT**				
101	**Central Office:**				
102	Fiber Cable	Per Fiber Cable Sheath	**S8GDE**	$4.85	$1,619.88
103	Entrance Conduit to Vault	Per Fiber Cable Sheath	**S8GDD**	$8.76	
104	**MISCELLANEOUS & OPTIONAL COST:**				
105	**MISCELLANEOUS COSTS**				
106	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8GEK**	$0.08	$14.81
107	Bits Timing	Based on two (2) leads per circuit	**S8GEJ**	$3.58	$698.82
108	Space Availability Report	Per Premise	**NRFCQ**		$168.04
109	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
110	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
111	**CAGE COMMON COSTS**				
112	Cage Preparation	Per Sq. Ft. of space used by CLEC	**S8GCH**	$0.27	$19.70
113	**INTERCONNECTION COSTS:**				
114	**ILEC TO CLEC CONNECTION**				
115	Voice Grade Arrangement	100 Copper Pairs	**S8GD4**	$4.92	$1,027.16
116	Voice Grade Arrangement	100 Shielded Pairs	**S8GD5**	$4.92	$1,027.16
117	DS1 Arrangement - DCS	28 DS1	**S8GDK**	$297.44	$3,613.06
118	DS1 Arrangement - DSX	28 DS1	**S8GDP**	$9.79	$1,346.48
119	DS3 Arrangement - DCS	1 DS3	**S8GDV**	$115.58	$2,181.58
120	DS3 Arrangement - DSX	1 DS3	**S8GDZ**	$7.14	$603.89
121	Fiber Arrangement	12 Fiber Pairs (24 Fiber strands)	**S8GED**	$6.55	$1,779.78
122	**CLEC TO CLEC CONNECTION**				
123	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
124	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
125	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	
126	Route Design		**NRFCX**		$424.88
127	Connection for DS1	Per 28 Circuits	**S8GFC**	$1.41	$982.35
128	Connection for DS3	Per Circuit	**S8GFD**	$1.30	$433.86
129	Connection for Optical (Fiber)	Per Cable	**S8GFB**	$1.38	$1,404.07
130	**TIME SENSITIVE ACTIVITIES**				
131	**PRE-VISITS**				
132	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
133	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
134	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
135	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
136	**CONSTRUCTION VISITS**				
137	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
138	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23
139					
140	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGELESS**				
141	**REAL ESTATE**				
142	Site Conditioning	Per Frame (Standard Bay=10 sq ft)	**S8FWC**		$92.81
143	Safety & Security	Per Frame (Standard Bay=10 sq ft)	**S8FWG**		$195.57
144	Floor Space Usage	Per Frame (Standard Bay=10 sq ft)	**S8F9C**	$64.21	
145	**COMMON SYSTEMS**				

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
146	Common Systems - Cageless	Per Frame (Standard Bay=10 sq ft)	**S8FWE**	$9.35	$760.45
147	**PLANNING**				
148	Planning - Central Office	Per Frame (Standard Bay=10 sq ft)	**S8GCB**	$1.13	$75.54
149	Planning	Per Request	**NRFCJ**		$4,601.93
150	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
151	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
152	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
153	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
154	**POWER PROVISIONING**				
155	**Power Panel:**				
156	50 Amp	Per Power Panel (CLEC Provided)	**NONE**		
157	200 Amp	Per Power Panel (CLEC Provided)	**NONE**		
158	**Power Cable and Infrastructure:**				
159	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
160	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	**C1F34**	$0.25	$48.23
161	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	**S8GF1**	$0.25	$48.23
162	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	**C1F35**	$0.25	$48.23
163	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	**C1F36**	$0.25	$48.23
164	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	**S8GF2**	$0.25	$48.23
165	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC Provided)	**S8GF3**	$0.25	$48.23
166	**Equipment Grounding:**				
167	Ground Cable Placement	Per Frame	**S8GDB**	$0.33	$15.32
168	**DC POWER AMPERAGE CHARGE**				
169	Per Amp	Per Amp	**C1FWA**	$9.80	
170	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8GCT**	$1.27	
171	**FIBER CABLE PLACEMENT**				
172	**Central Office:**				
173	Fiber Cable	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	**S8FQ9**	$4.85	$809.13
174	Entrance Conduit	Per Fiber Cable Sheath	**S8FW5**	$8.76	
175	**CEV, HUT & Cabinets:**				
176	Fiber Cable Placement	Per Fiber Cable Sheath	**S8GDH**		$53.58
177	Entrance Conduit	Per Fiber Cable Sheath	**S8GDJ**	$2.61	
178	**MISCELLANEOUS & OPTIONAL COST:**				
179	**MISCELLANEOUS COSTS**				
180	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8F45**	$0.08	$14.81
181	Bits Timing	Based on two (2) leads per circuit	**S8FQT**	$3.58	$698.82
182	Space Availability Report	Per Premise	**NRFCQ**		$168.04
183	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
184	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
185	**CAGELESS / POT BAY OPTIONS**				
186	Standard Equipment Bay	Each (CLEC Provided)	**NONE**		
187	Non-Standard Cabinet Bay	Each (CLEC Provided)	**NONE**		
188	VF/DS0 Termination Panel	Each (CLEC Provided)	**NONE**		
189	VF/DS0 Termination Module	Each (CLEC Provided)	**NONE**		
190	DDP-1 Panel	Each (CLEC Provided)	**NONE**		
191	DDP-1 Jack Access Card	Each (CLEC Provided)	**NONE**		
192	DS3/STS-1 Interconnect Panel	Each (CLEC Provided)	**NONE**		
193	DS3 Interconnect Module	Each (CLEC Provided)	**NONE**		
194	Fiber Optic Splitter Panel	Each (CLEC Provided)	**NONE**		
195	Fiber Termination Dual Module	Each (CLEC Provided)	**NONE**		
196	**CEV, HUT, CABINET**				
197	24 Foot CEV	2 Inch Mounting Space	**S8GE3**	$1.64	
198	16 Foot CEV	2 Inch Mounting Space	**S8GE4**	$1.77	
199	Maxi-Hut	2 Inch Mounting Space	**S8GE1**	$0.77	
200	Mini-Hut	2 Inch Mounting Space	**S8GE2**	$1.33	
201	Large Cabinet	2 Inch Mounting Space	**S8GEX**	$1.63	
202	Medium Cabinet	2 Inch Mounting Space	**S8GEY**	$2.19	
203	Small Cabinet	2 Inch Mounting Space	**S8GEZ**	$3.29	
204	**INTERCONNECTION COSTS:**				
205	**ILEC TO CLEC CONNECTION**				
206	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F3E**	$3.86	$156.02
207	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8FWV**	$3.86	$156.02
208	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8F2J**	$295.42	$3,105.79
209	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F2P**	$6.07	$486.89
210	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F21**	$115.30	$1,809.40
211	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8F25**	$5.69	$116.67
212	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8F49**	$3.76	$495.49
213	**CLEC TO CLEC CONNECTION**				
214	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
215	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
216	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	
217	Route Design		**NRFCX**		$424.88
218	Connection for DS1	Per 28 Circuits (CLEC provides cable)	**S8GFL**	$0.18	$0.00
219	Connection for DS3	Per Circuit (CLEC provides cable)	**S8GFM**	$0.12	$0.00
220	Connection for Optical	Per Cable (CLEC provides cable)	**S8GFN**	$0.31	$0.00
221	**PROJECT MANAGEMENT**				
222	**CEV, HUT & CABINET**				
223	Project Coordination	Per CLEC Application	**NRFCK**		$631.17

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
224	**TIME SENSITIVE ACTIVITIES**				
225	**PRE-VISITS**				
226	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
227	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
228	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
229	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
230	**CONSTRUCTION VISITS**				
231	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
232	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23
233					
234	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGELESS**				
235	**REAL ESTATE**				
236	Site Conditioning	Per Frame (Standard Bay=10 sq ft)	**S8GCL**		$92.81
237	Safety & Security	Per Frame (Standard Bay=10 sq ft)	**S8GCN**		$195.57
238	Floor Space Usage	Per Frame (Standard Bay=10 sq ft)	**S8GCK**	$64.21	
239	**COMMON SYSTEMS**				
240	Common Systems - Cageless	Per Frame (Standard Bay=10 sq ft)	**S8GCM**	$9.35	$760.45
241	**PLANNING**				
242	Planning - Central Office	Per Frame (Standard Bay=10 sq ft)	**S8GCB**	$1.13	$75.54
243	Planning	Per Request	**NRFCJ**		$4,601.93
244	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
245	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
246	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
247	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
248	**POWER PROVISIONING**				
249	**Power Panel:**				
250	50 Amp	Per Power Panel	**S8GC8**	$15.77	$3,079.47
251	200 Amp	Per Power Panel	**S8GC9**	$18.75	$3,659.46
252	**Power Cable and Infrastructure:**				
253	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3D**	$5.83	$2,100.33
254	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8GCX**	$7.74	$2,262.52
255	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3E**	$8.35	$2,424.71
256	2-40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3F**	$8.96	$2,586.91
257	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8GCY**	$9.57	$2,749.10
258	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	**S8GCZ**	$11.39	$3,236.32
259	**Equipment Grounding:**				
260	Ground Cable Placement	Per Frame	**S8GDB**	$0.33	$15.32
261	**DC POWER AMPERAGE CHARGE**				
262	Per Amp	Per Amp	**C1FWA**	$9.80	
263	**DC POWER AMPERAGE CHARGE**				
264	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8GCT**	$1.27	
265	**FIBER CABLE PLACEMENT**				
266	**Central Office:**				
267	Fiber Cable	Per Fiber Cable Sheath	**S8GDE**	$4.85	$1,619.88
268	Entrance Conduit	Per Fiber Cable Sheath	**S8GDD**	$8.76	
269	**CEV, HUT & Cabinets:**				
270	Fiber Cable Placement	Per Fiber Cable Sheath	**S8GDH**		$53.58
271	Entrance Conduit	Per Fiber Cable Sheath	**S8GDJ**	$2.61	
272	**MISCELLANEOUS & OPTIONAL COST:**				
273	**MISCELLANEOUS COSTS**				
274	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8GEK**	$0.08	$14.81
275	Bits Timing	Based on two (2) leads per circuit	**S8GEJ**	$3.58	$698.82
276	Space Availability Report	Per Premise	**NRFCQ**		$168.04
277	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
278	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
279	**CAGELESS / POT BAY OPTIONS**				
280	Standard Equipment Bay	Each	**NRFCO**	$8.89	$721.28
281	Non-Standard Cabinet Bay	Each	**NRFCP**	$17.78	$3,470.81
282	VF/DS0 Termination Panel/Module	Each	**S8GE5**	$3.10	$605.64
283	DDP-1 Panel/Jack Access Card	Each	**S8GE6**	$8.08	$1,576.65
284	DS3/STS-1 Interconnect Panel	Each	**S8GE7**	$2.38	$465.47
285	DS3 Interconnect Module	Each	**S8GE8**	$0.45	$87.35
286	Fiber Optic Splitter Panel	Each	**S8GE9**	$1.52	$297.00
287	Fiber Termination Dual Module	Each	**S8GFA**	$1.37	$267.88
288	**CEV, HUT, CABINET**				
289	24 Foot CEV	2 Inch Mounting Space	**S8GE3**	$1.64	
290	16 Foot CEV	2 Inch Mounting Space	**S8GE4**	$1.77	
291	Maxi-Hut	2 Inch Mounting Space	**S8GE1**	$0.77	
292	Mini-Hut	2 Inch Mounting Space	**S8GE2**	$1.33	
293	Large Cabinet	2 Inch Mounting Space	**S8GEX**	$1.63	
294	Medium Cabinet	2 Inch Mounting Space	**S8GEY**	$2.19	
295	Small Cabinet	2 Inch Mounting Space	**S8GEZ**	$3.29	
296	**INTERCONNECTION COSTS:**				
297	**ILEC TO CLEC CONNECTION**				
298	Voice Grade Arrangement	100 Copper Pairs	**S8GD6**	$4.92	$1,027.16
299	Voice Grade Arrangement	100 Shielded Pairs	**S8GD7**	$4.92	$1,027.16
300	DS1 Arrangement - DCS	28 DS1	**S8GDL**	$297.44	$3,613.06

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
301	DS1 Arrangement - DSX	28 DS1	**S8GDQ**	$9.79	$1,346.48
302	DS3 Arrangement - DCS	1 DS3	**S8GDW**	$115.58	$2,181.58
303	DS3 Arrangement - DSX	1 DS3	**S8GD1**	$7.14	$603.89
304	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8GEE**	$6.55	$1,779.78
305	**CLEC TO CLEC CONNECTION**				
306	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
307	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
308	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	
309	Route Design		**NRFCX**		$424.88
310	Connection for DS1	Per 28 Circuits	**S8GFC**	$1.41	$982.35
311	Connection for DS3	Per Circuit	**S8GFD**	$1.30	$433.86
312	Connection for Optical (Fiber)	Per Cable	**S8GFB**	$1.38	$1,404.07
313	**PROJECT MANAGEMENT**				
314	**CEV, HUT & CABINET**				
315	Project Coordination	Per CLEC Application	**NRFCK**		$631.17
316	**TIME SENSITIVE ACTIVITIES**				
317	**PRE-VISITS**				
318	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
319	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
320	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
321	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
322	**CONSTRUCTION VISITS**				
323	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
324	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23
325					
326	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGED COMMON**				
327	**REAL ESTATE**				
328	Site Conditioning	Per Frame (Standard Bay=10 sq ft)	**S8FWC**		$92.81
329	Safety & Security	Per Frame (Standard Bay=10 sq ft)	**S8FWG**		$195.57
330	Floor Space Usage	Per Linear Foot	**S8GCO**	$24.87	
331	**COMMON SYSTEMS**				
332	Common Systems - Common	Per Linear Foot	**S8GCP**	$3.62	$294.37
333	**PLANNING**				
334	Planning - Central Office	Per Linear Foot	**S8GCC**	$0.44	$29.24
335	Planning	Per Request	**NRFCJ**		$4,601.93
336	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
337	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
338	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
339	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
340	**POWER PROVISIONING**				
341	**Power Panel:**				
342	50 Amp	Per Power Panel (CLEC provides)	**NONE**		
343	200 Amp	Per Power Panel (CLEC provides)	**NONE**		
344	**Power Cable and Infrastructure:**				
345	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
346	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	**C1F31**	$0.25	$48.23
347	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	**S8GF1**	$0.25	$48.23
348	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	**C1F32**	$0.25	$48.23
349	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	**C1F33**	$0.25	$48.23
350	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	**S8GF2**	$0.25	$48.23
351	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC Provided)	**S8GF3**	$0.25	$48.23
352	**Equipment Grounding:**				
353	Ground Cable Placement	Per Linear Foot	**S8GDC**	$0.13	$5.93
354	**DC POWER AMPERAGE CHARGE**				
355	Per Amp	Per Amp	**C1FWA**	$9.80	
356	**FIBER CABLE PLACEMENT**				
357	**Central Office:**				
358	Fiber Cable	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	**S8FQ9**	$4.85	$809.13
359	Entrance Conduit	Per Fiber Cable Sheath	**S8FW5**	$8.76	
360	**MISCELLANEOUS & OPTIONAL COST:**				
361	**MISCELLANEOUS COSTS**				
362	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8F45**	$0.08	$14.81
363	Bits Timing	Based on two (2) leads per circuit	**S8FQT**	$3.58	$698.82
364	Space Availability Report	Per Premise	**NRFCQ**		$168.04
365	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
366	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
367	**CAGE COMMON COSTS**				
368	Cage Preparation	Per Linear Foot	**S8GCJ**	$1.00	$157.00

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
369	**INTERCONNECTION COSTS:**				
370	**ILEC TO CLEC CONNECTION**				
371	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F3E**	$3.86	$156.02
372	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8FWV**	$3.86	$156.02
373	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8F2J**	$295.42	$3,105.79
374	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F2P**	$6.07	$486.89
375	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F21**	$115.30	$1,809.40
376	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8F25**	$5.69	$116.67
377	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8F49**	$3.76	$495.49
378					
379	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGED COMMON**				
380	**REAL ESTATE**				
381	Site Conditioning	Per Bay	**S8GCL**		$92.81
382	Safety & Security	Per Frame	**S8GCN**		$195.57
383	Floor Space Usage	Per Linear Foot	**S8GCO**	$24.87	
384	**COMMON SYSTEMS**				
385	Common Systems - Common	Per Linear Foot	**S8GCP**	$3.62	$294.37
386	**PLANNING**				
387	Planning - Central Office	Per Linear Foot	**S8GCC**	$0.44	$29.24
388	Planning	Per Request	**NRFCJ**		$4,601.93
389	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
390	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
391	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
392	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
393	**POWER PROVISIONING**				
394	**Power Panel:**				
395	50 Amp	Per Power Panel	**S8GC8**	$15.77	$3,079.47
396	200 Amp	Per Power Panel	**S8GC9**	$18.75	$3,659.46
397	**Power Cable and Infrastructure:**				
398	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3A**	$5.83	$1,378.83
399	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8GC1**	$7.74	$1,570.84
400	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3B**	$8.35	$1,700.70
401	2.40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3C**	$8.96	$1,830.56
402	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8GC2**	$9.57	$1,954.85
403	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	**S8GC3**	$11.39	$2,344.44
404	**Equipment Grounding:**				
405	Ground Cable Placement	Per Linear Foot	**S8GDC**	$0.13	$5.93
406	**DC POWER AMPERAGE CHARGE**				
407	Per Amp	Per Amp	**C1FWA**	$9.80	
408	**FIBER CABLE PLACEMENT**				
409	**Central Office:**				
410	Fiber Cable	Per Fiber Cable Sheath	**S8GDE**	$4.85	$1,619.88
411	Entrance Conduit	Per Fiber Cable Sheath	**S8GDD**	$8.76	
412	**MISCELLANEOUS & OPTIONAL COST:**				
413	**MISCELLANEOUS COSTS**				
414	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8GEK**	$0.08	$14.81
415	Bits Timing	Based on two (2) leads per circuit	**S8GEJ**	$3.58	$698.82
416	Space Availability Report	Per Premise	**NRFCQ**		$168.04
417	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
418	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
419	**CAGE COMMON COSTS**				
420	Cage Preparation	Per Linear Foot	**S8GCJ**	$1.00	$157.00
421	**INTERCONNECTION COSTS:**				
422	**ILEC TO CLEC CONNECTION**				
423	Voice Grade Arrangement	100 Copper Pairs	**S8GD8**	$4.92	$1,027.16
424	Voice Grade Arrangement	100 Shielded Pairs	**S8GD9**	$4.92	$1,027.16
425	DS1 Arrangement - DCS	28 DS1	**S8GDM**	$297.44	$3,613.06
426	DS1 Arrangement - DSX	28 DS1	**S8GDR**	$9.79	$1,346.48
427	DS3 Arrangement - DCS	1 DS3	**S8GDX**	$115.58	$2,181.58
428	DS3 Arrangement - DSX	1 DS3	**S8GD2**	$7.14	$603.89
429	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8GEF**	$6.55	$1,779.78
430					
431	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: VIRTUAL**				
432	**REAL ESTATE**				
433	Site Conditioning	Per Frame	**S8FX5**		$92.81
434	Safety & Security	Per Frame	**S8FX6**		$195.57
435	Floor Space Usage	Per Frame	**S8F62**	$28.91	
436	**COMMON SYSTEMS**				
437	Common Systems - Standard	Per Frame	**S8F64**	$10.75	
438	Common Systems - Non-Standard	Per Cabinet	**S8F65**	$19.36	
439	**PLANNING**				
440	Planning	Per Request	**NRM99**		$5,555.76
441	Planning - Subsequent Inter. Cabling	Per Request	**NRMA3**		$2,224.49
442	Planning - Subsequent Power Cabling	Per Request	**NRMAA**		$2,303.84

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
443	Planning - Subs. Inter./Power Cabling	Per Request	**NRMAX**		$2,882.61
444	**POWER PROVISIONING**				
445	**Power Cable and Infrastructure:**				
446	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
447	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	**C1F37**	$0.52	
448	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	**S8GFO**	$0.52	
449	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	**C1F38**	$0.52	
450	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	**C1F39**	$0.52	
451	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	**S8GFP**	$0.52	
452	**Equipment Grounding:**				
453	Ground Cable Placement	Per Frame	**S8F69**	$0.36	
454	**DC POWER AMPERAGE CHARGE**				
455	Per Amp	Per Amp	**C1FWA**	$9.80	
456	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8FXP**	$1.27	
457	**FIBER CABLE PLACEMENT**				
458	**Central Office:**				
459	Fiber Cable	Per Fiber Cable Sheath	**S8F8F**	$11.01	$1,971.42
460	Entrance Conduit	Per Fiber Cable Sheath	**S8F8G**	$8.17	
461	**CEV, HUT & Cabinets:**				
462	Fiber Cable Placement	Per Fiber Cable Sheath	**S8FXQ**		$53.58
463	Entrance Conduit	Per Fiber Cable Sheath	**S8FXR**	$2.61	
464	**MISCELLANEOUS & OPTIONAL COST:**				
465	**MISCELLANEOUS COSTS**				
466	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8FXT**	$0.08	$14.81
467	Bits Timing	Based on two (2) leads per circuit	**S8FXS**	$3.58	$698.82
468	**VIRTUAL FRAME OPTIONS**				
469	Standard Equipment Bay	Each (CLEC Provided)	**NONE**		
470	**CEV, HUT, CABINET**				
471	24 Foot CEV	2 Inch Mounting Space	**S8FXZ**	$1.64	
472	16 Foot CEV	2 Inch Mounting Space	**S8FY6**	$1.77	
473	Maxi-Hut	2 Inch Mounting Space	**S8FXX**	$0.77	
474	Mini-Hut	2 Inch Mounting Space	**S8FXY**	$1.33	
475	Large Cabinet	2 Inch Mounting Space	**S8FXU**	$1.63	
476	Medium Cabinet	2 Inch Mounting Space	**S8FXV**	$2.19	
477	Small Cabinet	2 Inch Mounting Space	**S8FXW**	$3.29	
478	**INTERCONNECTION COSTS:**				
479	**ILEC TO CLEC CONNECTION**				
480	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F82**	$3.86	$225.02
481	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8F83**	$3.86	$225.02
482	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8F8X**	$295.42	$3,496.22
483	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F8Y**	$6.07	$651.13
484	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F8Z**	$115.30	$2,186.12
485	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8F81**	$5.69	$204.42
486	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8F84**	$10.47	$152.71
487	**VIRTUAL TO VIRTUAL CONNECTION**				
488	Cable Racking and Hole for Optical	Per Cable	**S8FY7**	$0.90	
489	Cable Racking and Hole for DS1	Per Cable	**S8FY8**	$0.49	
490	Cable Racking and Hole for DS3	Per Cable	**S8FY9**	$0.35	
491	Route Design		**NRLWF**		$463.36
492	Connection for DS1	Per 28 Circuits (CLEC provides cable)	**S8GFQ**	$0.41	$0.00
493	Connection for DS3	Per Circuit (CLEC provides cable)	**S8GFR**	$0.27	$0.00
494	Connection for Optical	Per Cable (CLEC provides cable)	**S8GFS**	$0.81	$0.00
495	**PROJECT MANAGEMENT**				
496	**CEV, HUT & CABINET**				
497	Project Coordination	Per CLEC Application Augment	**NRFCK**		$631.17
498	**EQUIPMENT MAINTENANCE AND SECURITY ESCORT**				
499	**CENTRAL OFFICE TYPE**				
500	Staffed CO During Normal Business Hours	Per 1/4 Hour	**NRMHK**		$15.15
501	Staffed CO During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMHN**		$242.35
502	Staffed CO During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRMJ7**		$15.15
503	Not Staffed CO/RT During Normal Business Hours	Per 1/4 Hour	**NRMJ8**		$15.15
504	Not Staffed CO/RT During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMJ9**		$242.35
505	Not Staffed CO/RT During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRML7**		$15.15
506	**CEV, HUT & CABINET**				
507	Per Visit	4 Hour Minimum - Initial	**NRMJ9**		$242.35
508	Per Visit	Per 1/4 Hour - Additional	**NRML7**		$15.15
509	**ADDITIONAL LABOR ELEMENTS**				
510	**TRAINING**				
511	Communications Tech	Per 1/2 Hour	**NRMCD**		$39.21
512	CO Manager	Per 1/2 Hour	**NRME9**		$39.45
513	Power Engineer	Per 1/2 Hour	**NRMF9**		$38.47
514	Equipment Engineer	Per 1/2 Hour	**NRMHJ**		$38.47

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
515	**EQUIPMENT EVALUATION COST**				
516	Equipment Engineer	Per 1/2 Hour	**NRMO9**		$38.47
517	**TEST AND ACCEPTANCE**				
518	Communications Tech	Per 1/2 Hour	**NRMP2**		$39.21
519					
520	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: VIRTUAL**				
521	**REAL ESTATE**				
522	Site Conditioning	Per Frame	**S8FX5**		$92.81
523	Safety & Security	Per Frame	**S8FX6**		$195.57
524	Floor Space Usage	Per Frame	**S8FX1**	$28.91	
525	**COMMON SYSTEMS**				
526	Common Systems - Standard	Per Frame	**S8FX3**	$10.75	
527	Common Systems - Non-Standard	Per Frame	**S8FX4**	$19.36	
528	**PLANNING**				
529	Planning	Per Request	**NRM99**		$5,555.76
530	Planning - Subsequent Inter. Cabling	Per Request	**NRMA3**		$2,224.49
531	Planning - Subsequent Power Cabling	Per Request	**NRMAA**		$2,303.84
532	Planning - Subs. Inter./Power Cabling	Per Request	**NRMAX**		$2,882.61
533	**POWER PROVISIONING**				
534	**Power Cable and Infrastructure:**				
535	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3G**	$5.83	$1,378.83
536	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8FX7**	$7.74	$1,570.84
537	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3H**	$8.35	$1,700.70
538	2.40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3J**	$8.96	$1,830.56
539	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8FX8**	$9.57	$1,954.85
540	**Equipment Grounding:**				
541	Ground Cable Placement	Per Frame	**S8FX9**	$0.36	
542	**DC POWER AMPERAGE CHARGE**				
543	Per Amp	Per Amp	**C1FWA**	$9.80	
544	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8FXP**	$1.27	
545	**FIBER CABLE PLACEMENT**				
546	**Central Office:**				
547	Fiber Cable	Per Fiber Cable Sheath	**S8F8F**	$11.01	$1,971.42
548	Entrance Conduit	Per Fiber Cable Sheath	**S8F8G**	$8.17	
549	**CEV, HUT & Cabinets:**				
550	Fiber Cable Placement	Per Fiber Cable Sheath	**S8FXQ**		$53.58
551	Entrance Conduit	Per Fiber Cable Sheath	**S8FXR**	$2.61	
552	**MISCELLANEOUS & OPTIONAL COST:**				
553	**MISCELLANEOUS COSTS**				
554	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8FXT**	$0.08	$14.81
555	Bits Timing	Based on two (2) leads per circuit	**S8FXS**	$3.58	$698.82
556	**VIRTUAL FRAME OPTIONS**				
557	Standard Equipment Bay	Each	**S8FX2**	$22.19	
558	**CEV, HUT, CABINET**				
559	24 Foot CEV	2 Inch Mounting Space	**S8FXZ**	$1.64	
560	16 Foot CEV	2 Inch Mounting Space	**S8FY6**	$1.77	
561	Maxi-Hut	2 Inch Mounting Space	**S8FXX**	$0.77	
562	Mini-Hut	2 Inch Mounting Space	**S8FXY**	$1.33	
563	Large Cabinet	2 Inch Mounting Space	**S8FXU**	$1.63	
564	Medium Cabinet	2 Inch Mounting Space	**S8FXV**	$2.19	
565	Small Cabinet	2 Inch Mounting Space	**S8FXW**	$3.29	
566	**INTERCONNECTION COSTS:**				
567	**ILEC TO CLEC CONNECTION**				
568	Voice Grade Arrangement	100 Copper Pairs	**S8FXC**	$4.94	$1,481.37
569	Voice Grade Arrangement	100 Shielded Pairs	**S8FXD**	$4.94	$1,481.37
570	DS1 Arrangement - DCS	28 DS1	**S8FXE**	$297.44	$4,067.27
571	DS1 Arrangement - DSX	28 DS1	**S8FXF**	$9.79	$1,800.69
572	DS3 Arrangement - DCS	1 DS3	**S8FXG**	$115.59	$2,635.79
573	DS3 Arrangement - DSX	1 DS3	**S8FXH**	$7.14	$1,058.10
574	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8FXJ**	$6.55	$1,996.19
575	**VIRTUAL TO VIRTUAL CONNECTION**				
576	Cable Racking and Hole for Optical	Per Cable	**S8FY7**	$0.90	
577	Cable Racking and Hole for DS1	Per Cable	**S8FY8**	$0.49	
578	Cable Racking and Hole for DS3	Per Cable	**S8FY9**	$0.35	
579	Route Design		**NRML9**		$463.36
580	Connection for DS1	Per 28 Circuits	**S8FXL**	$3.34	$930.53
581	Connection for DS3	Per Circuit	**S8FXM**	$3.26	$706.77
582	Connection for Optical	Per Cable	**S8FXK**	$3.32	$1,095.09
583	**PROJECT MANAGEMENT**				
584	**CEV, HUT & CABINET**				
585	Project Coordination	Per CLEC Application Augment	**NRFCK**		$631.17

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
586	**EQUIPMENT MAINTENANCE AND SECURITY ESCORT**				
587	**CENTRAL OFFICE TYPE**				
588	Staffed CO During Normal Business Hours	Per 1/4 Hour	**NRMHK**		$15.15
589	Staffed CO During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMHN**		$242.35
590	Staffed CO During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRMJ7**		$15.15
591	Not Staffed CO/RT During Normal Business Hours	Per 1/4 Hour	**NRMJ8**		$15.15
592	Not Staffed CO/RT During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMJ9**		$242.35
593	Not Staffed CO/RT During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRML7**		$15.15
594	**CEV, HUT & CABINET**				
595	Per Visit	4 Hour Minimum - Initial	**NRMJ9**		$242.35
596	Per Visit	Per 1/4 Hour - Additional	**NRML7**		$15.15
597	**ADDITIONAL LABOR ELEMENTS**				
598	**TRAINING**				
599	Communications Tech	Per 1/2 Hour	**NRMCD**		$39.21
600	CO Manager	Per 1/2 Hour	**NRME9**		$39.45
601	Power Engineer	Per 1/2 Hour	**NRMF9**		$38.47
602	Equipment Engineer	Per 1/2 Hour	**NRMHJ**		$38.47
603	**EQUIPMENT EVALUATION COST**				
604	Equipment Engineer	Per 1/2 Hour	**NRMO9**		$38.47
605	**TEST AND ACCEPTANCE**				
606	Communications Tech	Per 1/2 Hour	**NRMP2**		$39.21
607					
608	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: ADJACENT ON-SITE**				
609	**PLANNING**				
610	Planning - Initial	Per Request	**NRFA1**		$9,268.73
611	Planning - Subsequent	Per Request	**NRFA2**		$1,606.77
612	**REAL ESTATE**				
613	Land Rental	Per Square Foot	**S8GEN**	$0.44	
614	**POWER PROVISIONING**				
615	**Power Cable and Infrastructure:**				
616	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC provides cable)	**NONE**		
617	2-200 Amp Feeds	Per 2-200 Amp Power Feeds (CLEC provides cable)	**NONE**		
618	2-300 Amp Feeds	Per 2-300 Amp Power Feeds (CLEC provides cable)	**NONE**		
619	2-400 Amp Feeds	Per 2-400 Amp Power Feeds (CLEC provides cable)	**NONE**		
620	**AC Service:**				
621	Extension of 100 Amp AC Service (Opt.)	Per Request	**NRFCW**		$6,447.00
622	AC Usage	Per KWH	**S8GEO**	$0.05	
623	**DC POWER AMPERAGE CHARGE**				
624	Per Amp	Per Amp	**C1FWA**	$9.80	
625	**FIBER CABLE PLACEMENT**				
626	Fiber Installation	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	**S8GF4**	$2.13	$488.48
627	Entrance Fiber Racking	Per Rack/Conduit Duct	**S8GDG**	$1.55	
628	**CABLE RACK**				
629	DC Power Cable Rack	Per Rack	**S8GEP**	$13.64	$2,667.22
630	Fiber Cable Rack	Per Rack	**S8GEQ**	$20.63	
631	Interconnection Arrangement (Copper) Racking	Per Rack	**S8GER**	$30.63	
632	**CONDUIT PLACEMENT**				
633	DC Power Cable Rack	Per Rack	**S8GES**		$7,386.71
634	Fiber Cable Rack	Per Rack	**S8GET**		$4,711.89
635	Interconnection Arrangement (Copper) Racking	Per Rack	**S8GEU**		$5,545.50
636	**INTERCONNECTION COSTS:**				
637	**ILEC TO CLEC CONNECTION**				
638	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F3G**	$3.86	$156.02
639	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8FWW**	$3.86	$156.02
640	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8F2L**	$295.42	$3,105.79
641	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F2R**	$6.07	$486.89
642	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F23**	$115.30	$1,809.40
643	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8F27**	$5.69	$116.67
644	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8F3N**	$3.76	$495.49
645					
646	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: ADJACENT ON-SITE**				
647	**PLANNING**				
648	Planning - Initial	Per Request	**NRFA1**		$9,268.73
649	Planning - Subsequent	Per Request	**NRFA2**		$1,606.77
650	**REAL ESTATE**				
651	Land Rental	Per Square Foot	**S8GEN**	$0.44	
652	**POWER PROVISIONING**				
653	**Power Cable and Infrastructure:**				
654	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	**S8GC4**	$13.84	$7,853.86
655	2-200 Amp Feeds	Per 2-200 Amp Power Feeds	**S8GC5**	$13.84	$14,584.00
656	2-300 Amp Feeds	Per 2-300 Amp Power Feeds	**S8GC6**	$13.84	$20,338.00

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
657	2-400 Amp Feeds	Per 2-400 Amp Power Feeds	**S8GC7**	$13.84	$28,143.00
658	**AC Service:**				
659	Extension of 100 Amp AC Service (Opt.)	Per Request	**NRFCW**		$6,447.00
660	AC Usage	Per KWH	**S8GEO**	$0.05	
661	**DC POWER AMPERAGE CHARGE**				
662	Per Amp	Per Amp	**C1FWA**	$9.80	
663	**FIBER CABLE PLACEMENT**				
664	Fiber Installation	Per Fiber Cable Sheath	**S8GDF**	$2.13	$976.96
665	Entrance Fiber Racking	Per Rack/Conduit Duct	**S8GDG**	$1.55	
666	**CABLE RACK**				
667	DC Power Cable Rack	Per Rack	**S8GEP**	$13.64	$2,667.22
668	Fiber Cable Rack	Per Rack	**S8GEQ**	$20.63	
669	Interconnection Arrangement (Copper) Racking	Per Rack	**S8GER**	$30.63	
670	**CONDUIT PLACEMENT**				
671	DC Power Cable Rack	Per 2-Duct	**S8GES**		$7,386.71
672	Fiber Cable Rack	Per 1-Duct	**S8GET**		$4,711.89
673	Interconnection Arrangement (Copper) Racking	Per 2-Duct	**S8GEU**		$5,545.50
674	**INTERCONNECTION COSTS:**				
675	**ILEC TO CLEC CONNECTION**				
676	Voice Grade Arrangement	100 Copper Pairs	**S8GEA**	$6.19	$1,371.93
677	Voice Grade Arrangement	100 Shielded Pairs	**S8GEB**	$6.19	$1,371.93
678	DS1 Arrangement - DCS	28 DS1	**S8GDN**	$439.98	$2,341.45
679	DS1 Arrangement - DSX	28 DS1	**S8GDS**	$35.04	$2,341.45
680	DS3 Arrangement - DCS	1 DS3	**S8GDY**	$242.36	$598.33
681	DS3 Arrangement - DSX	1 DS3	**S8GD3**	$12.36	$598.33
682	Fiber Arrangement	12 Fiber Pairs(24 Fiber Strands)	**S8GEG**	$8.25	$3,751.22
683					
684	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: ADJACENT OFF-SITE**				
685	**PLANNING**				
686	Planning	Per Request	**NRFA3**		$1,254.32
687	**CONDUIT**				
688	Conduit Space	Per Innerduct	**S8GEW**	$1.17	
689	**INTERCONNECTION COSTS:**				
690	**ILEC TO CLEC CONNECTION**				
691	Voice Grade/DS0 Arrangement	900 DS0 (Hole, Racking, MDF) (CLEC Vendor Pulls and Installs Cable)	**S8GF5**	$311.43	
692	DS1 Arrangement - DCS	28 DS1 (Hole, Racking, DCS) (CLEC Vendor Pulls and Installs Cable)	**S8GF6**	$439.96	
693	DS1 Arrangement - DSX	28 DS1 (Hole, Racking, DSX) (CLEC Vendor Pulls and Installs Cable)	**S8GF7**	$35.03	
694	DS1 Arrangement - MDF	450 DS1 (Hole, Racking, MDF) (CLEC Vendor Pulls and Installs Cable)	**S8GF8**	$311.43	
695	Fiber Arrangement	12 Fiber Pairs (Hole, Racking, FDF) (CLEC Vendor Pulls and Installs Cable)	**S8GF9**	$9.02	
696					
697	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: ADJACENT OFF-SITE**				
698	**PLANNING**				
699	Planning	Per Request	**NRFA3**		$1,254.32
700	**CONDUIT**				
701	Conduit Space	Per Innerduct	**S8GEW**	$1.17	
702	**INTERCONNECTION COSTS:**				
703	**ILEC TO CLEC CONNECTION**				
704	Voice Grade/DS0 Arrangement	900 DS0	**S8GEC**	$311.43	$485.31
705	DS1 Arrangement - DCS	28 DS1	**S8GDO**	$439.96	$1,830.99
706	DS1 Arrangement - DSX	28 DS1	**S8GDT**	$35.03	$1,830.99
707	DS1 Arrangement - MDF	450 DS1	**S8GDU**	$311.43	$485.31
708	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8GEH**	$9.02	$3,370.20
709					
710	**RATES AND CHARGES FOR**				
711	**COMPLETE SPACE DISCONTINUANCE**				
712	Application Fee	Per Request	**NRFX1**		$503.95
713	Project Management Fee – Complete Space Discontinuance	Per Request	**NRFX2**		$2,883.10
714	Remove Fiber Jumpers	Per linear foot	**NRFX3**		$18.79
715	Remove Fiber Cables	Per linear foot	**NRFX4**		$14.43
716	Remove VF/DS0 Cable	Per linear foot	**NRFX5**		$2.60
717	Remove DS1 Cable	Per linear foot	**NRFX6**		$4.89
718	Remove DS3 Cable (Coax)	Per linear foot	**NRFX7**		$3.57
719	Remove Timing Cable	Per Request	**NRFX8**		$9.64
720	Remove Power Cable-50AMP feed & below	Per linear foot	**NRFX9**		$24.76
721	Remove Power Cable-100AMP feed & above	Per linear foot	**NRFXA**		$22.73
722	Remove Cage Grounding Material	Each grounding lead & ground bar	**NRFXB**		$1,462.85
723	Remove Fiber Entrance Cable	Per cable removal job	**NRFXC**		$1,664.00
724	Infrastructure Maps & Records	Per cable removal job	**NRFXD**		$104.00

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
725	Engineering Work Order	Per cable removal job	**NRFXE**		$104.00
726	Work Group Information Distribution	Per cable removal job	**NRFXF**		$104.00
727	Restore Floor Tile – per Standard Bay	Per Standard Bay	**NRFXG**		$71.79
728	Floor Restoration Contractor Trip Charge	Per trip	**NRFXH**		$144.63
729	Restore Floor Tile	Per Non-Standard Bay	**NRFXJ**		$81.53
730					
731	**RATES AND CHARGES FOR**				
732	**SPACE REASSIGNMENT/RESTENCILING**				
733	Application Fee	Per Request	**NRFXK**		$503.95
734	Project Management Fee – Space Reassignment	Per Request	**NRFXL**		$2,883.10
735	Restencil DS0/DSL Block	Per 100 pair block	**NRFXM**		$15.33
736	Restencil DS1 Block	Per 28 DS1s	**NRFXN**		$6.02
737	Restencil DS3 Coax Cable	Per cable	**NRFXO**		$4.90
738	Restencil Fiber Cable Block	Per 12 pair cable	**NRFXP**		$91.95
739	Restencil Fiber Jumper Block	Per 4 jumpers	**NRFXQ**		$61.30
740	Restencil Power and tag cables	Per 1-4 feeds	**NRFXR**		$107.28
741	Restencil Timing Source and tag cable	Per cable	**NRFXS**		$122.60
742	Timing Record Book Update	Per element	**NRFXT**		$45.98
743	Interconnection Records Update	Per element	**NRFXU**		$296.61
744	Power Records Update	Per element	**NRFXV**		$355.94
745	Vendor Engineering	Per Space Reassignment job	**NRFXW**		$711.88
746					
747	**RATES AND CHARGES FOR**				
748	**POWER REDUCTION (CABLE REMOVAL)**				
749	Application Fee	Per Request	**NRFXX**		$503.95
750	Project Management Fee – Power Reduction(cable removal)	Per Request	**NRFXY**		$2,220.45
751	Remove Power Cable-50AMP feed & below	Per linear foot	**NRFXZ**		$24.76
752	Remove Power Cable-100AMP feed & above	Per linear foot	**NRFY1**		$22.73
753					
754	**RATES AND CHARGES FOR**				
755	**POWER REDUCTION (REFUSING ONLY)**				
756	Application Fee	Per Request	**NRFY2**		$503.95
757	Project Management Fee – Power Refusing Only	50AMP A&B feeds & below	**NRFY3**		$1,562.80
758	Project Management Fee – Power Refusing Only	100AMP A&B feeds & above	**NRFY4**		$2,004.57
759	Power Fuse Reductions on Company BDFB	50AMP A&B feeds & below	**NRFY5**		$367.81
760	Restencil Power and tag cables	Per 1-4 feeds	**NRFY6**		$107.28
761	Power Records Update	Per element	**NRFY7**		$355.94
762	Vendor Engineering	Per Space Reassignment job	**NRFY8**		$711.88
763	Power Fuse Reductions on Power Board	100AMP A&B feeds & above	**NRFY9**		$490.41
764	Restencil Power and tag cables	Per 1-4 feeds	**NRFYA**		$107.28
765	Power Records Update	Per element	**NRFYB**		$355.94
766	Vendor Engineering	Per Space Reassignment job	**NRFYC**		$711.88
767					
768	**RATES AND CHARGES FOR**				
769	**INTERCONNECTION TERMINATION REDUCTION**				
770	Application Fee	Per Request	**NRFYD**		$503.95
771	Project Management Fee – Interconnection Cable Reduction	Per Request	**NRFYE**		$2,441.33
772	Remove VF/DS0 Cable	Per linear foot	**NRFYF**		$2.60
773	Remove DS1 Cable	Per linear foot	**NRFYG**		$4.89
774	Remove DS3 Cable (Coax)	Per linear foot	**NRFYH**		$3.57
775	Remove Fiber Cables	Per linear foot	**NRFYJ**		$14.43
776	Remove Fiber Jumpers	Per linear foot	**NRFYK**		$18.79

Line	INDIANA		Recurring Rate	Non-Recurring Rate	Non-Recurring Rate
1	**AT&T Generic Rates**	**USOC**	Monthly	First	Additional
2	***NETWORK ELEMENTS***				
3	**Loops**				
4	2-Wire Analog - Rural (Rate Class 1) **/3/**	U2HX1	$ 11.50	See NRC prices below	
5	2-Wire Analog - Suburban (Rate Class 2) **/3/**	U2HX2	$ 12.50	See NRC prices below	
6	2-Wire Analog - Metro (Rate Class 3) **/3/**	U2HX3	$ 12.00	See NRC prices below	
7	2-Wir Ground Start, DID/Reverse Battery - Rural (Rate Class 1)	U2WX1	$ 9.57	See NRC prices below	
8	2-Wire Ground Start, DID/Reverse Battery - Suburban (Rate Class 2)	U2WX2	$ 8.90	See NRC prices below	
9	2-Wire Ground Start, DID/Reverse Battery - Metro (Rate Class 3)	U2WX3	$ 8.84	See NRC prices below	
10	2-Wire Ground Start, PBX - Rural (Rate Class 1) **/3/**	U2JX1	$ 11.67	See NRC prices below	
11	2-Wire Ground Start, PBX - Suburban (Rate Class 2) **/3/**	U2JX2	$ 13.01	See NRC prices below	
12	2-Wire Ground Start, PBX - Metro (Rate Class 3) **/3/**	U2JX3	$ 12.63	See NRC prices below	
13	2-Wire COPTS Coin - Rural (Rate Class 1) **/3/**	U2CX1	$ 12.00	See NRC prices below	
14	2-Wire COPTS Coin - Suburban (Rate Class 2) **/3/**	U2CX2	$ 13.46	See NRC prices below	
15	2-Wire COPTS Coin - Metro (Rate Class 3) **/3/**	U2CX3	$ 13.07	See NRC prices below	
16	2-Wire EKL - Rural (Rate Class 1) **/3/**	U2KX1	$ 13.17	See NRC prices below	
17	2-Wire EKL - Suburban (Rate Class 2) **/3/**	U2KX2	$ 15.09	See NRC prices below	
18	2-Wire EKL - Metro (Rate Class 3) **/3/**	U2KX3	$ 14.66	See NRC prices below	
19	Conditioning for dB Loss				
20	4-Wire Analog - Rural (Rate Class 1) **/3/**	U4HX1	$ 27.28	See NRC prices below	
21	4-Wire Analog - Suburban (Rate Class 2) **/3/**	U4HX2	$ 31.49	See NRC prices below	
22	4-Wire Analog - Metro (Rate Class 3) **/3/**	U4HX3	$ 30.59	See NRC prices below	
23	2-Wire Digital - Rural (Rate Class 1) **/3/**	U2QX1	$ 16.00	See NRC prices below	
24	2-Wire Digital - Suburban (Rate Class 2) **/3/**	U2QX2	$ 19.48	See NRC prices below	
25	2-Wire Digital - Metro (Rate Class 3) **/3/**	U2QX3	$ 18.19	See NRC prices below	
26	DS1 Loop - Rural (Rate Class 1) **/3/**	4U1X1	$ 37.04	See NRC prices below	
27	DS1 Loop - Suburban (Rate Class 2) **/3/**	4U1X2	$ 39.35	See NRC prices below	
28	DS1 Loop - Metro (Rate Class 3) **/3/**	4U1X3	$ 46.10	See NRC prices below	
29	DS3 Loop - Rural (Rate Class 1) **/3/**	U4D31	$ 469.53	See NRC prices below	
30	DS3 Loop - Suburban (Rate Class 2) **/3/**	U4D32	$ 447.20	See NRC prices below	
31	DS3 Loop - Metro (Rate Class 3) **/3/**	U4D33	$ 431.98	See NRC prices below	
32					
33	**DSL Capable Loops**				
34	**2-Wire xDSL Loop**				
35	PSD #1 - 2-Wire xDSL Loop Rate Class 1- Rural **/3/**	2SLA1	$ 9.33	See NRC prices below	
36	PSD #1 - 2-Wire xDSL Loop Rate Class 2- Suburban **/3/**	2SLA2	$ 10.45	See NRC prices below	
37	PSD #1 - 2-Wire xDSL Loop Rate Class 3- Metro **/3/**	2SLA3	$ 9.84	See NRC prices below	
38					
39	PSD #2 - 2-Wire xDSL Loop Rate Class 1- Rural **/3/**	2SLC1	$ 9.33	See NRC prices below	
40	PSD #2 - 2-Wire xDSL Loop Rate Class 2- Suburban **/3/**	2SLC2	$ 10.45	See NRC prices below	
41	PSD #2 - 2-Wire xDSL Loop Rate Class 3- Metro **/3/**	2SLC3	$ 9.84	See NRC prices below	
42					
43	PSD #3 - 2-Wire xDSL Loop Rate Class 1- Rural **/3/**	2SLB1	$ 9.33	See NRC prices below	
44	PSD #3 - 2-Wire xDSL Loop Rate Class 2- Suburban **/3/**	2SLB2	$ 10.45	See NRC prices below	
45	PSD #3 - 2-Wire xDSL Loop Rate Class 3- Metro **/3/**	2SLB3	$ 9.84	See NRC prices below	
46					
47	PSD #4 - 2-Wire xDSL Loop Rate Class 1- Rural **/3/**	2SLD1	$ 9.33	See NRC prices below	
48	PSD #4 - 2-Wire xDSL Loop Rate Class 2- Suburban **/3/**	2SLD2	$ 10.45	See NRC prices below	
49	PSD #4 - 2-Wire xDSL Loop Rate Class 3- Metro **/3/**	2SLD3	$ 9.84	See NRC prices below	
50					
51	PSD #5 - 2-Wire xDSL Loop Rate Class 1- Rural **/3/**	UWRA1	$ 9.33	See NRC prices below	
52	PSD #5 - 2-Wire xDSL Loop Rate Class 2- Suburban **/3/**	UWRA2	$ 10.45	See NRC prices below	
53	PSD #5 - 2-Wire xDSL Loop Rate Class 3- Metro **/3/**	UWRA3	$ 9.84	See NRC prices below	
54					
55	PSD #7 - 2-Wire xDSL Loop Rate Class 1- Rural **/3/**	2SLF1	$ 9.33	See NRC prices below	
56	PSD #7 - 2-Wire xDSL Loop Rate Class 2- Suburban **/3/**	2SLF2	$ 10.45	See NRC prices below	
57	PSD #7 - 2-Wire xDSL Loop Rate Class 3- Metro **/3/**	2SLF3	$ 9.84	See NRC prices below	
58	**4-Wire xDSL Loop**				
59	PSD #3 - 4-Wire xDSL Loop Rate Class 1- Rural **/3/**	4SL11	$ 16.95	See NRC prices below	
60	PSD #3 - 4-Wire xDSL Loop Rate Class 2- Suburban **/3/**	4SL12	$ 19.08	See NRC prices below	
61	PSD #3 - 4-Wire xDSL Loop Rate Class 3- Metro **/3/**	4SL13	$ 18.18	See NRC prices below	
62					
63	**IDSL Capable Loop**				
64	IDSL Loop Class 1 - Rural **/3/**	UY5F1	$ 9.33	See NRC prices below	
65	IDSL Loop Class 2 - Suburban **/3/**	UY5F2	$ 10.45	See NRC prices below	
66	IDSL Loop Class 3 - Metro **/3/**	UY5F3	$ 9.84	See NRC prices below	
67					
68	**LST**				
69	Line & Station Transfer(LST) performed on CODSLAM Loop	URCLD	N/A	$ 165.26	
70					
71	**Loop Qualification Process**				
72	Loop Qualification Process - Mechanized	NR98U	N/A	$0.00	N/A
73	Loop Qualification Process - Manual	NRBXU	N/A	TBD	N/A
74					
75	**xDSL Conditioning**				
76	DSL Conditioning Options - >12KFT				
77	Removal of Repeater Options (per unit removed)	NRBXV	N/A	$ 24.70	N/A
78	Removal Excessive Bridged Tap Option (per unit removed)	NRBXW	N/A	$ 16.09	N/A
79	Removal of Load Coil (per unit removed)	NRBXZ	N/A	$ 16.18	N/A
80					
81	Removal of All or NON-Excessive Bridged Tap (RABT) - MMP				
82	Removal of non-excessive bridged tap DSL loops >0Kft. And <17.5Kft.	NRMRJ	N/A	$ 212.42	
83	Removal of All Bridged Tap DSL Loops 12Kft. To 17.5Kft.	NRMRP	N/A	$ 549.92	
84	incremental	NRMRS	N/A	$ 212.42	

Line	INDIANA			USOC	Recurring Rate	Non-Recurring Rate	Non-Recurring Rate
1	**AT&T Generic Rates**			**USOC**	Monthly	First	Additional
85			Removal of All Bridged Tap DSL loops >17.5KFt. - per element incremental	NRMRM	N/A	$ 212.42	
86							
87	**Loop Non-Recurring Charges (Excluding DS3)**						
88		Res/Bus Analog/2-W digital Loop, Initial Request, Install **/3/**		SEPUP	N/A	$ 6.83	N/A
89		Res/Bus Analog/2-w digital Loop, Initial Request, Disconnect **/3/**		NKCG6		$ 4.29	
90		Disconnect Service Order Charge		NR9OE		$ 4.29	
91		Res/Bus Analog/2-W digital Loop, Subsequent Request **/3/**		REAH9	N/A	$ 6.83	N/A
92		Res/Bus Analog/2-W digital Loop, record Request **/3/**		NR9UP		$ 6.43	
93		Res/Bus Analog/2-W digital Loop Line Connection Loop Charge, Initial, Install /3/		SEPUC	N/A	$ 22.48	N/A
94		Res/Bus Analog/2-W digital Loop Line Connection Charge, Initial, Disconnect /3/		NKCG7		$ 7.42	
95		Une Analog Loop Disconnect Charge Per Termination		NR9OG		$ 7.42	
96		Res/Bus Analog/2-W digital Loop Line Connection Charge, Additional, Install /3/		1CRG7			$ 15.55
97		Line Connection Add or Change		REAH5	N/A		$ 29.33
98	**/*/**	Res/Bus Standalone Line Connection Charge, Additional, Disconnect /3/		NKCG5			$ 4.81
99							
100	**/*/**	DS1 Service Provisioning, Initial, Install **/3/**		1CRG1		$ 142.36	
101	**/*/**	DS1 Service Provisioning, Initial, Disconnect **/3/**		NKCG1		$ 20.51	
102	**/*/**	DS1 Service Provisioning, Additional, Install **/3/**		1CRG2			$ 96.33
103	**/*/**	DS1 Service Provisioning, Additional, Disconnect **/3/**		NKCG2			$ 16.25
104		DS1 Loo		NR9OR		$ 10.65	
105		DS1 Loop, Administrative Activity, Disconnect **/3/**		NR9OT		$ 4.86	
106							
107	**DS3 Loop Non-Recurring Charges**						
108		Administrative **/3/**		NR9OY	N/A	$ 10.65	N/A
109		Design & Central Office		NR9O1	N/A	$ 525.79	N/A
110		Custom		NR9O3	N/A	$ 187.37	N/A
111	**/*/**	DS3 Service Provisioning, Initial, Install **/3/**		1CRG3		$ 151.68	
112	**/*/**	DS3 Service Provisioning, Initial, Disconnect **/3/**		NKCG3		$ 20.89	
113	**/*/**	DS3 Service Provisioning, Additional, Install **/3/**		1CRG4			$ 70.41
114	**/*/**	DS3 Service Provisioning, Additional, Disconnect **/3/**		NKCG4			$ 16.63
115		DS3 Loop, Administrative Activity, Disconnect **/3/**		NR9OZ		$ 4.86	
116							
117	**Cross Connects**						
118		2-Wire		CXCT2	$ 0.14	N/A	N/A
119		4-Wire		CXCT4	$ 0.26	N/A	N/A
120		DS1/LT1		CXCDX	$ 0.36	N/A	N/A
121		DS3/LT3		CXC8X	$ 0.66	N/A	N/A
122		DS3 C.O. LOOP Cross-Connect to Collocation		CXCBX	$ 19.14	N/A	N/A
123							
124		**Interoffice Transport:**					
125		DS1	Interoffice Mileage Termination - Per Point of Termination - All Zones	CZ4X1-X3	$ 11.10	N/A	N/A
126			Interoffice Mileage - Per Mile - All Zones	1YZX1-X3	$ 1.65	N/A	N/A
127		DS3	Interoffice Mileage Termination - Per Point of Termination - All Zones	CZ4W1-W3	$ 106.79	N/A	N/A
128			Interoffice Mileage - Per Mile - All Zones	1YZB1-B3	$ 28.62	N/A	N/A
129							
130	**Enhanced Extended Loop (EEL) Service Order per LSR**						
131	**/*/**	Electronic, Analog 2-Wire Digital Loop, Establishment Request, Install **/3/**		NKCAR		$ 6.89	
132	**/*/**	Electronic, Analog 2-Wire Digital Loop, Establishment Request, Disconnect **/3/**		NKCAS		$ 4.20	
133	**/*/**	Electronic, Analog 2-Wire Digital Loop, Subsequent Order **/3/**		NKCAT			$ 6.14
134	**/*/**	Manual, Analog 2-Wire Digital Loop, Establishment Request, Install **/3/**		NKCAU		$ 51.78	
135	**/*/**	Manual, Analog 2-Wire Digital Loop, Establishment Request, Disconnect **/3/**		NKCAV		$ 34.80	
136	**/*/**	Manual, Analog 2-Wire Digital Loop, Subsequent Order **/3/**		NKCAW			$ 48.55
137	**/*/**	Electronic, DS1 Loop, Establishment Request, Install **/3/**		NKCAX		$ 11.39	
138	**/*/**	Electronic, DS1 Loop, Establishment Request, Disconnect **/3/**		NKCAY		$ 6.00	
139	**/*/**	Electronic, DS1 Loop, Subsequent Order **/3/**		NKCAZ			$ 6.14
140	**/*/**	Manual, DS1 Loop, Establishment Request, Install **/3/**		NKCB1		$ 57.23	
141	**/*/**	Manual, DS1 Loop, Establishment Request, Disconnect **/3/**		NKCB2		$ 34.80	
142	**/*/**	Manual, DS1 Loop, Subsequent Order **/3/**		NKCB3			$ 48.55
143	**/*/**	Electronic, DS1 or DS3 Transport, Establishment Request, Install **/3/**		PENDING		$ 12.63	
144	**/*/**	Electronic, DS1 or DS3 Transport, Establishment Request, Disconnect **/3/**		PENDING		$ 6.69	
145	**/*/**	Manual, DS1 or DS3 Transport, Establishment Request, Install **/3/**		PENDING		$ 60.35	
146	**/*/**	Manual, DS1 or DS3 Transport, Establishment Request, Disconnect **/3/**		PENDING		$ 35.48	
147	**/*/**	Electronic, Non-channelized DS1 EEL, Establishment Request, Install **/3/**		NKCB4		$ 11.39	
148	**/*/**	Electronic, Non-channelized DS1 EEL, Establishment Request, Disconnect **/3/**		NKCB5		$ 6.00	
149	**/*/**	Manual, Non-channelized DS1 EEL, Establishment Request, Install **/3/**		NKCB6		$ 57.23	
150	**/*/**	Manual, Non-channelized DS1 EEL, Establishment Request, Disconnect **/3/**		NKCB7		$ 34.80	
151	**/*/**	Electronic, CO Multiplexing, DS1 to Voice, Establishment Request, Install **/3/**		PENDING		$ 12.63	
152	**/*/**	Electronic, CO Multiplexing. DS1 to Voice, Establishment Request, Disconnect **/3/**		PENDING		$ 6.69	
153	**/*/**	Manual, CO Multiplexing, DS1 to Voice, Establishment Request, Install **/3/**		PENDING		$ 60.35	
154	**/*/**	Manual, CO Multiplexing, DS1 to Voice, Establishment Request, Disconnect **/3/**		PENDING		$ 35.48	
155							
156	**Enhanced Extended Loop (EEL) New Combination per Element**						
157	**/*/**	2-Wire Analog Loop Connection, Initial, Install **/3/**		NKCB8		$ 91.87	
158	**/*/**	2-Wire Analog Loop Connection, Initial, Disconnect **/3/**		NKCB9		$ 15.48	
159	**/*/**	2-Wire Analog Loop Connection, Additional, Install **/3/**		NKCBA			$ 66.36
160	**/*/**	2-Wire Analog Loop Connection, Additional, Disconnect **/3/**		NKCBB			$ 10.55
161	**/*/**	4-Wire Analog Loop Connection, Initial, Install **/3/**		NKCBC		$ 93.41	
162	**/*/**	4-Wire Analog Loop Connection, Initial, Disconnect **/3/**		NKCBD		$ 17.04	
163	**/*/**	4-Wire Analog Loop Connection, Additional, Install **/3/**		NKCBE			$ 67.89
164	**/*/**	4-Wire Analog Loop Connection, Additional, Disconnect **/3/**		NKCBF			$ 12.11
165	**/*/**	2-Wire Digital Loop Connection, Initial, Install **/3/**		NKCBG		$ 100.08	
166	**/*/**	2-Wire Digital Loop Connection, Initial, Disconnect **/3/**		NKCBH		$ 14.98	
167	**/*/**	2-Wire Digital Loop Connection, Additional, Install **/3/**		NKCBJ			$ 66.20
168	**/*/**	2-Wire Digital Loop Connection, Additional, Disconnect **/3/**		NKCBK			$ 10.05
169	**/*/**	4-Wire Digital Loop Connection, Initial, Install **/3/**		NKCBL		$ 149.73	

Line	INDIANA				Recurring Rate	Non-Recurring Rate	Non-Recurring Rate
1	**AT&T Generic Rates**			**USOC**	Monthly	First	Additional
170	/*/	4-Wire Digital Loop Connection, Initial, Disconnect /3/		NKCBM		$ 24.23	
171	/*/	4-Wire Digital Loop Connection, Additional, Install /3/		NKCBN			$ 101.19
172	/*/	4-Wire Digital Loop Connection, Additional, Disconnect /3/		NKCBO			$ 19.77
173	/*/	CO Multiplexing, DS I to Voice, Initial, Install /3/		PENDING		$ 89.92	
174	/*/	CO Multiplexing, DSI to Voice, Initial, Disconnect /3/		PENDING		$ 20.58	
175	/*/	CO Multiplexing, DSI to Voice, Additional, Install /3/		PENDING			$ 47.86
176	/*/	CO Multiplexing, DSI to Voice, Additional, Disconnect /3/		PENDING			$ 15.71
177	/*/	DS1 Interoffice Dedicated Transport Collocated, Initial, Install /3/		PENDING		$ 148.01	
178	/*/	DS1 Interoffice Dedicated Transport Collocated, Initial, Disconnect /3/		PENDING		$ 42.37	
179	/*/	DS1 Interoffice Dedicated Transport Collocated, Additional, Install /3/		PENDING			$ 104.44
180	/*/	DS1 Interoffice Dedicated Transport Collocated, Additional, Disconnect /3/		PENDING			$ 34.03
181	/*/	4-Wire DS1 Digital Loop to DS1 Interoffice Dedicated Transport Collocated, Initial, Install /3/		NKCBT		$ 199.34	
182	/*/	4-Wire DS1 Digital Loop to DS1 Interoffice Dedicated Transport Collocated, Initial, Disconnect /3/		NKCBU		$ 42.37	
183	/*/	4-Wire DS1 Digital Loop to DS1 Interoffice Dedicated Transport Collocated, Add'l, Install /3/		NKCBV			$ 128.38
184	/*/	4-Wire DS1 Digital Loop to DS1 Interoffice Dedicated Transport, Collocated, Add'l, Disconnect /3/		NKCBW			$ 34.03
185	/*/	DS3 Interoffice Dedicated Transport Collocated, Initial, Install /3/		PENDING		$ 158.40	
186	/*/	DS3 Interoffice Dedicated Transport Collocated, Initial, Disconnect /3/		PENDING		$ 42.37	
187	/*/	DS3 Interoffice Dedicated Transport Collocated, Additional, Install /3/		PENDING			$ 82.93
188	/*/	DS3 Interoffice Dedicated Transport Collocated, Additional, Disconnect /3/		PENDING			$ 34.03
189	/*/	Clear Channel Capability, Initial, Install /3/		NKCC6		$ 89.46	
190	/*/	Clear Channel Capability, Additional, Install /3/		NKCC7			$ 24.26
191							
192	**Special Access to Une Conversion per Activity**						
193	/*/	Channelized Facility from Cage, DS1, Design and Coordination Charge /3/		NKCC9		$ 83.69	
194	/*/	Channelized Facility from Cage, DS1, Demarcation Re-Tag Charge /3/		PENDING		N/A	
195	/*/	Channelized Facility from Cage, DS3, Design and Coordination Charge /3/		NKCCA		$ 66.64	
196	/*/	Channelized Facility from Cage, DS3, Demarcation Re-Tag Charge /3/		PENDING		N/A	
197	/*/	Channelized Facility from Cage, DSO, Design and Coordination Charge /3/		PENDING		$ 7.73	
198	/*/	Channelized Facility from Cage, DSO, Design and Coordination Charge /3/		NKCCB		$ 7.73	
199	/*/	Non-Channelized Facility from Cage, DSO, Demarcation Re-Tag Charge /3/		PENDING		N/A	
200	/*/	Non-Channelized Facility from Cage, DS1, Design and Coordination Charge /3/		NKCCC		$ 7.73	
201	/*/	Non-Channelized Facility from Cage, DS1, Demarcation Re-Tag charge /3/		PENDING		N/A	
202	/*/	Non-Channelized Facility from Cage, DS3, Design and Coordination charge /3/		NKCCD		$ 7.73	
203	/*/	Non-Channelized Facility from Cage, DS3, Demarcation Re-Tag Charge /3/		PENDING		N/A	
204	/*/	Channelized Facility from POP, DS1, Design and Coordination charge /3/		NKCCE		$ 83.69	
205	/*/	Channelized Facility from POP, DS1, Demarcation Re-Tag Charge /3/		PENDING		N/A	
206	/*/	Channelized Facility from POP, DS3, Design and Coordination Charge /3/		NKCCF		$ 66.64	
207	/*/	Channelized Facility from POP, DS3, Demarcation Re-Tag Charge /3/		PENDING		N/A	
208	/*/	Channelized Facility from POP, DSO, Design and Coordination Charge /3/		PENDING		$ 7.73	
209	/*/	Non-Channelized Facility from POP, DSO, Design and Coordination Charge /3/		NKCCG		$ 7.73	
210	/*/	Non-Channelized Facility from POP, DSO, Demarcation Re-Tag Charge /3/		PENDING		N/A	
211	/*/	Non-Channelized Facility from POP, DS1, Design and Coordination Charge /3/		NKCCH		$ 7.73	
212	/*/	Non-Channelized Facility from POP, DS1, Demarcation Re-Tag charge /3/		PENDING		N/A	
213	/*/	Non-Channelized Facility from POP, DS3, Design and Coordination Charge /3/		NKCCJ		$ 7.73	
214	/*/	Non-Channelized Facility from POP, DS3, Demarcation Re-Tag Charge /3/		PENDING		N/A	
215							
216	**Special Access to UNE Conversions Per Circuit**						
217	/*/	Project Administrative Activity		NKCC8		$ 21.23	
218							
219	**Multiplexing**						
220		DS1 to Voice Grade		QMVX1-X3	$ 197.61	N/A	N/A
221		DS3 to DS1		QM3X1-X3	$ 260.24	N/A	N/A
222							
223	**Dedicated Transport Cross Connects**						
224		DS1		CXCDX	0.36	N/A	N/A
225		DS3		CXCEX	$ 0.66	N/A	N/A
226							
227	**Dedicated Transport Optional Features & Functions**						
228		DS1	Clear Channel Capability - Per 1.544 Mbps Circuit Arranged	CLYX1-X3		$ 351.64	N/A
229							
230	**Dedicated Transport Installation & Rearrangement Charges**						
231		DS1	Administration Charge - Per Order	ORCMX	N/A	$ 322.47	N/A
232			Design & Central Office Connection Charge - Per Circuit	NRBCL	N/A	$ 527.99	N/A
233			Carrier Connection Charge - Per Order	NRBBL	N/A	$ 458.62	N/A
234							
235		DS3	Administration Charge - Per Order	ORCMX	N/A	$ 251.64	N/A
236			Design & Central Office Connection Charge - Per Circuit	NRBCL	N/A	$ 562.86	N/A
237			Design & Central Office Connection Charge - Per Circuit	NRBC4	N/A	$ 562.86	N/A
238			Carrier Connection Charge - Per Order	NRBBL	N/A	$ 305.85	N/A
239			Carrier Connection Charge - Per Order	NRBDT	N/A	$ 305.85	N/A
240							

Line	INDIANA		Recurring Rate	Non-Recurring Rate	Non-Recurring Rate
1	**AT&T Generic Rates**	**USOC**	Monthly	First	Additional
241	**Dark Fiber**				
242	Dark Fiber Interoffice				
243	Dark Fiber Interoffice Termination (Per Termination per Fiber)	ULYCX	$ 60.56	N/A	N/A
244	Dark Fiber Interoffice Mileage (Per Fiber per Foot)	ULNCF	$ 0.02	N/A	N/A
245	Dark Fiber Interoffice Cross Connect (Per Termination per Fiber)	UKCJX	$ 2.22	N/A	N/A
246	Inquiry (Per Request)				
247	Dark Fiber Interoffice Transport - NRC	NR9D6	N/A	$ 284.68	N/A
248					
249	FIRM ORDER (Per Fiber Strand)				
250	Administrative per Order				
251	Connect	NRB51	N/A	$ 9.92	N/A
252	Disconnect	NR9H2	N/A	$ 8.78	N/A
253	Connect	NRB52	N/A	$ 276.79	N/A
254	Disconnect	NR9H3	N/A	$ 76.07	N/A
255	Dark Fiber Interoffice Transport - NRC				
256	Connect	NRB54	N/A	$ 348.47	N/A
257	Disconnect	NR9H5	N/A	$ 139.55	N/A
258					
259	**Routine Modifications**				
260	Routine Modifications of Existing Facilities Charge	N3RUE	N/A	ICB	N/A
261					
262	**LNP**				
263	Local Number Portability /4/	NSR	$0.00	N/A	
264					
265	Maintenance of Service Charges	VRP	N/A	$ 51.00	N/A
266					
267	***OTHER***				
268	**DIRECTORY ASSISTANCE**				
269	Directory Assistance, per call	OPEN	$ 0.40	N/A	N/A
270	National Directory Assistance (NDA), per call	OPEN	$ 0.65	N/A	N/A
271	Reverse Directory Assistance (RDA), per call	OPEN	$ 0.65	N/A	N/A
272	Business Category Search (BCS) / where applicable, per call	OPEN	$ 0.65	N/A	N/A
273	Directory Assistance Call Completion (DACC), per call	OPEN	$ 0.15	N/A	N/A
274					
275	**OS/DA Automated Call Greeting and References / Rates**				
276	Branding - Other - Initial/Subsequent Load	OPEN		$ 1,800.00	$ 1,800.00
277	Brand and Reference/Rate Look Up, per OS/DA call	OPEN	$ 0.03	N/A	N/A
278	Branding - Facility Based - Initial/Subsequent Load				
279	- Branding, per trunk group	OPEN	N/A	$ 800.00	N/A
280	Rate Reference - Initial Load, per state, per OCN	OPEN	N/A	$ 5,000.00	N/A
281	Rate Reference - Subsequent Load, per state, per OCN	OPEN	N/A	N/A	$ 1,500.00
282					
283	**OPERATOR SERVICES**				
284	Fully Automated Call Processing, per call	OPEN	$ 0.15	N/A	N/A
285	Operator Assisted Call Processing - All Types (Including Busy Line Verify)				
286	[BLV] and BLV/Emergency Interrupt [BLV/I], per work second	OPEN	$ 0.03	N/A	N/A
287					
288	**DA Listings**				
289	- per listing for initial load	OPEN	N/A	$ 0.040	N/A
290	- per listing for subsequent updates	OPEN	$ 0.060		N/A
291					
292	**Ancillary Message Billing Compensation (Per Message)**	OPEN	$ 0.03	N/A	N/A
293					
294	**Non Intercompany Settlement (NICS) Billing Charge (Per Message)**	Not Applicable	$ 0.05		
295					
296	**Structure Access - Poles & Ducts**		ANNUALLY		
297	Poles ($/attachment/yr.)* ##				
298	Per Foot Conduit Occupancy Fees ##		$ 2.13		
299	Full Duct ($/ft/yr.)		$ 0.86		
300	Half Duct ($/ft/yr.)		$ 0.42		
301	Application fee	OPEN		$ 200.00	
302	Unauthorized Attachment Fee			$500 per Pole	
303	Unauthorized Occupancy Fee			$50 per Conduit Foot	
304	*For (1) each one foot of usable space, or fraction thereof, occupied and (2) each				
305	additional one foot of space, or fraction thereof, rendered unusable by the attachment's presence.				
306	## Note: All pole and conduit license fees are for a period of one year from January 1 thru December 31,				
307	effective January 1, 2005 and billable semi-annually in advance in January and July of each year.				
308	New rates will be communicated to CLEC no later than November 1st for the succeeding year.				
309					
310	**Emergency Number Service Access**				
311	911 Selective Router Interconnection				
312	- Each DSO installed	USAGE	$0.00	$ 665.49	
313	- Analog Channel Interface	EVG9X	$ 26.64	$ 770.97	
314	ANI/ALI/SR and Database Management				
315	- Per 100 records, rounded up to nearest 100	9S89X	$ 3.55	$0.00	
316					
317	Access Routing File, per carrier	USAGE	$ 50.80		
318	911 Selective Router Switch Administration				
319	- Per Selective Router	USAGE	$ 5.57	$ 1,717.33	
320					
321	**INTERCARRIER COMPENSATION**				
322	**Rate for Presumed ISP-Bound Traffic and Section 251(b)(5), as per FCC 01-131**	USAGE	$0.0007		
323					

Line	INDIANA			Recurring Rate	Non-Recurring Rate	Non-Recurring Rate
1	**AT&T Generic Rates**		**USOC**	Monthly	First	Additional
324	**Bona Fide Request**				$ 2,000.00	
325		Deposit				
326						
327	/1/	Pursuant to March 28, 2002 IURC order in Cause No. 40611-S1, this charge will be applicable only after the third party OSS test is complete for Indiana				
328						
329	/2/	Rates are the result of 3/28/02 IURC order in Indiana Case 40611-S1. Rates are subject to AT&T Indiana reservation of rights pertaining to that order,				
330		and subject to modification as a result of reconsideration, appeal, further IURC action, or other change of law.				
331						
332	/3/	Rates are the result of 1/5/04 IURC order in Indiana Cause 42393. Rates are subject to each party's reservation of rights pertaining to that order, and subject to				
333		modification as a result of reconsideration, appeal, further IURC action, or other change of law.				
334						
335	/*/	As of January 5, 2003, AT&T Indiana's billing systems are unable to bill this rate/rate structure in the manner AT&T Indiana intends to eventually. AT&T Indiana may adopt				
336		interim measures in order to render a bill to CLEC for applicable charges in advance of system changes. Details of any interim measures will be made available via				
337		Accessible Letter. Please contact your AT&T Indiana local wholesale account manager with any questions.				
338						
339	/4/	Pursuant to current FCC Tariff #2 Section 4, effective from June 1, 2004, billing shall cease effective October 1, 2004.				
340						
341	***RESALE***				***RESALE DISCOUNTS***	
342		**BUSINESS**		RECURRING	NON-RECURRING	
343		**LOCAL EXCHANGE SERVICE**				
344		Business 1 Party	RESALE	21.46%	21.46%	
345		Business - Measured	RESALE	21.46%	21.46%	
346		Customer Operated Pay Telephone (COPT)	RESALE	21.46%	21.46%	
347						
348		**EXPANDED LOCAL CALLING**				
349		Extended Area Service	RESALE	21.46%	21.46%	
350						
351		**VERTICAL SERVICES**				
352		Anonymous Call Rejection	RESALE	21.46%	21.46%	
353		Repeat Dialing (Auto Redial)	RESALE	21.46%	21.46%	
354		Repeat Dialing - Per Use (Auto Redial - Usage Sensitive)	RESALE	21.46%	21.46%	
355		Call Blocker	RESALE	21.46%	21.46%	
356		Call Forwarding	RESALE	21.46%	21.46%	
357		Call Forwarding - Busy Line	RESALE	21.46%	21.46%	
358		Call Forwarding - Busy Line/Don't Answer	RESALE	21.46%	21.46%	
359		Call Forwarding - Don't Answer	RESALE	21.46%	21.46%	
360		Automatic Callback (Call Return)	RESALE	21.46%	21.46%	
361		Automatic Callback - Per Use (Call Return - Usage Sensitive)	RESALE	21.46%	21.46%	
362		Call Trace	RESALE	21.46%	21.46%	
363		Call Waiting	RESALE	21.46%	21.46%	
364		Caller ID With Name (Calling Name)	RESALE	21.46%	21.46%	
365		Caller ID (Calling Number)	RESALE	21.46%	21.46%	
366		MultiRing Service -1 (Personalized Ring -1 Dependent Number)	RESALE	21.46%	21.46%	
367		MultiRing Service -2 (Personalized Ring -2 Dependent Numbers)	RESALE	21.46%	21.46%	
368		Remote Access to Call Forwarding (Grandfathered)	RESALE	0.00%	0.00%	
369		Selective Call Forwarding	RESALE	0.00%	0.00%	
370		Multi-Path Call Forwarding (Simultaneous Call Forwarding)	RESALE	21.46%	21.46%	
371		Remote Call Forwarding-Per Feature	RESALE	21.46%	21.46%	
372		RCF, Interstate, Interexchange	RESALE	21.46%	21.46%	
373		RCF, Intrastate	RESALE	21.46%	21.46%	
374		RCF, Interstate, International	RESALE	21.46%	21.46%	
375		RCF, Intrastate, Interexchange	RESALE	21.46%	21.46%	
376		RCF to 800	RESALE	21.46%	21.46%	
377		RCF Additional	RESALE	21.46%	21.46%	
378		Speed Calling 8	RESALE	21.46%	21.46%	
379		Speed Calling 30	RESALE	21.46%	21.46%	
380		Three Way Calling	RESALE	21.46%	21.46%	
381		Call Screening	RESALE	21.46%	21.46%	
382		Busy Line Transfer	RESALE	21.46%	21.46%	
383		Alternate Answer	RESALE	21.46%	21.46%	
384		Message Waiting - Tone	RESALE	21.46%	21.46%	
385		Easy Call	RESALE	21.46%	21.46%	
386		Prime Number Service	RESALE	21.46%	21.46%	
387		AT&T Indiana Privacy Manager	RESALE	21.46%	21.46%	
388		Name and Number Delivery Service	RESALE	21.46%	21.46%	
389						
390		**DID**				
391		DID	RESALE	21.46%	21.46%	
392						
393		**TRUNKS**				
394		Trunk	RESALE	21.46%	21.46%	
395						
396		**AIN**				
397		Area Wide Networking	RESALE	21.46%	21.46%	
398		AT&T Indiana Switch Alternate Routing (ANSAR)	RESALE	21.46%	21.46%	
399		AT&T Indiana Customer Location Alternate Routing (ACLAR)	RESALE	21.46%	21.46%	
400						
401		**OTHER**				
402		Grandfathered Services	RESALE	0.00%	0.00%	
403		Promotions (Greater than 90 days)	RESALE	21.46%	21.46%	
404		Touchtone (Business)	RESALE	21.46%	21.46%	
405		Touchtone (Trunk)	RESALE	21.46%	21.46%	
406		900/976 Call Blocking (900/976 Call Restriction)	RESALE	0%	0%	
407		976 (976 Information Delivery Service)	RESALE	0%	0%	

Line	INDIANA			USOC	Recurring Rate	Non-Recurring Rate	Non-Recurring Rate
1	**AT&T Generic Rates**				Monthly	First	Additional
408		Access Services (See Current Access Tariff)		RESALE	0%	0%	
409		Additional Directory Listings		RESALE	21.46%	21.46%	
410		Carrier Disconnect Service (Company Initiated Suspension Service)		RESALE	0%	0%	
411		Connection Services		RESALE	21.46%	21.46%	
412		Premise Services/Line Backer (Maintenance of Service Charges)		RESALE	0%	0%	
413		Shared Tenant Service		RESALE	0%	0%	
414		Restoral of Service Charge		RESALE	0%	21.46%	
415		**Data Services**					
416		Gigabit Ethernet Metropolitan Area Network (GigaMAN)		RESALE	21.46%	21.46%	
417		PBX Trunks		RESALE	21.46%	21.46%	
418		Multi-Service Optical Network (MON)		RESALE	21.46%	21.46%	
419		OCn-PTP		RESALE	21.46%	21.46%	
420		ADTS-E		RESALE	21.46%	21.46%	
421		DS0		RESALE	21.46%	21.46%	
422		DS1		RESALE	21.46%	21.46%	
423		DS3		RESALE	21.46%	21.46%	
424							
425		**ISDN**					
426		ISDN		RESALE	21.46%	21.46%	
427							
428		**DIRECTORY ASSISTANCE / OPERATOR SERVICES**					
429		Local Directory Assistance		RESALE	21.46%		
430		Local Operator Assistance Service		RESALE	21.46%		
431							
432			National Directory Assistance (NDA), per call	OPEN	$ 0.65	N/A	N/A
433			Reverse Directory Assistance (RDA), per call	OPEN	$ 0.65	N/A	N/A
434			Business Category Search (BCS) / where applicable, per call	OPEN	$ 0.65	N/A	N/A
435			Directory Assistance Call Completion (DACC), per call	OPEN	$ 0.15	N/A	N/A
436							
437			**OS/DA Automated Call Greeting and References / Rates**				
438			Branding - Other - Initial/Subsequent Load	OPEN		$ 1,800.00	$ 1,800.00
439			Brand and Reference/Rate Look Up, per OS/DA call	OPEN	$ 0.03	N/A	N/A
440			Rate Reference - Initial Load, per state, per OCN	OPEN	N/A	$ 5,000.00	N/A
441			Rate Reference - Subsequent Load, per state, per OCN	OPEN	N/A	$ 1,500.00	N/A
442							
443		**TOLL**					
444		TOLL		RESALE	21.46%	21.46%	
445							
446		**OPTIONAL TOLL CALLING PLANS**					
447		Optional Toll Calling Plans		RESALE	21.46%	21.46%	
448							
449		**CENTREX (PLEXAR)**					
450		AT&T Indiana Centrex Service ACS		RESALE	21.46%	21.46%	
451		AT&T Indiana Centrex Network Manager		RESALE	0.00%	0.00%	
452							
453		**PRIVATE LINE**					
454		Analog Private Lines		RESALE	21.46%	21.46%	
455		Private Line Channel Services		RESALE	21.46%	21.46%	
456							
457		**RESIDENCE**				***RESALE DISCOUNTS***	
458		**LOCAL EXCHANGE SERVICE**			RECURRING	NON-RECURRING	
459		Life Line		RESALE	0.00%	0.00%	
460		Residence 1 Party		RESALE	21.46%	21.46%	
461		Residence Measured		RESALE	21.46%	21.46%	
462							
463		**EXPANDED LOCAL CALLING**					
464		Extended Area Service		RESALE	21.46%	21.46%	
465		**VERTICAL SERVICES**					
466		Anonymous Call Rejection		RESALE	21.46%	21.46%	
467		Repeat Dialing (Auto Redial)		RESALE	21.46%	21.46%	
468		Repeat Dialing -Per Use (Auto Redial - Usage Sensitive)		RESALE	21.46%	21.46%	
469		Call Blocker		RESALE	21.46%	21.46%	
470		Call Forwarding		RESALE	21.46%	21.46%	
471		Call Forwarding - Busy Line		RESALE	21.46%	21.46%	
472		Call Forwarding - Busy Line/Don't Answer		RESALE	21.46%	21.46%	
473		Call Forwarding - Don't Answer		RESALE	21.46%	21.46%	
474		Automatic Call-Back (Call Return)		RESALE	21.46%	21.46%	
475		Automatic Call-Back Per Use (Call Return - Usage Sensitive)		RESALE	21.46%	21.46%	
476		Call Trace		RESALE	21.46%	21.46%	
477		Call Waiting		RESALE	21.46%	21.46%	
478		Caller ID with Name (Calling Name)		RESALE	21.46%	21.46%	
479		Caller ID (Calling Number)		RESALE	21.46%	21.46%	
480		Multi-Ring Service - 1 (Personalized Ring - 1 dependent number)		RESALE	21.46%	21.46%	
481		Multi-Ring Service - 2 (Personalized Ring - 2 dependent numbers - 1st dependent number)		RESALE	21.46%	21.46%	
482		Remote Access to Call Forwarding (GF)		RESALE	21.46%	21.46%	
483		RCF, Interstate, Interexchange		RESALE	21.46%	21.46%	
484		RCF, Intrastate		RESALE	21.46%	21.46%	
485		RCF, Interstate, International		RESALE	21.46%	21.46%	
486		RCF, Intrastate, Interexchange		RESALE	21.46%	21.46%	
487		RCF to 800		RESALE	21.46%	21.46%	
488		RCF Additional		RESALE	21.46%	21.46%	
489		Selective Call Forwarding		RESALE	21.46%	21.46%	
490		Speed Calling 8		RESALE	21.46%	21.46%	
491		Three Way Calling		RESALE	21.46%	21.46%	
492		Call Screening		RESALE	21.46%	21.46%	

Line	INDIANA		Recurring Rate	Non-Recurring Rate	Non-Recurring Rate
1	**AT&T Generic Rates**	**USOC**	Monthly	First	Additional
493	Busy Line Transfer	RESALE	21.46%	21.46%	
494	Alternate Answer	RESALE	21.46%	21.46%	
495	Message Waiting - Tone	RESALE	21.46%	21.46%	
496	Easy Call	RESALE	21.46%	21.46%	
497	AT&T Indiana Privacy Manager	RESALE	21.46%	21.46%	
498	Name and Number Delivery Service	RESALE	21.46%	21.46%	
499					
500	**ISDN**				
501	ISDN	RESALE	21.46%	21.46%	
502					
503	**OTHER**				
504	Grandfathered Services	RESALE	0.00%	0.00%	
505	Promotions (Greater than 90 Days)	RESALE	21.46%	21.46%	
506	Touchtone	RESALE	21.46%	21.46%	
507	Home Services Packages	RESALE	21.46%	21.46%	
508	900/976 Call Blocking (900/976 Call Restriction)	RESALE	21.46%	21.46%	
509	976 (976 Information Delivery Service)	RESALE	21.46%	21.46%	
510	Access Services (See Current Access Tariff)	RESALE	0%	0%	
511	Additional Directory Listings	RESALE	21.46%	21.46%	
512	Carrier Disconnect Service (Company Initiated Suspension Service)	RESALE	21.46%	21.46%	
513	Connection Services	RESALE	21.46%	21.46%	
514	Premise Services/Line Backer (Maintenance of Service Charges)	RESALE	0%	0%	
515	Shared Tenant Service	RESALE	0%	0%	
516					
517	**TOLL**				
518	Custom and Dedicated 800 Service (Home 800)	RESALE	21.46%	21.46%	
519	IntraLATA MTS	RESALE	21.46%	21.46%	
520	Toll Restriction	RESALE	21.46%	21.46%	
521					
522	**Electronic Billing Information Data (daily usage)**	RESALE	$0.00		
523	per message				
524					
525	**Line Connection Charge**				
526	Residence	RESALE		21.46%	
527	Business	RESALE		21.46%	
528					
529	**Service Order/Service Request Charge**				
530	Residence	RESALE		.	
531	Business	RESALE		21.46%	
532					
533	**Non-Electronic (Manual) Service Order Charge**				
534	Residence	RESALE		$ 9.02	
535	Business	RESALE		$ 9.02	

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
1	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGED**				
2	**REAL ESTATE**				
3	Site Conditioning	Per Sq. Ft. of space used by CLEC	**S8FWB**		$9.28
4	Safety & Security	Per Sq. Ft. of space used by CLEC	**S8F4N**		$19.56
5	Floor Space Usage	Per Sq. Ft. of space used by CLEC	**S8F4L**	$5.97	
6	**COMMON SYSTEMS**				
7	Common Systems - Cage	Per Sq. Ft. of space used by CLEC	**S8F4A**	$0.44	$59.86
8	**PLANNING**				
9	Planning - Central Office	Per Sq. Ft. of space used by CLEC	**S8GCA**	$0.09	$7.55
10	Planning	Per Request	**NRFCD**		$5,244.43
11	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
12	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
13	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
14	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
15	**POWER PROVISIONING**				
16	**Power Panel:**				
17	50 Amp	Per Power Panel (CLEC Provided)	**NONE**		
18	200 Amp	Per Power Panel (CLEC Provided)	**NONE**		
19	**Power Cable and Infrastructure:**				
20	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
21	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	**C1F31**	$0.25	$48.23
22	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	**S8GF1**	$0.25	$48.23
23	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	**C1F32**	$0.25	$48.23
24	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	**C1F33**	$0.25	$48.23
25	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	**S8GF2**	$0.25	$48.23
26	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC Provided)	**S8GF3**	$0.25	$48.23
27	**Equipment Grounding:**				
28	Ground Cable Placement	Per Sq. Ft. of space used by CLEC	**S8FCR**	$0.03	$0.92
29	**DC POWER AMPERAGE CHARGE**				
30	HVAC	Per 10 Amps	**S8GCS**	$14.62	
31	Per Amp	Per Amp	**S8GCR**	$10.61	
32	**FIBER CABLE PLACEMENT**				
33	**Central Office:**				
34	Fiber Cable	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	**S8FQ9**	$4.85	$809.13
35	Entrance Conduit	Per Fiber Cable Sheath	**S8FW5**	$8.76	
36	**MISCELLANEOUS & OPTIONAL COST:**				
37	**MISCELLANEOUS COSTS**				
38	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8F45**	$0.08	$14.81
39	Bits Timing	Based on two (2) leads per circuit	**S8FQT**	$3.58	$698.82
40	Space Availability Report	Per Premise	**NRFCQ**		$168.04
41	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
42	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
43	**CAGE COMMON COSTS**				

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
44	AC Circuit Placement	Per Sq. Ft. (CLEC provides cage)	**NRL6O**		$5.29
45	**INTERCONNECTION COSTS:**				
46	**ILEC TO CLEC CONNECTION**				
47	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F48**	$3.86	$156.02
48	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8FWU**	$3.86	$156.02
49	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8FQM**	$295.42	$3,105.79
50	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F46**	$6.07	$486.89
51	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F47**	$115.30	$1,809.40
52	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8FQN**	$5.69	$116.67
53	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8FQR**	$3.58	$698.82
54	**CLEC TO CLEC CONNECTION**				
55	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
56	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
57	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	
58	Route Design		**NRFCX**		$424.88
59	Connection for DS1	Per 28 Circuits (CLEC provides cable)	**S8GFH**	$0.18	
60	Connection for DS3	Per Circuit (CLEC provides cable)	**S8GFJ**	$0.12	
61	Connection for Optical	Per Cable (CLEC provides cable)	**S8GFK**	$0.31	
62	**TIME SENSITIVE ACTIVITIES**				
63	**PRE-VISITS**				
64	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
65	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
66	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
67	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
68	**CONSTRUCTION VISITS**				
69	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
70	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23
71					
72	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGED**				
73	**REAL ESTATE**				
74	Site Conditioning	Per Sq. Ft. of space used by CLEC	**S8GCE**		$9.28
75	Safety & Security	Per Sq. Ft. of space used by CLEC	**S8GCF**		$19.56
76	Floor Space Usage	Per Sq. Ft. of space used by CLEC	**S8GCD**	$5.97	
77	**COMMON SYSTEMS**				
78	Common Systems - Cage	Per Sq. Ft. of space used by CLEC	**S8GCG**	$0.44	$59.86

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
79	**PLANNING**				
80	Planning - Central Office	Per Sq. Ft. of space used by CLEC	**S8GCA**	$0.09	$7.55
81	Planning	Per Request	**NRFCD**		$5,244.43
82	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
83	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
84	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
85	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
86	**POWER PROVISIONING**				
87	**Power Panel:**				
88	50 Amp	Per Power Panel	**S8GC8**	$15.77	$3,079.47
89	200 Amp	Per Power Panel	**S8GC9**	$18.75	$3,659.46
90	**Power Cable and Infrastructure:**				
91	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3A**	$5.83	$1,378.83
92	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8GCU**	$7.74	$1,570.84
93	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3B**	$8.35	$1,700.70
94	2.40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3C**	$8.96	$1,830.56
95	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8GCV**	$9.57	$1,954.85
96	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	**S8GCW**	$11.39	$2,344.44
97	**Equipment Grounding:**				
98	Ground Cable Placement	Per Sq. Ft. of space used by CLEC	**S8GDA**	$0.03	$0.92
99	**DC POWER AMPERAGE CHARGE**				
100	HVAC	Per 10 Amps	**S8GCS**	$14.62	
101	Per Amp	Per Amp	**S8GCR**	$10.61	
102	**FIBER CABLE PLACEMENT**				
103	**Central Office:**				
104	Fiber Cable	Per Fiber Cable Sheath	**S8GDE**	$4.85	$1,619.88
105	Entrance Conduit to Vault	Per Fiber Cable Sheath	**S8GDD**	$8.76	
106	**MISCELLANEOUS & OPTIONAL COST:**				
107	**MISCELLANEOUS COSTS**				
108	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8GEK**	$0.08	$14.81
109	Bits Timing	Based on two (2) leads per circuit	**S8GEJ**	$3.58	$698.82
110	Space Availability Report	Per Premise	**NRFCQ**		$168.04
111	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
112	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
113	**CAGE COMMON COSTS**				
114	Cage Preparation	Per Sq. Ft. of space used by CLEC	**S8GCH**	$0.27	$19.70
115	**INTERCONNECTION COSTS:**				
116	**ILEC TO CLEC CONNECTION**				
117	Voice Grade Arrangement	100 Copper Pairs	**S8GD4**	$4.92	$1,027.16
118	Voice Grade Arrangement	100 Shielded Pairs	**S8GD5**	$4.92	$1,027.16
119	DS1 Arrangement - DCS	28 DS1	**S8GDK**	$297.44	$3,613.06
120	DS1 Arrangement - DSX	28 DS1	**S8GDP**	$9.79	$1,346.48
121	DS3 Arrangement - DCS	1 DS3	**S8GDV**	$115.58	$2,181.58
122	DS3 Arrangement - DSX	1 DS3	**S8GDZ**	$7.14	$603.89
123	Fiber Arrangement	12 Fiber Pairs (24 Fiber strands)	**S8GED**	$6.55	$1,779.78

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
124	**CLEC TO CLEC CONNECTION**				
125	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
126	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
127	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	
128	Route Design		**NRFCX**		$424.88
129	Connection for DS1	Per 28 Circuits	**S8GFC**	$1.41	$982.35
130	Connection for DS3	Per Circuit	**S8GFD**	$1.30	$433.86
131	Connection for Optical (Fiber)	Per Cable	**S8GFB**	$1.38	$1,404.07
132	**TIME SENSITIVE ACTIVITIES**				
133	**PRE-VISITS**				
134	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
135	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
136	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
137	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
138	**CONSTRUCTION VISITS**				
139	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
140	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23
141					
142	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGELESS**				
143	**REAL ESTATE**				
144	Site Conditioning	Per Frame (Standard Bay=10 sq ft)	**S8FWC**		$92.81
145	Safety & Security	Per Frame (Standard Bay=10 sq ft)	**S8FWG**		$195.57
146	Floor Space Usage	Per Frame (Standard Bay=10 sq ft)	**S8F9C**	$64.21	
147	**COMMON SYSTEMS**				
148	Common Systems - Cageless	Per Frame (Standard Bay=10 sq ft)	**S8FWE**	$9.35	$760.45
149	**PLANNING**				
150	Planning - Central Office	Per Frame (Standard Bay=10 sq ft)	**S8GCB**	$1.13	$75.54
151	Planning	Per Request	**NRFCJ**		$4,601.93
152	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
153	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
154	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
155	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
156	**POWER PROVISIONING**				
157	**Power Panel:**				
158	50 Amp	Per Power Panel (CLEC Provided)	**NONE**		
159	200 Amp	Per Power Panel (CLEC Provided)	**NONE**		
160	**Power Cable and Infrastructure:**				
161	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
162	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	**C1F34**	$0.25	$48.23
163	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	**S8GF1**	$0.25	$48.23
164	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	**C1F35**	$0.25	$48.23
165	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	**C1F36**	$0.25	$48.23
166	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	**S8GF2**	$0.25	$48.23
167	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC Provided)	**S8GF3**	$0.25	$48.23

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
168	**Equipment Grounding:**				
169	Ground Cable Placement	Per Frame	**S8GDB**	$0.33	$15.32
170	**DC POWER AMPERAGE CHARGE**				
171	HVAC	Per 10 Amps	**S8GCS**	$14.62	
172	Per Amp	Per Amp	**S8GCR**	$10.61	
173	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8GCT**	$1.27	
174	**FIBER CABLE PLACEMENT**				
175	**Central Office:**				
176	Fiber Cable	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	**S8FQ9**	$4.85	$809.13
177	Entrance Conduit	Per Fiber Cable Sheath	**S8FW5**	$8.76	
178	**CEV, HUT & Cabinets:**				
179	Fiber Cable Placement	Per Fiber Cable Sheath	**S8GDH**		$53.58
180	Entrance Conduit	Per Fiber Cable Sheath	**S8GDJ**	$2.61	
181	**MISCELLANEOUS & OPTIONAL COST:**				
182	**MISCELLANEOUS COSTS**				
183	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8F45**	$0.08	$14.81
184	Bits Timing	Based on two (2) leads per circuit	**S8FQT**	$3.58	$698.82
185	Space Availability Report	Per Premise	**NRFCQ**		$168.04
186	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
187	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
188	**CAGELESS / POT BAY OPTIONS**				
189	Standard Equipment Bay	Each (CLEC Provided)	**NONE**		
190	Non-Standard Cabinet Bay	Each (CLEC Provided)	**NONE**		
191	VF/DS0 Termination Panel	Each (CLEC Provided)	**NONE**		
192	VF/DS0 Termination Module	Each (CLEC Provided)	**NONE**		
193	DDP-1 Panel	Each (CLEC Provided)	**NONE**		
194	DDP-1 Jack Access Card	Each (CLEC Provided)	**NONE**		
195	DS3/STS-1 Interconnect Panel	Each (CLEC Provided)	**NONE**		
196	DS3 Interconnect Module	Each (CLEC Provided)	**NONE**		
197	Fiber Optic Splitter Panel	Each (CLEC Provided)	**NONE**		
198	Fiber Termination Dual Module	Each (CLEC Provided)	**NONE**		
199	**CEV, HUT, CABINET**				
200	24 Foot CEV	2 Inch Mounting Space	**S8GE3**	$1.64	
201	16 Foot CEV	2 Inch Mounting Space	**S8GE4**	$1.77	
202	Maxi-Hut	2 Inch Mounting Space	**S8GE1**	$0.77	
203	Mini-Hut	2 Inch Mounting Space	**S8GE2**	$1.33	
204	Large Cabinet	2 Inch Mounting Space	**S8GEX**	$1.63	
205	Medium Cabinet	2 Inch Mounting Space	**S8GEY**	$2.19	
206	Small Cabinet	2 Inch Mounting Space	**S8GEZ**	$3.29	
207	**INTERCONNECTION COSTS:**				
208	**ILEC TO CLEC CONNECTION**				
209	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F3E**	$3.86	$156.02
210	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8FWV**	$3.86	$156.02
211	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8F2J**	$295.42	$3,105.79
212	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F2P**	$6.07	$486.89

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
213	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F21**	$115.30	$1,809.40
214	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8F25**	$5.69	$116.67
215	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8F49**	$3.76	$495.49
216	**CLEC TO CLEC CONNECTION**				
217	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
218	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
219	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	
220	Route Design		**NRFCX**		$424.88
221	Connection for DS1	Per 28 Circuits (CLEC provides cable)	**S8GFL**	$0.18	$0.00
222	Connection for DS3	Per Circuit (CLEC provides cable)	**S8GFM**	$0.12	$0.00
223	Connection for Optical	Per Cable (CLEC provides cable)	**S8GFN**	$0.31	$0.00
224	**PROJECT MANAGEMENT**				
225	**CEV, HUT & CABINET**				
226	Project Coordination	Per CLEC Application	**NRFCK**		$631.17
227	**TIME SENSITIVE ACTIVITIES**				
228	**PRE-VISITS**				
229	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
230	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
231	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
232	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
233	**CONSTRUCTION VISITS**				
234	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
235	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23
236					
237	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGELESS**				
238	**REAL ESTATE**				
239	Site Conditioning	Per Frame (Standard Bay=10 sq ft)	**S8GCL**		$92.81
240	Safety & Security	Per Frame (Standard Bay=10 sq ft)	**S8GCN**		$195.57
241	Floor Space Usage	Per Frame (Standard Bay=10 sq ft)	**S8GCK**	$64.21	
242	**COMMON SYSTEMS**				
243	Common Systems - Cageless	Per Frame (Standard Bay=10 sq ft)	**S8GCM**	$9.35	$760.45
244	**PLANNING**				
245	Planning - Central Office	Per Frame (Standard Bay=10 sq ft)	**S8GCB**	$1.13	$75.54
246	Planning	Per Request	**NRFCJ**		$4,601.93
247	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
248	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
249	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
250	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
251	**POWER PROVISIONING**				
252	**Power Panel:**				
253	50 Amp	Per Power Panel	**S8GC8**	$15.77	$3,079.47
254	200 Amp	Per Power Panel	**S8GC9**	$18.75	$3,659.46
255	**Power Cable and Infrastructure:**				
256	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3D**	$5.83	$2,100.33

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
257	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8GCX**	$7.74	$2,262.52
258	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3E**	$8.35	$2,424.71
259	2-40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3F**	$8.96	$2,586.91
260	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8GCY**	$9.57	$2,749.10
261	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	**S8GCZ**	$11.39	$3,236.32
262	**Equipment Grounding:**				
263	Ground Cable Placement	Per Frame	**S8GDB**	$0.33	$15.32
264	**DC POWER AMPERAGE CHARGE**				
265	HVAC	Per 10 Amps	**S8GCS**	$14.62	
266	Per Amp	Per Amp	**S8GCR**	$10.61	
267	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8GCT**	$1.27	
268	**FIBER CABLE PLACEMENT**				
269	**Central Office:**				
270	Fiber Cable	Per Fiber Cable Sheath	**S8GDE**	$4.85	$1,619.88
271	Entrance Conduit	Per Fiber Cable Sheath	**S8GDD**	$8.76	
272	**CEV, HUT & Cabinets:**				
273	Fiber Cable Placement	Per Fiber Cable Sheath	**S8GDH**		$53.58
274	Entrance Conduit	Per Fiber Cable Sheath	**S8GDJ**	$2.61	
275	**MISCELLANEOUS & OPTIONAL COST:**				
276	**MISCELLANEOUS COSTS**				
277	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8GEK**	$0.08	$14.81
278	Bits Timing	Based on two (2) leads per circuit	**S8GEJ**	$3.58	$698.82
279	Space Availability Report	Per Premise	**NRFCQ**		$168.04
280	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
281	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
282	**CAGELESS / POT BAY OPTIONS**				
283	Standard Equipment Bay	Each	**NRFCO**	$8.89	$721.28
284	Non-Standard Cabinet Bay	Each	**NRFCP**	$17.78	$3,470.81
285	VF/DS0 Termination Panel/Module	Each	**S8GE5**	$3.10	$605.64
286	DDP-1 Panel/Jack Access Card	Each	**S8GE6**	$8.08	$1,576.65
287	DS3/STS-1 Interconnect Panel	Each	**S8GE7**	$2.38	$465.47
288	DS3 Interconnect Module	Each	**S8GE8**	$0.45	$87.35
289	Fiber Optic Splitter Panel	Each	**S8GE9**	$1.52	$297.00
290	Fiber Termination Dual Module	Each	**S8GFA**	$1.37	$267.88
291	**CEV, HUT, CABINET**				
292	24 Foot CEV	2 Inch Mounting Space	**S8GE3**	$1.64	
293	16 Foot CEV	2 Inch Mounting Space	**S8GE4**	$1.77	
294	Maxi-Hut	2 Inch Mounting Space	**S8GE1**	$0.77	
295	Mini-Hut	2 Inch Mounting Space	**S8GE2**	$1.33	
296	Large Cabinet	2 Inch Mounting Space	**S8GEX**	$1.63	
297	Medium Cabinet	2 Inch Mounting Space	**S8GEY**	$2.19	
298	Small Cabinet	2 Inch Mounting Space	**S8GEZ**	$3.29	
299	**INTERCONNECTION COSTS:**				
300	**ILEC TO CLEC CONNECTION**				
301	Voice Grade Arrangement	100 Copper Pairs	**S8GD6**	$4.92	$1,027.16

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
302	Voice Grade Arrangement	100 Shielded Pairs	**S8GD7**	$4.92	$1,027.16
303	DS1 Arrangement - DCS	28 DS1	**S8GDL**	$297.44	$3,613.06
304	DS1 Arrangement - DSX	28 DS1	**S8GDQ**	$9.79	$1,346.48
305	DS3 Arrangement - DCS	1 DS3	**S8GDW**	$115.58	$2,181.58
306	DS3 Arrangement - DSX	1 DS3	**S8GD1**	$7.14	$603.89
307	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8GEE**	$6.55	$1,779.78
308	**CLEC TO CLEC CONNECTION**				
309	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
310	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
311	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	
312	Route Design		**NRFCX**		$424.88
313	Connection for DS1	Per 28 Circuits	**S8GFC**	$1.41	$982.35
314	Connection for DS3	Per Circuit	**S8GFD**	$1.30	$433.86
315	Connection for Optical (Fiber)	Per Cable	**S8GFB**	$1.38	$1,404.07
316	**PROJECT MANAGEMENT**				
317	**CEV, HUT & CABINET**				
318	Project Coordination	Per CLEC Application	**NRFCK**		$631.17
319	**TIME SENSITIVE ACTIVITIES**				
320	**PRE-VISITS**				
321	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
322	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
323	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
324	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
325	**CONSTRUCTION VISITS**				
326	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
327	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23
328					
329	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGED COMMON**				
330	**REAL ESTATE**				
331	Site Conditioning	Per Frame (Standard Bay=10 sq ft)	**S8FWC**		$92.81
332	Safety & Security	Per Frame (Standard Bay=10 sq ft)	**S8FWG**		$195.57
333	Floor Space Usage	Per Linear Foot	**S8GCO**	$24.87	
334	**COMMON SYSTEMS**				
335	Common Systems - Common	Per Linear Foot	**S8GCP**	$3.62	$294.37
336	**PLANNING**				
337	Planning - Central Office	Per Linear Foot	**S8GCC**	$0.44	$29.24
338	Planning	Per Request	**NRFCJ**		$4,601.93
339	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
340	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
341	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
342	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
343	**POWER PROVISIONING**				
344	**Power Panel:**				
345	50 Amp	Per Power Panel (CLEC provides)	**NONE**		

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
346	200 Amp	Per Power Panel (CLEC provides)	**NONE**		
347	**Power Cable and Infrastructure:**				
348	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
349	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	**C1F31**	$0.25	$48.23
350	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	**S8GF1**	$0.25	$48.23
351	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	**C1F32**	$0.25	$48.23
352	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	**C1F33**	$0.25	$48.23
353	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	**S8GF2**	$0.25	$48.23
354	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC Provided)	**S8GF3**	$0.25	$48.23
355	**Equipment Grounding:**				
356	Ground Cable Placement	Per Linear Foot	**S8GDC**	$0.13	$5.93
357	**DC POWER AMPERAGE CHARGE**				
358	HVAC	Per 10 Amps	**S8GCS**	$14.62	
359	Per Amp	Per Amp	**S8GCR**	$10.61	
360	**FIBER CABLE PLACEMENT**				
361	**Central Office:**				
362	Fiber Cable	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	**S8FQ9**	$4.85	$809.13
363	Entrance Conduit	Per Fiber Cable Sheath	**S8FW5**	$8.76	
364	**MISCELLANEOUS & OPTIONAL COST:**				
365	**MISCELLANEOUS COSTS**				
366	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8F45**	$0.08	$14.81
367	Bits Timing	Based on two (2) leads per circuit	**S8FQT**	$3.58	$698.82
368	Space Availability Report	Per Premise	**NRFCQ**		$168.04
369	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
370	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
371	**CAGE COMMON COSTS**				
372	Cage Preparation	Per Linear Foot	**S8GCJ**	$1.00	$157.00
373	**INTERCONNECTION COSTS:**				
374	**ILEC TO CLEC CONNECTION**				
375	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F3E**	$3.86	$156.02
376	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8FWV**	$3.86	$156.02
377	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8F2J**	$295.42	$3,105.79
378	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F2P**	$6.07	$486.89
379	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F21**	$115.30	$1,809.40
380	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8F25**	$5.69	$116.67
381	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8F49**	$3.76	$495.49
382					
383	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGED COMMON**				
384	**REAL ESTATE**				
385	Site Conditioning	Per Bay	**S8GCL**		$92.81
386	Safety & Security	Per Frame	**S8GCN**		$195.57
387	Floor Space Usage	Per Linear Foot	**S8GCO**	$24.87	
388	**COMMON SYSTEMS**				

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
389	Common Systems - Common	Per Linear Foot	**S8GCP**	$3.62	$294.37
390	**PLANNING**				
391	Planning - Central Office	Per Linear Foot	**S8GCC**	$0.44	$29.24
392	Planning	Per Request	**NRFCJ**		$4,601.93
393	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
394	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
395	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
396	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
397	**POWER PROVISIONING**				
398	**Power Panel:**				
399	50 Amp	Per Power Panel	**S8GC8**	$15.77	$3,079.47
400	200 Amp	Per Power Panel	**S8GC9**	$18.75	$3,659.46
401	**Power Cable and Infrastructure:**				
402	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3A**	$5.83	$1,378.83
403	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8GC1**	$7.74	$1,570.84
404	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3B**	$8.35	$1,700.70
405	2.40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3C**	$8.96	$1,830.56
406	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8GC2**	$9.57	$1,954.85
407	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	**S8GC3**	$11.39	$2,344.44
408	**Equipment Grounding:**				
409	Ground Cable Placement	Per Linear Foot	**S8GDC**	$0.13	$5.93
410	**DC POWER AMPERAGE CHARGE**				
411	HVAC	Per 10 Amps	**S8GCS**	$14.62	
412	Per Amp	Per Amp	**S8GCR**	$10.61	
413	**FIBER CABLE PLACEMENT**				
414	**Central Office:**				
415	Fiber Cable	Per Fiber Cable Sheath	**S8GDE**	$4.85	$1,619.88
416	Entrance Conduit	Per Fiber Cable Sheath	**S8GDD**	$8.76	
417	**MISCELLANEOUS & OPTIONAL COST:**				
418	**MISCELLANEOUS COSTS**				
419	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8GEK**	$0.08	$14.81
420	Bits Timing	Based on two (2) leads per circuit	**S8GEJ**	$3.58	$698.82
421	Space Availability Report	Per Premise	**NRFCQ**		$168.04
422	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
423	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
424	**CAGE COMMON COSTS**				
425	Cage Preparation	Per Linear Foot	**S8GCJ**	$1.00	$157.00
426	**INTERCONNECTION COSTS:**				
427	**ILEC TO CLEC CONNECTION**				
428	Voice Grade Arrangement	100 Copper Pairs	**S8GD8**	$4.92	$1,027.16
429	Voice Grade Arrangement	100 Shielded Pairs	**S8GD9**	$4.92	$1,027.16
430	DS1 Arrangement - DCS	28 DS1	**S8GDM**	$297.44	$3,613.06
431	DS1 Arrangement - DSX	28 DS1	**S8GDR**	$9.79	$1,346.48
432	DS3 Arrangement - DCS	1 DS3	**S8GDX**	$115.58	$2,181.58
433	DS3 Arrangement - DSX	1 DS3	**S8GD2**	$7.14	$603.89

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
434	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8GEF**	$6.55	$1,779.78
435					
436	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: VIRTUAL**				
437	**REAL ESTATE**				
438	Site Conditioning	Per Frame	**S8FX5**		$92.81
439	Safety & Security	Per Frame	**S8FX6**		$195.57
440	Floor Space Usage	Per Frame	**S8F62**	$28.91	
441	**COMMON SYSTEMS**				
442	Common Systems - Standard	Per Frame	**S8F64**	$10.75	
443	Common Systems - Non-Standard	Per Cabinet	**S8F65**	$19.36	
444	**PLANNING**				
445	Planning	Per Request	**NRM99**		$5,555.76
446	Planning - Subsequent Inter. Cabling	Per Request	**NRMA3**		$2,224.49
447	Planning - Subsequent Power Cabling	Per Request	**NRMAA**		$2,303.84
448	Planning - Subs. Inter./Power Cabling	Per Request	**NRMAX**		$2,882.61
449	**POWER PROVISIONING**				
450	**Power Cable and Infrastructure:**				
451	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
452	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	**C1F37**	$0.52	
453	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	**S8GFO**	$0.52	
454	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	**C1F38**	$0.52	
455	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	**C1F39**	$0.52	
456	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	**S8GFP**	$0.52	
457	**Equipment Grounding:**				
458	Ground Cable Placement	Per Frame	**S8F69**	$0.36	
459	**DC POWER AMPERAGE CHARGE**				
460	HVAC	Per 10 Amps	**S8FXO**	$14.62	
461	Per Amp	Per Amp	**S8FXN**	$10.61	
462	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8FXP**	$1.27	
463	**FIBER CABLE PLACEMENT**				
464	**Central Office:**				
465	Fiber Cable	Per Fiber Cable Sheath	**S8F8F**	$11.01	$1,971.42
466	Entrance Conduit	Per Fiber Cable Sheath	**S8F8G**	$8.17	
467	**CEV, HUT & Cabinets:**				
468	Fiber Cable Placement	Per Fiber Cable Sheath	**S8FXQ**		$53.58
469	Entrance Conduit	Per Fiber Cable Sheath	**S8FXR**	$2.61	
470	**MISCELLANEOUS & OPTIONAL COST:**				
471	**MISCELLANEOUS COSTS**				
472	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8FXT**	$0.08	$14.81
473	Bits Timing	Based on two (2) leads per circuit	**S8FXS**	$3.58	$698.82
474	**VIRTUAL FRAME OPTIONS**				
475	Standard Equipment Bay	Each (CLEC Provided)	**NONE**		
476	**CEV, HUT, CABINET**				

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
477	24 Foot CEV	2 Inch Mounting Space	**S8FXZ**	$1.64	
478	16 Foot CEV	2 Inch Mounting Space	**S8FY6**	$1.77	
479	Maxi-Hut	2 Inch Mounting Space	**S8FXX**	$0.77	
480	Mini-Hut	2 Inch Mounting Space	**S8FXY**	$1.33	
481	Large Cabinet	2 Inch Mounting Space	**S8FXU**	$1.63	
482	Medium Cabinet	2 Inch Mounting Space	**S8FXV**	$2.19	
483	Small Cabinet	2 Inch Mounting Space	**S8FXW**	$3.29	

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
484	**INTERCONNECTION COSTS:**				
485	**ILEC TO CLEC CONNECTION**				
486	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F82**	$3.86	$225.02
487	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8F83**	$3.86	$225.02
488	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8F8X**	$295.42	$3,496.22
489	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F8Y**	$6.07	$651.13
490	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F8Z**	$115.30	$2,186.12
491	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8F81**	$5.69	$204.42
492	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8F84**	$10.47	$152.71
493	**VIRTUAL TO VIRTUAL CONNECTION**				
494	Cable Racking and Hole for Optical	Per Cable	**S8FY7**	$0.90	
495	Cable Racking and Hole for DS1	Per Cable	**S8FY8**	$0.49	
496	Cable Racking and Hole for DS3	Per Cable	**S8FY9**	$0.35	
497	Route Design		**NRLWF**		$463.36
498	Connection for DS1	Per 28 Circuits (CLEC provides cable)	**S8GFQ**	$0.41	$0.00
499	Connection for DS3	Per Circuit (CLEC provides cable)	**S8GFR**	$0.27	$0.00
500	Connection for Optical	Per Cable (CLEC provides cable)	**S8GFS**	$0.81	$0.00
501	**PROJECT MANAGEMENT**				
502	**CEV, HUT & CABINET**				
503	Project Coordination	Per CLEC Application Augment	**NRFCK**		$631.17
504	**EQUIPMENT MAINTENANCE AND SECURITY ESCORT**				
505	**CENTRAL OFFICE TYPE**				
506	Staffed CO During Normal Business Hours	Per 1/4 Hour	**NRMHK**		$15.15
507	Staffed CO During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMHN**		$242.35
508	Staffed CO During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRMJ7**		$15.15
509	Not Staffed CO/RT During Normal Business Hours	Per 1/4 Hour	**NRMJ8**		$15.15
510	Not Staffed CO/RT During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMJ9**		$242.35
511	Not Staffed CO/RT During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRML7**		$15.15
512	**CEV, HUT & CABINET**				
513	Per Visit	4 Hour Minimum - Initial	**NRMJ9**		$242.35
514	Per Visit	Per 1/4 Hour - Additional	**NRML7**		$15.15
515	**ADDITIONAL LABOR ELEMENTS**				
516	**TRAINING**				
517	Communications Tech	Per 1/2 Hour	**NRMCD**		$39.21
518	CO Manager	Per 1/2 Hour	**NRME9**		$39.45
519	Power Engineer	Per 1/2 Hour	**NRMF9**		$38.47
520	Equipment Engineer	Per 1/2 Hour	**NRMHJ**		$38.47
521	**EQUIPMENT EVALUATION COST**				
522	Equipment Engineer	Per 1/2 Hour	**NRMO9**		$38.47
523	**TEST AND ACCEPTANCE**				
524	Communications Tech	Per 1/2 Hour	**NRMP2**		$39.21
525					
526	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: VIRTUAL**				

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
527	**REAL ESTATE**				
528	Site Conditioning	Per Frame	**S8FX5**		$92.81
529	Safety & Security	Per Frame	**S8FX6**		$195.57
530	Floor Space Usage	Per Frame	**S8FX1**	$28.91	
531	**COMMON SYSTEMS**				
532	Common Systems - Standard	Per Frame	**S8FX3**	$10.75	
533	Common Systems - Non-Standard	Per Frame	**S8FX4**	$19.36	
534	**PLANNING**				
535	Planning	Per Request	**NRM99**		$5,555.76
536	Planning - Subsequent Inter. Cabling	Per Request	**NRMA3**		$2,224.49
537	Planning - Subsequent Power Cabling	Per Request	**NRMAA**		$2,303.84
538	Planning - Subs. Inter./Power Cabling	Per Request	**NRMAX**		$2,882.61
539	**POWER PROVISIONING**				
540	**Power Cable and Infrastructure:**				
541	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3G**	$5.83	$1,378.83
542	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8FX7**	$7.74	$1,570.84
543	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3H**	$8.35	$1,700.70
544	2.40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3J**	$8.96	$1,830.56
545	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8FX8**	$9.57	$1,954.85
546	**Equipment Grounding:**				
547	Ground Cable Placement	Per Frame	**S8FX9**	$0.36	
548	**DC POWER AMPERAGE CHARGE**				
549	HVAC	Per 10 Amps	**S8FXO**	$14.62	
550	Per Amp	Per Amp	**S8FXN**	$10.61	
551	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8FXP**	$1.27	
552	**FIBER CABLE PLACEMENT**				
553	**Central Office:**				
554	Fiber Cable	Per Fiber Cable Sheath	**S8F8F**	$11.01	$1,971.42
555	Entrance Conduit	Per Fiber Cable Sheath	**S8F8G**	$8.17	
556	**CEV, HUT & Cabinets:**				
557	Fiber Cable Placement	Per Fiber Cable Sheath	**S8FXQ**		$53.58
558	Entrance Conduit	Per Fiber Cable Sheath	**S8FXR**	$2.61	
559	**MISCELLANEOUS & OPTIONAL COST:**				
560	**MISCELLANEOUS COSTS**				
561	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8FXT**	$0.08	$14.81
562	Bits Timing	Based on two (2) leads per circuit	**S8FXS**	$3.58	$698.82
563	**VIRTUAL FRAME OPTIONS**				
564	Standard Equipment Bay	Each	**S8FX2**	$22.19	
565	**CEV, HUT, CABINET**				
566	24 Foot CEV	2 Inch Mounting Space	**S8FXZ**	$1.64	
567	16 Foot CEV	2 Inch Mounting Space	**S8FY6**	$1.77	
568	Maxi-Hut	2 Inch Mounting Space	**S8FXX**	$0.77	
569	Mini-Hut	2 Inch Mounting Space	**S8FXY**	$1.33	
570	Large Cabinet	2 Inch Mounting Space	**S8FXU**	$1.63	
571	Medium Cabinet	2 Inch Mounting Space	**S8FXV**	$2.19	

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
572	Small Cabinet	2 Inch Mounting Space	**S8FXW**	$3.29	
573	**INTERCONNECTION COSTS:**				
574	**ILEC TO CLEC CONNECTION**				
575	Voice Grade Arrangement	100 Copper Pairs	**S8FXC**	$4.94	$1,481.37
576	Voice Grade Arrangement	100 Shielded Pairs	**S8FXD**	$4.94	$1,481.37
577	DS1 Arrangement - DCS	28 DS1	**S8FXE**	$297.44	$4,067.27
578	DS1 Arrangement - DSX	28 DS1	**S8FXF**	$9.79	$1,800.69
579	DS3 Arrangement - DCS	1 DS3	**S8FXG**	$115.59	$2,635.79
580	DS3 Arrangement - DSX	1 DS3	**S8FXH**	$7.14	$1,058.10
581	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8FXJ**	$6.55	$1,996.19
582	**VIRTUAL TO VIRTUAL CONNECTION**				
583	Cable Racking and Hole for Optical	Per Cable	**S8FY7**	$0.90	
584	Cable Racking and Hole for DS1	Per Cable	**S8FY8**	$0.49	
585	Cable Racking and Hole for DS3	Per Cable	**S8FY9**	$0.35	
586	Route Design		**NRML9**		$463.36
587	Connection for DS1	Per 28 Circuits	**S8FXL**	$3.34	$930.53
588	Connection for DS3	Per Circuit	**S8FXM**	$3.26	$706.77
589	Connection for Optical	Per Cable	**S8FXK**	$3.32	$1,095.09
590	**PROJECT MANAGEMENT**				
591	**CEV, HUT & CABINET**				
592	Project Coordination	Per CLEC Application Augment	**NRFCK**		$631.17
593	**EQUIPMENT MAINTENANCE AND SECURITY ESCORT**				
594	**CENTRAL OFFICE TYPE**				
595	Staffed CO During Normal Business Hours	Per 1/4 Hour	**NRMHK**		$15.15
596	Staffed CO During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMHN**		$242.35
597	Staffed CO During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRMJ7**		$15.15
598	Not Staffed CO/RT During Normal Business Hours	Per 1/4 Hour	**NRMJ8**		$15.15
599	Not Staffed CO/RT During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMJ9**		$242.35
600	Not Staffed CO/RT During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRML7**		$15.15
601	**CEV, HUT & CABINET**				
602	Per Visit	4 Hour Minimum - Initial	**NRMJ9**		$242.35
603	Per Visit	Per 1/4 Hour - Additional	**NRML7**		$15.15
604	**ADDITIONAL LABOR ELEMENTS**				
605	**TRAINING**				
606	Communications Tech	Per 1/2 Hour	**NRMCD**		$39.21
607	CO Manager	Per 1/2 Hour	**NRME9**		$39.45
608	Power Engineer	Per 1/2 Hour	**NRMF9**		$38.47
609	Equipment Engineer	Per 1/2 Hour	**NRMHJ**		$38.47
610	**EQUIPMENT EVALUATION COST**				
611	Equipment Engineer	Per 1/2 Hour	**NRMO9**		$38.47
612	**TEST AND ACCEPTANCE**				
613	Communications Tech	Per 1/2 Hour	**NRMP2**		$39.21
614					
615	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: ADJACENT ON-SITE**				

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
616	**PLANNING**				
617	Planning - Initial	Per Request	**NRFA1**		$9,268.73
618	Planning - Subsequent	Per Request	**NRFA2**		$1,606.77
619	**REAL ESTATE**				
620	Land Rental	Per Square Foot	**S8GEN**	$0.44	
621	**POWER PROVISIONING**				
622	**Power Cable and Infrastructure:**				
623	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC provides cable)	**NONE**		
624	2-200 Amp Feeds	Per 2-200 Amp Power Feeds (CLEC provides cable)	**NONE**		
625	2-300 Amp Feeds	Per 2-300 Amp Power Feeds (CLEC provides cable)	**NONE**		
626	2-400 Amp Feeds	Per 2-400 Amp Power Feeds (CLEC provides cable)	**NONE**		
627	**AC Service:**				
628	Extension of 100 Amp AC Service (Opt.)	Per Request	**NRFCW**		$6,447.00
629	AC Usage	Per KWH	**S8GEO**	$0.05	
630	**DC POWER AMPERAGE CHARGE**				
631	Per Amp	Per Amp	**S8GCR**	$10.61	
632	**FIBER CABLE PLACEMENT**				
633	Fiber Installation	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	**S8GF4**	$2.13	$488.48
634	Entrance Fiber Racking	Per Rack/Conduit Duct	**S8GDG**	$1.55	
635	**CABLE RACK**				
636	DC Power Cable Rack	Per Rack	**S8GEP**	$13.64	$2,667.22
637	Fiber Cable Rack	Per Rack	**S8GEQ**	$20.63	
638	Interconnection Arrangement (Copper) Racking	Per Rack	**S8GER**	$30.63	
639	**CONDUIT PLACEMENT**				
640	DC Power Cable Rack	Per Rack	**S8GES**		$7,386.71
641	Fiber Cable Rack	Per Rack	**S8GET**		$4,711.89
642	Interconnection Arrangement (Copper) Racking	Per Rack	**S8GEU**		$5,545.50
643	**INTERCONNECTION COSTS:**				
644	**ILEC TO CLEC CONNECTION**				
645	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F3G**	$3.86	$156.02
646	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8FWW**	$3.86	$156.02
647	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8F2L**	$295.42	$3,105.79
648	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F2R**	$6.07	$486.89
649	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F23**	$115.30	$1,809.40
650	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8F27**	$5.69	$116.67
651	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8F3N**	$3.76	$495.49
652					
653	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: ADJACENT ON-SITE**				
654	**PLANNING**				
655	Planning - Initial	Per Request	**NRFA1**		$9,268.73
656	Planning - Subsequent	Per Request	**NRFA2**		$1,606.77
657	**REAL ESTATE**				
658	Land Rental	Per Square Foot	**S8GEN**	$0.44	

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
659	**POWER PROVISIONING**				
660	**Power Cable and Infrastructure:**				
661	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	**S8GC4**	$13.84	$7,853.86
662	2-200 Amp Feeds	Per 2-200 Amp Power Feeds	**S8GC5**	$13.84	$14,584.00
663	2-300 Amp Feeds	Per 2-300 Amp Power Feeds	**S8GC6**	$13.84	$20,338.00
664	2-400 Amp Feeds	Per 2-400 Amp Power Feeds	**S8GC7**	$13.84	$28,143.00
665	**AC Service:**				
666	Extension of 100 Amp AC Service (Opt.)	Per Request	**NRFCW**		$6,447.00
667	AC Usage	Per KWH	**S8GEO**	$0.05	
668	**DC POWER AMPERAGE CHARGE**				
669	Per Amp	Per Amp	**S8GCR**	$10.61	
670	**FIBER CABLE PLACEMENT**				
671	Fiber Installation	Per Fiber Cable Sheath	**S8GDF**	$2.13	$976.96
672	Entrance Fiber Racking	Per Rack/Conduit Duct	**S8GDG**	$1.55	
673	**CABLE RACK**				
674	DC Power Cable Rack	Per Rack	**S8GEP**	$13.64	$2,667.22
675	Fiber Cable Rack	Per Rack	**S8GEQ**	$20.63	
676	Interconnection Arrangement (Copper) Racking	Per Rack	**S8GER**	$30.63	
677	**CONDUIT PLACEMENT**				
678	DC Power Cable Rack	Per 2-Duct	**S8GES**		$7,386.71
679	Fiber Cable Rack	Per 1-Duct	**S8GET**		$4,711.89
680	Interconnection Arrangement (Copper) Racking	Per 2-Duct	**S8GEU**		$5,545.50
681	**INTERCONNECTION COSTS:**				
682	**ILEC TO CLEC CONNECTION**				
683	Voice Grade Arrangement	100 Copper Pairs	**S8GEA**	$6.19	$1,371.93
684	Voice Grade Arrangement	100 Shielded Pairs	**S8GEB**	$6.19	$1,371.93
685	DS1 Arrangement - DCS	28 DS1	**S8GDN**	$439.98	$2,341.45
686	DS1 Arrangement - DSX	28 DS1	**S8GDS**	$35.04	$2,341.45
687	DS3 Arrangement - DCS	1 DS3	**S8GDY**	$242.36	$598.33
688	DS3 Arrangement - DSX	1 DS3	**S8GD3**	$12.36	$598.33
689	Fiber Arrangement	12 Fiber Pairs(24 Fiber Strands)	**S8GEG**	$8.25	$3,751.22
690					
691	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: ADJACENT OFF-SITE**				
692	**PLANNING**				
693	Planning	Per Request	**NRFA3**		$1,254.32
694	**CONDUIT**				
695	Conduit Space	Per Innerduct	**S8GEW**	$1.17	
696	**INTERCONNECTION COSTS:**				
697	**ILEC TO CLEC CONNECTION**				
698	Voice Grade/DS0 Arrangement	900 DS0 (Hole, Racking, MDF) (CLEC Vendor Pulls and Installs Cable)	**S8GF5**	$311.43	
699	DS1 Arrangement - DCS	28 DS1 (Hole, Racking, DCS) (CLEC Vendor Pulls and Installs Cable)	**S8GF6**	$439.96	

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
700	DS1 Arrangement - DSX	28 DS1 (Hole, Racking, DSX) (CLEC Vendor Pulls and Installs Cable)	**S8GF7**	$35.03	
701	DS1 Arrangement - MDF	450 DS1 (Hole, Racking, MDF) (CLEC Vendor Pulls and Installs Cable)	**S8GF8**	$311.43	
702	Fiber Arrangement	12 Fiber Pairs (Hole, Racking, FDF) (CLEC Vendor Pulls and Installs Cable)	**S8GF9**	$9.02	
703					
704	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: ADJACENT OFF-SITE**				
705	**PLANNING**				
706	Planning	Per Request	**NRFA3**		$1,254.32
707	**CONDUIT**				
708	Conduit Space	Per Innerduct	**S8GEW**	$1.17	
709	**INTERCONNECTION COSTS:**				
710	**ILEC TO CLEC CONNECTION**				
711	Voice Grade/DS0 Arrangement	900 DS0	**S8GEC**	$311.43	$485.31
712	DS1 Arrangement - DCS	28 DS1	**S8GDO**	$439.96	$1,830.99
713	DS1 Arrangement - DSX	28 DS1	**S8GDT**	$35.03	$1,830.99
714	DS1 Arrangement - MDF	450 DS1	**S8GDU**	$311.43	$485.31
715	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8GEH**	$9.02	$3,370.20
716					
717	**RATES AND CHARGES FOR**				
718	**COMPLETE SPACE DISCONTINUANCE**				
719	Application Fee	Per Request	**NRFX1**		$503.95
720	Project Management Fee – Complete Space Discontinuance	Per Request	**NRFX2**		$2,883.10
721	Remove Fiber Jumpers	Per linear foot	**NRFX3**		$18.79
722	Remove Fiber Cables	Per linear foot	**NRFX4**		$14.43
723	Remove VF/DS0 Cable	Per linear foot	**NRFX5**		$2.60
724	Remove DS1 Cable	Per linear foot	**NRFX6**		$4.89
725	Remove DS3 Cable (Coax)	Per linear foot	**NRFX7**		$3.57
726	Remove Timing Cable	Per Request	**NRFX8**		$9.64
727	Remove Power Cable-50AMP feed & below	Per linear foot	**NRFX9**		$24.76
728	Remove Power Cable-100AMP feed & above	Per linear foot	**NRFXA**		$22.73
729	Remove Cage Grounding Material	Each grounding lead & ground bar	**NRFXB**		$1,462.85
730	Remove Fiber Entrance Cable	Per cable removal job	**NRFXC**		$1,664.00
731	Infrastructure Maps & Records	Per cable removal job	**NRFXD**		$104.00
732	Engineering Work Order	Per cable removal job	**NRFXE**		$104.00
733	Work Group Information Distribution	Per cable removal job	**NRFXF**		$104.00
734	Restore Floor Tile – per Standard Bay	Per Standard Bay	**NRFXG**		$71.79
735	Floor Restoration Contractor Trip Charge	Per trip	**NRFXH**		$144.63
736	Restore Floor Tile	Per Non-Standard Bay	**NRFXJ**		$81.53
737					
738	**RATES AND CHARGES FOR**				
739	**SPACE REASSIGNMENT/RESTENCILING**				

Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
740	Application Fee	Per Request	**NRFXK**		$503.95
741	Project Management Fee – Space Reassignment	Per Request	**NRFXL**		$2,883.10
742	Restencil DS0/DSL Block	Per 100 pair block	**NRFXM**		$15.33
743	Restencil DS1 Block	Per 28 DS1s	**NRFXN**		$6.02
744	Restencil DS3 Coax Cable	Per cable	**NRFXO**		$4.90
745	Restencil Fiber Cable Block	Per 12 pair cable	**NRFXP**		$91.95
746	Restencil Fiber Jumper Block	Per 4 jumpers	**NRFXQ**		$61.30
747	Restencil Power and tag cables	Per 1-4 feeds	**NRFXR**		$107.28
748	Restencil Timing Source and tag cable	Per cable	**NRFXS**		$122.60
749	Timing Record Book Update	Per element	**NRFXT**		$45.98
750	Interconnection Records Update	Per element	**NRFXU**		$296.61
751	Power Records Update	Per element	**NRFXV**		$355.94
752	Vendor Engineering	Per Space Reassignment job	**NRFXW**		$711.88
753					
754	**RATES AND CHARGES FOR**				
755	**POWER REDUCTION (CABLE REMOVAL)**				
756	Application Fee	Per Request	**NRFXX**		$503.95
757	Project Management Fee – Power Reduction(cable removal)	Per Request	**NRFXY**		$2,220.45
758	Remove Power Cable-50AMP feed & below	Per linear foot	**NRFXZ**		$24.76
759	Remove Power Cable-100AMP feed & above	Per linear foot	**NRFY1**		$22.73
760					
761	**RATES AND CHARGES FOR**				
762	**POWER REDUCTION (REFUSING ONLY)**				
763	Application Fee	Per Request	**NRFY2**		$503.95
764	Project Management Fee – Power Refusing Only	50AMP A&B feeds & below	**NRFY3**		$1,562.80
765	Project Management Fee – Power Refusing Only	100AMP A&B feeds & above	**NRFY4**		$2,004.57
766	Power Fuse Reductions on Company BDFB	50AMP A&B feeds & below	**NRFY5**		$367.81
767	Restencil Power and tag cables	Per 1-4 feeds	**NRFY6**		$107.28
768	Power Records Update	Per element	**NRFY7**		$355.94
769	Vendor Engineering	Per Space Reassignment job	**NRFY8**		$711.88
770	Power Fuse Reductions on Power Board	100AMP A&B feeds & above	**NRFY9**		$490.41
771	Restencil Power and tag cables	Per 1-4 feeds	**NRFYA**		$107.28
772	Power Records Update	Per element	**NRFYB**		$355.94
773	Vendor Engineering	Per Space Reassignment job	**NRFYC**		$711.88
774					
775	**RATES AND CHARGES FOR**				
776	**INTERCONNECTION TERMINATION REDUCTION**				
777	Application Fee	Per Request	**NRFYD**		$503.95
778	Project Management Fee – Interconnection Cable Reduction	Per Request	**NRFYE**		$2,441.33
779	Remove VF/DS0 Cable	Per linear foot	**NRFYF**		$2.60
780	Remove DS1 Cable	Per linear foot	**NRFYG**		$4.89
781	Remove DS3 Cable (Coax)	Per linear foot	**NRFYH**		$3.57
782	Remove Fiber Cables	Per linear foot	**NRFYJ**		$14.43
783	Remove Fiber Jumpers	Per linear foot	**NRFYK**		$18.79

Line	MICHIGAN - Generic Pricing Schedule /1/	USOC	Monthly Recurring Rate		Non-Recurring Rate (Initial)	Non-Recurring Rate (Additional)
1	***NETWORK ELEMENTS***					
2	**Loops**					
3	**Loops**					
4	2-Wire Analog - Rural (Zone C)	U2HC1	$ 14.20		See NRC prices below	
5	2-Wire Analog - Suburban (Zone B)	U2HB1	$ 10.77		See NRC prices below	
6	2-Wire Analog - Metro (Zone A)	U2HAA	$ 9.13		See NRC prices below	
7	Conditioning for dB Loss					
8	2-Wire Analog - Ground Start, Analog DID/Reverse Battery - Rural (Zone C)	U2WC1	$ 14.47		See NRC prices below	
6	2-Wire Analog - Ground Start, Analog DID/Reverse Battery - Suburban (Zone B)	U2WB1	$ 11.05		See NRC prices below	
7	2-Wire Analog - Ground Start, Analog DID/Reverse Battery - Metro (Zone A)	U2WAA	$ 9.26		See NRC prices below	
8	2-Wire Analog - Ground Start, PBX - Rural (Zone C)	U2JC1	$ 14.47		See NRC prices below	
9	2-Wire Analog - Ground Start, PBX - Suburban (Zone B)	U2JB1	$ 11.05		See NRC prices below	
10	2-Wire Analog - Ground Start, PBX - Metro (Zone A)	U2JAA	$ 9.26		See NRC prices below	
11	2-Wire Analog - COPTS Coin - Rural (Zone C)	U2CC1	$ 14.72		See NRC prices below	
12	2-Wire Analog - COPTS Coin - Suburban (Zone B)	U2CB1	$ 11.32		See NRC prices below	
13	2-Wire Analog - COPTS Coin - Metro (Zone A)	U2CAA	$ 9.45		See NRC prices below	
14	2-Wire Analog - EKL - Rural (Zone C)	U2KC1	$ 15.88		See NRC prices below	
15	2-Wire Analog - EKL - Suburban (Zone B)	U2KB1	$ 12.57		See NRC prices below	
16	2-Wire Analog - EKL - Metro (Zone A)	U2KAA	$ 10.35		See NRC prices below	
17	4-Wire Analog - Rural (Zone C)	U4HC1	$ 33.16		See NRC prices below	
18	4-Wire Analog - Suburban (Zone B)	U4HB1	$ 26.66		See NRC prices below	
19	4-Wire Analog - Metro (Zone A)	U4HAA	$ 21.83		See NRC prices below	
20	2-Wire Digital - Rural (Zone C)	U2QC1	$ 19.93		See NRC prices below	
21	2-Wire Digital - Suburban (Zone B)	U2QB1	$ 16.22		See NRC prices below	
22	2-Wire Digital - Metro (Zone A)	U2QAA	$ 12.66		See NRC prices below	
23	DS1 Loop - Rural (Zone C)	4U1C1	$ 51.71		See NRC prices below	
24	DS1 Loop - Suburban (Zone B)	4U1B1	$ 44.01		See NRC prices below	
25	DS1 Loop - Metro (Zone A)	4U1AA	$ 40.65		See NRC prices below	
26	DS3 Loop - Rural (Zone C)	U4D3C	$ 479.37		See NRC prices below	
27	DS3 Loop - Suburban (Zone B)	U4D3B	$ 379.38		See NRC prices below	
28	DS3 Loop - Metro (Zone A)	U4D3A	$ 321.94		See NRC prices below	
30						
31	**DSL Capable Loops**					
32	2-Wire xDSL Loop					
33	PSD #1 - 2-Wire xDSL Loop Access Area C - Rural	2SLA3	$ 17.02		TBD	N/A
34	PSD #1 - 2-Wire xDSL Loop Access Area B - Suburban	2SLA2	$ 11.42		TBD	N/A
35	PSD #1 - 2-Wire xDSL Loop Access Area A - Metro	2SLA1	$ 9.51		TBD	N/A
36						
37	PSD #2 - 2-Wire xDSL Loop Access Area C - Rural	2SLC3	$ 17.02		TBD	N/A
38	PSD #2 - 2-Wire xDSL Loop Access Area B - Suburban	2SLC2				
		2SLF3	$ 17.02		TBD	N/A
54	PSD #7 - 2-Wire xDSL Loop Access Area B - Suburban	2SLF2	$ 11.42		TBD	N/A
55	PSD #7 - 2-Wire xDSL Loop Access Area A - Metro	2SLF1	$ 9.51		TBD	N/A
56	4-Wire xDSL Loop					
57	PSD #3 - 4-Wire xDSL Loop Access Area C - Rural	4SL13	$ 32.35		See NRC prices below	
58	PSD #3 - 4-Wire xDSL Loop Access Area B - Suburban	4SL12	$ 20.96		See NRC prices below	
59	PSD #3 - 4-Wire xDSL Loop Access Area A - Metro	4SL11	$ 17.51		See NRC prices below	
60	**IDSL Capable Loop**					
61	IDSL Loop Access Area C - Rural	UY5FC	$ 19.93		See NRC prices below	
62	IDSL Loop Access Area B - Suburban	UY5FB	$ 16.22		See NRC prices below	
63	IDSL Loop Access Area A - Metro	UY5FA	$ 12.66		See NRC prices below	
64						
65	**Loop Non-Recurring Charges**					
66	Service Order- Initial /2/ /5/ /7/ /8/	SEPUP	N/A		$ 3.62	N/A
67	Service Order- Disconnect	NR9OE	N/A		$ 1.77	N/A
68	Service Order- Subsequent	REAH9	N/A		$ 3.46	N/A
69	Loop Connection /2/ /5/ /7/ /8/	SEPUC	N/A		$ 20.43	N/A
70	Loop Disconnect	NR9OG	N/A		$ 6.71	N/A
71	Loop - Record Work Only	NR9UP	N/A		$ 2.13	N/A
73	**DS0 - Service Non-Recurring**					
74	Administration Charge, per order - Install /2/ /5/ /7/ /8/	NR9OH	N/A		$ 3.62	N/A
75	Design and CO Connection Charge, per circuit - Install /2/ /5/ /7/ /8/	NR9OK	N/A		$ 20.43	N/A
76	Carrier Connection Charge per Termination - Install /2/ /5/ /7/ /8/	NR9ON	N/A		$0.00	N/A
77	Digital Loop Disconnect Service Order	NKCQM	N/A		$ 1.77	N/A
78	Digital Loop Disconnect, per Loop	NKCQN	N/A		$ 6.71	N/A
80	Cancellation or Change Service Charge-Analog Loop, per last critical date reached	NKCU1	N/A		$ 0.36	N/A
81	Design Layout Report Date /7/	NR95O	N/A		$0.00	N/A
82	Records Issue Date /7/	NR95P	N/A		$0.00	N/A
83	Designed, Verified, and Assigned Date /7/	NR95Q	N/A		$ 7.76	N/A
84	Plant Test Date /7/	NR95R	N/A		$ 52.27	N/A
85	Cancellation or Change Service Charge-DS0 Loop, per last critical date reached	NKCUA	N/A		$ 0.36	N/A
86	Design Layout Report Date /7/	NR95S	N/A		$0.00	N/A
87	Records Issue Date /7/	NR95T	N/A		$0.00	N/A
88	Designed, Verified, and Assigned Date /7/	NR95U	N/A		$0.00	N/A
89	Plant Test Date /7/	NR95V	N/A		$0.00	N/A
90	Due Date Change Charge, per Order, per Occasion					
91	Analog Loop /7/	NR955	N/A		$ 3.62	N/A

Line	MICHIGAN - Generic Pricing Schedule /1/	USOC	Monthly Recurring Rate	Non-Recurring Rate (Initial)	Non-Recurring Rate (Additional)
184	Connect Zone 1 per circuit	NKCUE		$ 74.59	
185	Connect Zone 2 per circuit	NKCUE		$ 74.59	
186	Connect Zone 3 per circuit	NKCUE		$ 74.59	
187	Disconnect Zone 1 per circuit	NKCUF		$ 22.70	
188	Disconnect Zone 2 per circuit	NKCUF		$ 22.70	
189	Disconnect Zone 3 per circuit	NKCUF		$ 22.70	
190					
191	DS3 Installation and Rearrangement - Admin. Charge, Connect, Per Order	ORCMX		$ 3.14	
192	Installation and Rearrangement - Admin. Charge, Disconnect, Per Order	NRBCL		$ 2.13	
193					
194	**Multiplexing**				
195	DS1 to Voice Grade All Zones, Per Arrangement	QMVX1-X3	$ 280.24	N/A	N/A
196	DS3 to DS1 All Zones, Per Arrangement	QM3X1-X3	$ 414.55	N/A	N/A
197					
198	**Dedicated Transport Cross Connects**				
199	DS1	CXCDX	$ 6.89	N/A	N/A
200	DS3	CXCEX	$0.00	N/A	N/A
201	**Cancellation or Change Service Charge, per Last Critical Date Reached**				
202	DS1				
203	Service Order Portion to be applied to each critical date below	NKCUL		$ 2.07	
204	Design Lay Out Report Date	NR95W		$ 21.09	
205	Records Issue Date	NR95X		$ 21.09	
206	Designed Verified and Assigned Date	NR95Y		$ 31.63	
207	Plant Test Date	NR95Z		$ 59.16	
208	DS3 Service Order Portion to be applied to each critical date below	NKCUM	N/A	$ 2.07	N/A
209	Design Lay Out Report Date	NR951	N/A	$ 20.38	N/A
210	Records Issue Date	NR952	N/A	$ 20.97	N/A
211	Designed Verified and Assigned Date	NR953	N/A	$ 53.61	N/A
212	Plant Test Date	NR954	N/A	$ 76.53	N/A
213					
214	**Due Date Change Charge Per Order or Occasion**				
215	DS1	NR957	N/A	$ 0.43	N/A
216	DS3	NR958	N/A	$ 0.43	N/A
217					
218	**Special Access to UNE Conversion**				
219	Channelized DS1 without mileage design and coordination	NKCUU	N/A	$ 4.34	N/A
220	Channelized DS1 - Design and Coordination (with Mileage)	NKCUU	N/A	$ 4.34	N/A
221	Non-channelized DS1 without mileage design and coordination	NKCUR	N/A	$ 1.13	N/A
222	Non-channelized DS1 facility with mileage design and coordination	NKCUR	N/A	$ 1.13	N/A
223	Channelized DS3 with mileage design and coordination	NKCUO	N/A	$ 4.42	N/A
224	Non-channelized DS3 facility with mileage design and coordination	NKCUQ	N/A	$ 1.13	N/A
225	Non-Channelized DS3 Design and Coordination without mileage	NKCUQ	N/A	$ 1.13	N/A
226	Channelized DS3 without mileage design and coordination	NKCUT	N/A	$ 4.52	N/A
227	Project administration charge per service order	NKCUY	N/A	$ 4.30	N/A
228					
229	**Dark Fiber**				
230	Dark Fiber Interoffice				
231	Dark Fiber Interoffice Termination (Per Termination per Fiber)	ULYCX	$ 25.34	N/A	N/A
232	Dark Fiber Interoffice Mileage (Per Fiber per Foot)	ULNCF	$ 0.002196	N/A	N/A
233	Dark Fiber Interoffice Cross Connect (Per Termination per Fiber)	UKCJX	$ 2.11	N/A	N/A
234	Inquiry (Per Request)				
235	Dark Fiber Interoffice Transport - NRC	NR9D6	N/A	$ 338.03	N/A
236	Interoffice inquiry (Service Order) Charge, per request	NKCUN	N/A	$ 2.33	N/A
237	FIRM ORDER (Per Fiber Strand)				
238	Installation				
239	Administrative per Order	NRB51	N/A	$ 14.35	N/A
240	Dark Fiber Interoffice Transport - NRC	NRB54	N/A	$ 466.62	N/A
241	Disconnect				
242	Administrative per Order	NR9H2	N/A	$ 14.12	N/A
243	Dark Fiber Interoffice Transport - NRC	NR9H5	N/A	$ 137.30	N/A
244					
245	**Routine Modifications**				
246	Routine Modifications of Existing Facilities Charge	N3RUE	N/A	ICB	N/A
247					
248	**LNP**				
249	Local Number Portability /9/	NSR	$0.00	N/A	
250	Maintenance of Service Charge	VRP	N/A	$ 71.00	
251					
252	***OTHER***				
253	**Directory Assistance**				
254	Directory Assistance, per call	OPEN	$ 0.40	N/A	N/A
255	National Directory Assistance (NDA), per call	OPEN	$ 0.65	N/A	
256	National Directory Assistance (RDA), per call	OPEN	$ 0.65	N/A	
257	Business Category Search (BCS) where applicable, per call	OPEN	$ 0.65	N/A	
258	Directory Assistance Call Completion (DACC), per call	OPEN	$ 0.15	N/A	
259					
260	**OS/DA Automated Call Greeting and References/Rates**			N/A	
261	Branding - Other - Initial/Subsequent Load, per switch, per OCN	OPEN		$ 1,800.00	$ 1,800.00
262	Branding and Reference/Rate Look Up, per OS/DA call	OPEN	$ 0.03		N/A
263	Branding - Facility Based - Initial/Subsequent Load				
264	- Branding, per trunk group	OPEN		$ 800.00	$ 800.00
265	Rate Reference - Initial Load, per state, per OCN	OPEN		$ 5,000.00	
266	Rate Reference - Subsequent Load, per state, per OCN	OPEN		N/A	$ 1,500.00
267					
268	**Operator Services**				
269	Fully Automated Call Processing, per call	OPEN	$ 0.15	N/A	N/A
270	Operator Assisted Call Processing - All Types (Including Busy Line Verify (BLV)	OPEN			
271	and Busy Line Verification/Interrupt {BLVI}) per work second	OPEN	$ 0.03	N/A	N/A
272					
273	**DA LISTING**				
274	- per listing for initial load	OPEN		$ 0.040	N/A

Line	MICHIGAN - Generic Pricing Schedule /1/	USOC	Monthly Recurring Rate	Non-Recurring Rate (Initial)	Non-Recurring Rate (Additional)
275	- per listing for subsequent updates	OPEN	$ 0.060	N/A	N/A
276					
277	**Ancillary Message Compensation (per message)**	OPEN	$ 0.03	N/A	N/A
278					
279	Non Intercompay Settlement (NICS) Billing Charge (Per Message)	Not Applicable	$ 0.05		
280					
281	**Structure Access - Poles & Ducts**		Annually		
282	Poles ($/attachment/yr.)* ##	OPEN	$ 1.57		
283	Per Foot Conduit Occupancy Fees ##	OPEN			
284	Full Duct ($/ft/yr.)	OPEN	$ 0.76		
285	Half Duct ($/ft/yr)	OPEN	$ 0.38		
286	Application fee	OPEN		$ 200.00	
287	Unauthorized Attachment Fee			$ 500.00	Per Pole
288	Unauthorized Occupancy Fee			$ 50.00	Per Conduit Foot
289					
290	*For (1) each one foot of usable space, or fraction thereof, occupied and (2) each additional				
291	one foot of space, or fraction thereof, rendered unusable by the attachment's presence.				
292					
293	## Note: All pole and conduit license fees are for a period of one year from January 1 thru December 31, effective January 1, 2005 and billable semi-annually in advance in January and July of each year. New rates will be communicated to CLEC no later than November 1st for the succeeding year.				
294					
295	**Emergency Number Service Access**				
296	911 Selective Router Interconnection				
297	-Each DSO installed				
298	-Analog Channel Interface	EVG9X	$ 19.81		$ 496.18
299	ANI/ALI/SR and Database Management				
300	- Per 100 records, rounded up to nearest 100	9S89X	$ 3.93		$0.00
301	911 Selective Router Switch Administration				
302	-Per Selective Router				
303					
304	**INTERCARRIER COMPENSATION**				
305					
306	***Rate for All ISP-Bound and Section 251 (B)(5)Traffic as per FCC 01-131, per MOU***	USAGE	$ 0.0007		
307					
308	**BONA FIDE REQUEST**				
309	*Deposit*			$2,000.00	
310					
311	***RESALE***		***RESALE DISCOUNTS***		
312	**BUSINESS**		RECURRING	NON-RECURRING	
313	**LOCAL EXCHANGE SERVICE**				
314	Business 1 Party	RESALE	16.62%	16.62%	
315	Business - Measured	RESALE	16.62%	16.62%	
316	Customer Operated Pay Telephone (COPT)	RESALE	N/A	16.62%	
317					
318	**EXPANDED LOCAL CALLING**				
319	Interzone	RESALE	16.62%	16.62%	
320					
321	**VERTICAL SERVICES**				
322	Anonymous Call Rejection	RESALE	16.62%	16.62%	
323	Repeat Dialing (Auto Redial)	RESALE	16.62%	16.62%	
324	Repeat Dialing-Per Use (Auto Redial - Usage Sensitive)	RESALE	16.62%	16.62%	
325	Call Blocker	RESALE	16.62%	16.62%	
326	Call Forwarding	RESALE	16.62%	16.62%	
327	Call Forwarding - Busy Line	RESALE	16.62%	16.62%	
328	Call Forwarding - Busy Line/Don't Answer	RESALE	16.62%	16.62%	
329	Call Forwarding - Don't Answer	RESALE	16.62%	16.62%	
330	Automatic CallBack (Call Return)	RESALE	16.62%	16.62%	
331	Automatic CallBack-Per Use (Call Return - Usage Sensitive)	RESALE	16.62%	16.62%	
332	Call Trace	RESALE	16.62%	16.62%	
333	Call Waiting	RESALE	16.62%	16.62%	
334	Caller ID With Name (Calling Name)	RESALE	16.62%	16.62%	
335	Caller ID (Calling Number)	RESALE	16.62%	16.62%	
336	MultiRing Service - 1 (Personalized Ring - 1 Dependent Number)	RESALE	16.62%	16.62%	
337	MultiRing Service - 2 (Personalized Ring - 2 Dependent Numbers)	RESALE	16.62%	16.62%	
338	Remote Access to Call Forwarding (Grandfathered)	RESALE	0%	0%	
339	Selective Call Forwarding	RESALE	0%	0%	
340	Multi-Path Call Forwarding (Simultaneous Call Forwarding)	RESALE	16.62%	16.62%	
341	Remote Call Forwarding-Per Feature	RESALE	16.62%	16.62%	
342	RCF, Interstate, Interexchange	RESALE	16.62%	16.62%	
343	RCF, Intrastate	RESALE	16.62%	16.62%	
344	RCF, Interstate, International	RESALE	16.62%	16.62%	
345	RCF, Intrastate, Interexchange	RESALE	16.62%	16.62%	
346	RCF to 800	RESALE	16.62%	16.62%	
347	RCF Additional	RESALE	16.62%	16.62%	
348	Speed Calling 8	RESALE	16.62%	16.62%	
349	Speed Calling 30	RESALE	16.62%	16.62%	
350	Three Way Calling	RESALE	16.62%	16.62%	
351	Call Screening	RESALE	16.62%	16.62%	
352	Busy Line Transfer	RESALE	16.62%	16.62%	
353	Alternate Answer	RESALE	16.62%	16.62%	
354	Message Waiting - Tone	RESALE	16.62%	16.62%	
355	Easy Call	RESALE	16.62%	16.62%	
356	Prime Number Service	RESALE	16.62%	16.62%	
357	AT&T Michigan Privacy Manager	RESALE	16.62%	16.62%	
358	Name and Number Delivery Service	RESALE	16.62%	16.62%	
359					
360	**DID**				
361	DID	RESALE	16.62%	16.62%	

Line	MICHIGAN - Generic Pricing Schedule /1/	USOC	Monthly Recurring Rate	Non-Recurring Rate (Initial)	Non-Recurring Rate (Additional)
362					
363	**TRUNKS**				
364	Trunk	RESALE	16.62%	16.62%	
365					
366	**AIN**				
367	Area Wide Networking	RESALE	16.62%	16.62%	
368	AT&T Michigan Switch Alternate Routing (ANSAR)	RESALE	16.62%	16.62%	
369	AT&T Michigan Customer Location Alternate Routing (ACLAR)	RESALE	16.62%	16.62%	
370					
371	**OTHER**				
372	Grandfathered Services	RESALE	0.00%	0.00%	
373	Promotions (Greater than 90 days)	RESALE	16.62%	16.62%	
374	TouchTone (Business)	RESALE	16.62%	16.62%	
375	TouchTone (Trunk)	RESALE	16.62%	16.62%	
376	900/976 Call Blocking (900/976 Call Restriction)	RESALE	0%	0%	
377	976 (976 Information Delivery Service)	RESALE	0%	0%	
378	Access Services (See Current Access Tariff)	RESALE	0%	0%	
379	Additional Directory Listings	RESALE	16.62%	16.62%	
380	Carrier Disconnect Service (Company Initiated Suspension Service)	RESALE	0%	0%	
381	Connection Services	RESALE	16.62%	16.62%	
382	Premise Services/Line Backer (Maintenance of Service Charges)	RESALE	0%	0%	
383	Shared Tenant Service	RESALE	0%	0%	
384					
385	**Data Services**				
386	Gigabit Ethernet Metropolitan Area Network (GigaMAN)	RESALE	16.62%	16.62%	
387	PBX Trunks	RESALE	16.62%	16.62%	
388	Multi-Service Optical Network (MON)	RESALE	16.62%	16.62%	
389	OCn-PTP	RESALE	16.62%	16.62%	
390	ADTS-E	RESALE	16.62%	16.62%	
391	DS0	RESALE	16.62%	16.62%	
392	DS1	RESALE	16.62%	16.62%	
393	DS3	RESALE	16.62%	16.62%	
394					
395	**ISDN**				
396	ISDN	RESALE	16.62%	16.62%	
397					
398	**DIRECTORY ASSISTANCE SERVICES**				
399	Directory Assistance Services	RESALE	16.62%	N/A	
400	Local Operator Assistance Service	RESALE	16.62%	N/A	
401					
402	National Directory Assistance (NDA), per call	OPEN	$ 0.65	N/A	
403	National Directory Assistance (RDA), per call	OPEN	$ 0.65	N/A	
404	Business Category Search (BCS) where applicable, per call	OPEN	$ 0.65	N/A	
405	Directory Assistance Call Completion (DACC), per call	OPEN	$ 0.15	N/A	
406					
407	Branding - Other - Initial/Subsequent Load, per switch, per OCN	OPEN		$ 1,800.00	$ 1,800.00
408	Branding and Reference/Rate Look Up, per OS/DA call	OPEN	$ 0.03		N/A
409	Rate Reference - Initial Load, per state, per OCN	OPEN		$ 5,000.00	
410	Rate Reference - Subsequent Load, per state, per OCN	OPEN		N/A	$ 1,500.00
411					
412	**TOLL**				
413	TOLL	RESALE	16.62%	16.62%	
414					
415	**OPTIONAL TOLL CALLING PLANS**				
416	Optional Toll Calling Plans	RESALE	16.62%	16.62%	
417					
418	**CENTREX (PLEXAR)**				
419	AT&T Michigan Centrex Service ACS	RESALE	16.62%	16.62%	
420	AT&T Michigan Centrex Network Manager	RESALE	0%	0%	
421					
422	**PRIVATE LINE**				
423	Analog Private Lines	RESALE	16.62%	16.62%	
424	Private Line Channel Services	RESALE	16.62%	16.62%	
425					
426	**RESIDENCE**		***RESALE DISCOUNTS***		
427	LOCAL EXCHANGE SERVICE		RECURRING	NON-RECURRING	
428	Life Line	RESALE	0%	0%	
429	Residence 1 Party	RESALE	16.62%	16.62%	
430	Residence Measured	RESALE	16.62%	16.62%	
431					
432	**EXPANDED LOCAL CALLING**				
433	Interzone	RESALE	16.62%	16.62%	
434					
435	**VERTICAL SERVICES**				
436	Anonymous Call Rejection	RESALE	16.62%	16.62%	
437	Repeat Dialing (Auto Redial)	RESALE	16.62%	16.62%	
438	Repeat Dialing -Per Use (Auto Redial - Usage Sensitive)	RESALE	16.62%	16.62%	
439	Call Blocker	RESALE	16.62%	16.62%	
440	Call Forwarding	RESALE	16.62%	16.62%	
441	Call Forwarding - Busy Line	RESALE	16.62%	16.62%	
442	Call Forwarding - Busy Line/Don't Answer	RESALE	16.62%	16.62%	
443	Call Forwarding - Don't Answer	RESALE	16.62%	16.62%	
444	Automatic Call-Back (Call Return)	RESALE	16.62%	16.62%	
445	Automatic Call-Back Per Use (Call Return - Usage Sensitive)	RESALE	16.62%	16.62%	
446	Call Trace	RESALE	16.62%	16.62%	
447	Call Waiting	RESALE	16.62%	16.62%	
448	Caller ID with Name (Calling Name)	RESALE	16.62%	16.62%	
449	Caller ID (Calling Number)	RESALE	16.62%	16.62%	
450	Multi-Ring Service - 1 (Personalized Ring- 1 dependent number)	RESALE	16.62%	16.62%	
451	Multi-Ring Service - 2 (Personalized Ring - 2 dependent numbers - 1st dependent number)	RESALE	16.62%	16.62%	
452	Priority Call	RESALE	16.62%	16.62%	

Line	MICHIGAN - Generic Pricing Schedule /1/	USOC	Monthly Recurring Rate		Non-Recurring Rate (Initial)	Non-Recurring Rate (Additional)
453	Remote Access to Call Forwarding (GF)	RESALE	0%		0%	
454	RCF, Interstate, Interexchange	RESALE	16.62%		16.62%	
455	RCF, Intrastate	RESALE	16.62%		16.62%	
456	RCF, Interstate, International	RESALE	16.62%		16.62%	
457	RCF, Intrastate, Interexchange	RESALE	16.62%		16.62%	
458	RCF to 800	RESALE	16.62%		16.62%	
459	RCF Additional	RESALE	16.62%		16.62%	
460	Selective Call Forwarding	RESALE	16.62%		16.62%	
461	Speed Calling 8	RESALE	16.62%		16.62%	
462	Three Way Calling	RESALE	16.62%		16.62%	
463	Call Screening	RESALE	16.62%		16.62%	
464	Busy Line Transfer	RESALE	16.62%		16.62%	
465	Alternate Answer	RESALE	16.62%		16.62%	
466	Message Waiting - Tone	RESALE	16.62%		16.62%	
467	Easy Call	RESALE	16.62%		16.62%	
468	AT&T Michigan Privacy Manager	RESALE	16.62%		16.62%	
469	Name and Number Delivery Service	RESALE	16.62%		16.62%	
470						
471	**ISDN**					
472	ISDN	RESALE	16.62%		16.62%	
473						
474	**OTHER**					
475	Grandfathered Services	RESALE	0%		0%	
476	Promotions (Greater than 90 Days)	RESALE	16.62%		16.62%	
477	TouchTone	RESALE	16.62%		16.62%	
478	Home Services Packages	RESALE	16.62%		16.62%	
479	900/976 Call Blocking (900/976 Call Restriction)	RESALE	0%		0%	
480	976 (976 Information Delivery Service)	RESALE	0%		0%	
481	Access Services (See Current Access Tariff)	RESALE	0%		0%	
482	Additional Directory Listings	RESALE	16.62%		16.62%	
483	Carrier Disconnect Service (Company Initiated Suspension Service)	RESALE	0%		0%	
484	Connection Services	RESALE	16.62%		16.62%	
485	Premise Services/Line Backer (Maintenance of Service Charges)	RESALE	0%		0%	
486	Shared Tenant Service	RESALE	0%		0%	
487	Restoral of Service Charge	RESALE			Current Tariff 20 Part 22 Section 2	
488						
489	**TOLL**					
490	Toll	RESALE	16.62%		16.62%	
491						
492	**Electronic Billing Information Data (daily usage)**					
493	per message	RESALE	$0.00			
494						
495	**Line Connection Charge**					
496	Residence	RESALE			Current Tariff 20 Part 22 Section 2	
497	Business	RESALE			Current Tariff 20 Part 22 Section 2	
498	**Service Order/Service Request Charge**					
499	Residence	RESALE			Current Tariff 20 Part 22 Section 2	
500	Business	RESALE			Current Tariff 20 Part 22 Section 2	
501	**Non-Electronic (Manual) Service Order Charge**					
502	Residence	RESALE			Current Tariff 20 Part 22 Section 2	
503	Business	RESALE			Current Tariff 20 Part 22 Section 2	
504						
505	**Notes**					
506						
507	/2/ Does not apply to pre-existing UNE-P Currently Combined Installations.					
508	/3/ Only applies to pre-existing UNE-P Migrations.					
509	/4/ Applies only once per UNE-P Combination.					
510	/5/ Does not apply to Special Access to UNE conversions.					
511	/6/ Does not apply to new UNE-P installations.					
512	/7/ Does not apply to new EEL installations.					
513	/8/ Does not apply to pre-existing UNE-P Migrations.					
514	* The Parties acknowledge and agree that the rates set forth are interim and subject to true-up pending state established rates.					

	A	B	C	D	E	F
1	**Line**	**Product Type**	**Rate Element Description**	**USOC**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**
2	1	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGED**				
3	2	**REAL ESTATE**				
4	3	Site Conditioning	Per Sq. Ft. of space used by CLEC	**S8FWB**		$9.28
5	4	Safety & Security	Per Sq. Ft. of space used by CLEC	**S8F4N**		$19.56
6	5	Floor Space Usage	Per Sq. Ft. of space used by CLEC	**S8F4L**	$5.97	
7	6	**COMMON SYSTEMS**				
8	7	Common Systems - Cage	Per Sq. Ft. of space used by CLEC	**S8F4A**	$0.44	$59.86
9	8	**PLANNING**				
10	9	Planning - Central Office	Per Sq. Ft. of space used by CLEC	**S8GCA**	$0.09	$7.55
11	10	Planning	Per Request	**NRFCD**		$5,244.43
12	11	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
13	12	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
14	13	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
15	14	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
16	15	**POWER PROVISIONING**				
17	16	**Power Panel:**				
18	17	50 Amp	Per Power Panel (CLEC Provided)	**NONE**		
19	18	200 Amp	Per Power Panel (CLEC Provided)	**NONE**		
20	19	**Power Cable and Infrastructure:**				
21	20	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
22	S8GF3					
23						
24						
25						
26						
27						
28		**Equipment Grounding:**				
29				**S8FCR**		
30		**DC POWER AMPERAGE CHARGE**				
31				**S8GCS**		
32				**S8GCR**		
33		**FIBER CABLE PLACEMENT**				
34		**Central Office:**				
35				**S8FQ9**		
36						
37						
38						
39						
40						
41						
42						
43				**NRFCN**		

	A	B	C	D	E	F
1	Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
44	43	**CAGE COMMON COSTS**				
45	44	AC Circuit Placement	Per Sq. Ft. (CLEC provides cage)	**NRL6O**		$5.29
46	45	**INTERCONNECTION COSTS:**				
47	46	**ILEC TO CLEC CONNECTION**				
48	47	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F48**	$3.86	$156.02
49	48	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8FWU**	$3.86	$156.02
50	49	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8FQM**	$295.42	$3,105.79
51	50	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F46**	$6.07	$486.89
52	51	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F47**	$115.30	$1,809.40
53	52	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8FQN**	$5.69	$116.67
54	53	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8FQR**	$3.58	$698.82
55	54	**CLEC TO CLEC CONNECTION**				
56	55	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
57	56	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
58	57	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	
59	58	Route Design		**NRFCX**		$424.88
60	59	Connection for DS1	Per 28 Circuits (CLEC provides cable)	**S8GFH**	$0.18	
61	60	Connection for DS3	Per Circuit (CLEC provides cable)	**S8GFJ**	$0.12	
62	61	Connection for Optical	Per Cable (CLEC provides cable)	**S8GFK**	$0.31	
63	62	**TIME SENSITIVE ACTIVITIES**				
64	63	**PRE-VISITS**				
65	64	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
66	65	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
67	66	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
68	67	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
69	68	**CONSTRUCTION VISITS**				
70	69	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
71	70	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23
72	71					
73	72	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGED**				
74	73	**REAL ESTATE**				
75	74	Site Conditioning	Per Sq. Ft. of space used by CLEC	**S8GCE**		$9.28
76	75	Safety & Security	Per Sq. Ft. of space used by CLEC	**S8GCF**		$19.56
77	76	Floor Space Usage	Per Sq. Ft. of space used by CLEC	**S8GCD**	$5.97	
78	77	**COMMON SYSTEMS**				
79	78	Common Systems - Cage	Per Sq. Ft. of space used by CLEC	**S8GCG**	$0.44	$59.86
80	79	**PLANNING**				
81	80	Planning - Central Office	Per Sq. Ft. of space used by CLEC	**S8GCA**	$0.09	$7.55
82	81	Planning	Per Request	**NRFCD**		$5,244.43
83	82	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
84	83	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
85	84	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60

	A	B	C	D	E	F
1	**Line**	**Product Type**	**Rate Element Description**	**USOC**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**
86	85	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
87	86	**POWER PROVISIONING**				
88	87	**Power Panel:**				
89	88	50 Amp	Per Power Panel	**S8GC8**	$15.77	$3,079.47
90	89	200 Amp	Per Power Panel	**S8GC9**	$18.75	$3,659.46
91	90	**Power Cable and Infrastructure:**				
92	91	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3A**	$5.83	$1,378.83
93	92	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8GCU**	$7.74	$1,570.84
94	93	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3B**	$8.35	$1,700.70
95	94	2.40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3C**	$8.96	$1,830.56
96	95	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8GCV**	$9.57	$1,954.85
97	96	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	**S8GCW**	$11.39	$2,344.44
98	97	**Equipment Grounding:**				
99	98	Ground Cable Placement	Per Sq. Ft. of space used by CLEC	**S8GDA**	$0.03	$0.92
100	99	**DC POWER AMPERAGE CHARGE**				
101	100	HVAC	Per 10 Amps	**S8GCS**	$14.62	
102	101	Per Amp	Per Amp	**S8GCR**	$10.61	
103	102	**FIBER CABLE PLACEMENT**				
104	103	**Central Office:**				
105	104	Fiber Cable	Per Fiber Cable Sheath	**S8GDE**	$4.85	$1,619.88
106	105	Entrance Conduit to Vault	Per Fiber Cable Sheath	**S8GDD**	$8.76	
107	106	**MISCELLANEOUS & OPTIONAL COST:**				
108	107	**MISCELLANEOUS COSTS**				
109	108	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8GEK**	$0.08	$14.81
110	109	Bits Timing	Based on two (2) leads per circuit	**S8GEJ**	$3.58	$698.82
111	110	Space Availability Report	Per Premise	**NRFCQ**		$168.04
112	111	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
113	112	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
114	113	**CAGE COMMON COSTS**				
115	114	Cage Preparation	Per Sq. Ft. of space used by CLEC	**S8GCH**	$0.27	$19.70
116	115	**INTERCONNECTION COSTS:**				
117	116	**ILEC TO CLEC CONNECTION**				
118	117	Voice Grade Arrangement	100 Copper Pairs	**S8GD4**	$4.92	$1,027.16
119	118	Voice Grade Arrangement	100 Shielded Pairs	**S8GD5**	$4.92	$1,027.16
120	119	DS1 Arrangement - DCS	28 DS1	**S8GDK**	$297.44	$3,613.06
121	120	DS1 Arrangement - DSX	28 DS1	**S8GDP**	$9.79	$1,346.48
122	121	DS3 Arrangement - DCS	1 DS3	**S8GDV**	$115.58	$2,181.58
123	122	DS3 Arrangement - DSX	1 DS3	**S8GDZ**	$7.14	$603.89
124	123	Fiber Arrangement	12 Fiber Pairs (24 Fiber strands)	**S8GED**	$6.55	$1,779.78
125	124	**CLEC TO CLEC CONNECTION**				
126	125	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
127	126	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
128	127	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	

	A	B	C	D	E	F
1	**Line**	**Product Type**	**Rate Element Description**	**USOC**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**
129	128	Route Design		**NRFCX**		$424.88
130	129	Connection for DS1	Per 28 Circuits	**S8GFC**	$1.41	$982.35
131	130	Connection for DS3	Per Circuit	**S8GFD**	$1.30	$433.86
132	131	Connection for Optical (Fiber)	Per Cable	**S8GFB**	$1.38	$1,404.07
133	132	**TIME SENSITIVE ACTIVITIES**				
134	133	**PRE-VISITS**				
135	134	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
136	135	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
137	136	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
138	137	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
139	138	**CONSTRUCTION VISITS**				
140	139	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
141	140	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23
142	141					
143	142	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGELESS**				
144	143	**REAL ESTATE**				
145	144	Site Conditioning	Per Frame (Standard Bay=10 sq ft)	**S8FWC**		$92.81
146	145	Safety & Security	Per Frame (Standard Bay=10 sq ft)	**S8FWG**		$195.57
147	146	Floor Space Usage	Per Frame (Standard Bay=10 sq ft)	**S8F9C**	$64.21	
148	147	**COMMON SYSTEMS**				
149	148	Common Systems - Cageless	Per Frame (Standard Bay=10 sq ft)	**S8FWE**	$9.35	$760.45
150	149	**PLANNING**				
151	150	Planning - Central Office	Per Frame (Standard Bay=10 sq ft)	**S8GCB**	$1.13	$75.54
152	151	Planning	Per Request	**NRFCJ**		$4,601.93
153	152	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
154	153	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
155	154	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
156	155	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
157	156	**POWER PROVISIONING**				
158	157	**Power Panel:**				
159	158	50 Amp	Per Power Panel (CLEC Provided)	**NONE**		
160	159	200 Amp	Per Power Panel (CLEC Provided)	**NONE**		

	A	B	C	D	E	F
1	Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
161	160	**Power Cable and Infrastructure:**				
162	161	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
163	162	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	**C1F34**	$0.25	$48.23
164	163	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	**S8GF1**	$0.25	$48.23
165	164	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	**C1F35**	$0.25	$48.23
166	165	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	**C1F36**	$0.25	$48.23
167	166	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	**S8GF2**	$0.25	$48.23
168	167	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC Provided)	**S8GF3**	$0.25	$48.23
169	168	**Equipment Grounding:**				
170	169	Ground Cable Placement	Per Frame	**S8GDB**	$0.33	$15.32
171	170	**DC POWER AMPERAGE CHARGE**				
172	171	HVAC	Per 10 Amps	**S8GCS**	$14.62	
173	172	Per Amp	Per Amp	**S8GCR**	$10.61	
174	173	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8GCT**	$1.27	
175	174	**FIBER CABLE PLACEMENT**				
176	175	**Central Office:**				
177	176	Fiber Cable	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	**S8FQ9**	$4.85	$809.13
178	177	Entrance Conduit	Per Fiber Cable Sheath	**S8FW5**	$8.76	
179	178	**CEV, HUT & Cabinets:**				
180	179	Fiber Cable Placement	Per Fiber Cable Sheath	**S8GDH**		$53.58
181	180	Entrance Conduit	Per Fiber Cable Sheath	**S8GDJ**	$2.61	
182	181	**MISCELLANEOUS & OPTIONAL COST:**				
183	182	**MISCELLANEOUS COSTS**				
184	183	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8F45**	$0.08	$14.81
185	184	Bits Timing	Based on two (2) leads per circuit	**S8FQT**	$3.58	$698.82
186	185	Space Availability Report	Per Premise	**NRFCQ**		$168.04
187	186	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
188	187	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
189	188	**CAGELESS / POT BAY OPTIONS**				
190	189	Standard Equipment Bay	Each (CLEC Provided)	**NONE**		
191	190	Non-Standard Cabinet Bay	Each (CLEC Provided)	**NONE**		
192	191	VF/DS0 Termination Panel	Each (CLEC Provided)	**NONE**		
193	192	VF/DS0 Termination Module	Each (CLEC Provided)	**NONE**		
194	193	DDP-1 Panel	Each (CLEC Provided)	**NONE**		
195	194	DDP-1 Jack Access Card	Each (CLEC Provided)	**NONE**		
196	195	DS3/STS-1 Interconnect Panel	Each (CLEC Provided)	**NONE**		
197	196	DS3 Interconnect Module	Each (CLEC Provided)	**NONE**		
198	197	Fiber Optic Splitter Panel	Each (CLEC Provided)	**NONE**		
199	198	Fiber Termination Dual Module	Each (CLEC Provided)	**NONE**		
200	199	**CEV, HUT, CABINET**				
201	200	24 Foot CEV	2 Inch Mounting Space	**S8GE3**	$1.64	
202	201	16 Foot CEV	2 Inch Mounting Space	**S8GE4**	$1.77	
203	202	Maxi-Hut	2 Inch Mounting Space	**S8GE1**	$0.77	

	A	B	C	D	E	F
1	**Line**	**Product Type**	**Rate Element Description**	**USOC**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**
204	203	Mini-Hut	2 Inch Mounting Space	**S8GE2**	$1.33	
205	204	Large Cabinet	2 Inch Mounting Space	**S8GEX**	$1.63	
206	205	Medium Cabinet	2 Inch Mounting Space	**S8GEY**	$2.19	
207	206	Small Cabinet	2 Inch Mounting Space	**S8GEZ**	$3.29	
208	207	**INTERCONNECTION COSTS:**				
209	208	**ILEC TO CLEC CONNECTION**				
210	209	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F3E**	$3.86	$156.02
211	210	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8FWV**	$3.86	$156.02
212	211	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8F2J**	$295.42	$3,105.79
213	212	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F2P**	$6.07	$486.89
214	213	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F21**	$115.30	$1,809.40
215	214	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8F25**	$5.69	$116.67
216	215	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8F49**	$3.76	$495.49
217	216	**CLEC TO CLEC CONNECTION**				
218	217	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
219	218	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
220	219	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	
221	220	Route Design		**NRFCX**		$424.88
222	221	Connection for DS1	Per 28 Circuits (CLEC provides cable)	**S8GFL**	$0.18	$0.00
223	222	Connection for DS3	Per Circuit (CLEC provides cable)	**S8GFM**	$0.12	$0.00
224	223	Connection for Optical	Per Cable (CLEC provides cable)	**S8GFN**	$0.31	$0.00
225	224	**PROJECT MANAGEMENT**				
226	225	**CEV, HUT & CABINET**				
227	226	Project Coordination	Per CLEC Application	**NRFCK**		$631.17
228	227	**TIME SENSITIVE ACTIVITIES**				
229	228	**PRE-VISITS**				
230	229	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
231	230	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
232	231	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
233	232	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
234	233	**CONSTRUCTION VISITS**				
235	234	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
236	235	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23
237	236					

	A	B	C	D	E	F
1	Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
238	237	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGELESS**				
239	238	**REAL ESTATE**				
240	239	Site Conditioning	Per Frame (Standard Bay=10 sq ft)	**S8GCL**		$92.81
241	240	Safety & Security	Per Frame (Standard Bay=10 sq ft)	**S8GCN**		$195.57
242	241	Floor Space Usage	Per Frame (Standard Bay=10 sq ft)	**S8GCK**	$64.21	
243	242	**COMMON SYSTEMS**				
244	243	Common Systems - Cageless	Per Frame (Standard Bay=10 sq ft)	**S8GCM**	$9.35	$760.45
245	244	**PLANNING**				
246	245	Planning - Central Office	Per Frame (Standard Bay=10 sq ft)	**S8GCB**	$1.13	$75.54
247	246	Planning	Per Request	**NRFCJ**		$4,601.93
248	247	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
249	248	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
250	249	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
251	250	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
252	251	**POWER PROVISIONING**				
253	252	**Power Panel:**				
254	253	50 Amp	Per Power Panel	**S8GC8**	$15.77	$3,079.47
255	254	200 Amp	Per Power Panel	**S8GC9**	$18.75	$3,659.46
256	255	**Power Cable and Infrastructure:**				
257	256	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3D**	$5.83	$2,100.33
258	257	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8GCX**	$7.74	$2,262.52
259	258	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3E**	$8.35	$2,424.71
260	259	2-40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3F**	$8.96	$2,586.91
261	260	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8GCY**	$9.57	$2,749.10
262	261	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	**S8GCZ**	$11.39	$3,236.32
263	262	**Equipment Grounding:**				
264	263	Ground Cable Placement	Per Frame	**S8GDB**	$0.33	$15.32
265	264	**DC POWER AMPERAGE CHARGE**				
266	265	HVAC	Per 10 Amps	**S8GCS**	$14.62	
267	266	Per Amp	Per Amp	**S8GCR**	$10.61	
268	267	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8GCT**	$1.27	
269	268	**FIBER CABLE PLACEMENT**				
270	269	**Central Office:**				
271	270	Fiber Cable	Per Fiber Cable Sheath	**S8GDE**	$4.85	$1,619.88
272	271	Entrance Conduit	Per Fiber Cable Sheath	**S8GDD**	$8.76	
273	272	**CEV, HUT & Cabinets:**				
274	273	Fiber Cable Placement	Per Fiber Cable Sheath	**S8GDH**		$53.58
275	274	Entrance Conduit	Per Fiber Cable Sheath	**S8GDJ**	$2.61	
276	275	**MISCELLANEOUS & OPTIONAL COST:**				
277	276	**MISCELLANEOUS COSTS**				
278	277	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8GEK**	$0.08	$14.81
279	278	Bits Timing	Based on two (2) leads per circuit	**S8GEJ**	$3.58	$698.82

	A	B	C	D	E	F
1	**Line**	**Product Type**	**Rate Element Description**	**USOC**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**
280	279	Space Availability Report	Per Premise	**NRFCQ**		$168.04
281	280	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
282	281	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
283	282	**CAGELESS / POT BAY OPTIONS**				
284	283	Standard Equipment Bay	Each	**NRFCO**	$8.89	$721.28
285	284	Non-Standard Cabinet Bay	Each	**NRFCP**	$17.78	$3,470.81
286	285	VF/DS0 Termination Panel/Module	Each	**S8GE5**	$3.10	$605.64
287	286	DDP-1 Panel/Jack Access Card	Each	**S8GE6**	$8.08	$1,576.65
288	287	DS3/STS-1 Interconnect Panel	Each	**S8GE7**	$2.38	$465.47
289	288	DS3 Interconnect Module	Each	**S8GE8**	$0.45	$87.35
290	289	Fiber Optic Splitter Panel	Each	**S8GE9**	$1.52	$297.00
291	290	Fiber Termination Dual Module	Each	**S8GFA**	$1.37	$267.88
292	291	**CEV, HUT, CABINET**				
293	292	24 Foot CEV	2 Inch Mounting Space	**S8GE3**	$1.64	
294	293	16 Foot CEV	2 Inch Mounting Space	**S8GE4**	$1.77	
295	294	Maxi-Hut	2 Inch Mounting Space	**S8GE1**	$0.77	
296	295	Mini-Hut	2 Inch Mounting Space	**S8GE2**	$1.33	
297	296	Large Cabinet	2 Inch Mounting Space	**S8GEX**	$1.63	
298	297	Medium Cabinet	2 Inch Mounting Space	**S8GEY**	$2.19	
299	298	Small Cabinet	2 Inch Mounting Space	**S8GEZ**	$3.29	
300	299	**INTERCONNECTION COSTS:**				
301	300	**ILEC TO CLEC CONNECTION**				
302	301	Voice Grade Arrangement	100 Copper Pairs	**S8GD6**	$4.92	$1,027.16
303	302	Voice Grade Arrangement	100 Shielded Pairs	**S8GD7**	$4.92	$1,027.16
304	303	DS1 Arrangement - DCS	28 DS1	**S8GDL**	$297.44	$3,613.06
305	304	DS1 Arrangement - DSX	28 DS1	**S8GDQ**	$9.79	$1,346.48
306	305	DS3 Arrangement - DCS	1 DS3	**S8GDW**	$115.58	$2,181.58
307	306	DS3 Arrangement - DSX	1 DS3	**S8GD1**	$7.14	$603.89
308	307	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8GEE**	$6.55	$1,779.78
309	308	**CLEC TO CLEC CONNECTION**				
310	309	Cable Racking and Hole for Optical	Per Cable	**S8GFE**	$0.82	
311	310	Cable Racking and Hole for DS1	Per Cable	**S8GFF**	$0.57	
312	311	Cable Racking and Hole for DS3	Per Cable	**S8GFG**	$0.50	
313	312	Route Design		**NRFCX**		$424.88
314	313	Connection for DS1	Per 28 Circuits	**S8GFC**	$1.41	$982.35
315	314	Connection for DS3	Per Circuit	**S8GFD**	$1.30	$433.86
316	315	Connection for Optical (Fiber)	Per Cable	**S8GFB**	$1.38	$1,404.07

	A	B	C	D	E	F
1	Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
317	316	**PROJECT MANAGEMENT**				
318	317	**CEV, HUT & CABINET**				
319	318	Project Coordination	Per CLEC Application	**NRFCK**		$631.17
320	319	**TIME SENSITIVE ACTIVITIES**				
321	320	**PRE-VISITS**				
322	321	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCR**		$23.23
323	322	Comm. Tech - Craft	Per 1/4 Hour	**NRFCS**		$19.60
324	323	CO Manager - 1st Level	Per 1/4 Hour	**NRFCT**		$19.72
325	324	Floor Space Planning - 1st Level	Per 1/4 Hour	**NRFCU**		$19.24
326	325	**CONSTRUCTION VISITS**				
327	326	Project Manager - 1st Level	Per 1/4 Hour	**NRFCV**		$19.24
328	327	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	**NRFCZ**		$23.23
329	328					
330	329	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGED COMMON**				
331	330	**REAL ESTATE**				
332	331	Site Conditioning	Per Frame (Standard Bay=10 sq ft)	**S8FWC**		$92.81
333	332	Safety & Security	Per Frame (Standard Bay=10 sq ft)	**S8FWG**		$195.57
334	333	Floor Space Usage	Per Linear Foot	**S8GCO**	$24.87	
335	334	**COMMON SYSTEMS**				
336	335	Common Systems - Common	Per Linear Foot	**S8GCP**	$3.62	$294.37
337	336	**PLANNING**				
338	337	Planning - Central Office	Per Linear Foot	**S8GCC**	$0.44	$29.24
339	338	Planning	Per Request	**NRFCJ**		$4,601.93
340	339	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
341	340	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
342	341	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
343	342	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
344	343	**POWER PROVISIONING**				
345	344	**Power Panel:**				
346	345	50 Amp	Per Power Panel (CLEC provides)	**NONE**		
347	346	200 Amp	Per Power Panel (CLEC provides)	**NONE**		
348	347	**Power Cable and Infrastructure:**				
349	348	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
350	349	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	**C1F31**	$0.25	$48.23
351	350	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	**S8GF1**	$0.25	$48.23
352	351	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	**C1F32**	$0.25	$48.23
353	352	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	**C1F33**	$0.25	$48.23
354	353	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	**S8GF2**	$0.25	$48.23
355	354	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC Provided)	**S8GF3**	$0.25	$48.23
356	355	**Equipment Grounding:**				
357	356	Ground Cable Placement	Per Linear Foot	**S8GDC**	$0.13	$5.93
358	357	**DC POWER AMPERAGE CHARGE**				

	A	B	C	D	E	F
1	**Line**	**Product Type**	**Rate Element Description**	**USOC**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**
359	358	HVAC	Per 10 Amps	**S8GCS**	$14.62	
360	359	Per Amp	Per Amp	**S8GCR**	$10.61	
361	360	**FIBER CABLE PLACEMENT**				
362	361	**Central Office:**				
363	362	Fiber Cable	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	**S8FQ9**	$4.85	$809.13
364	363	Entrance Conduit	Per Fiber Cable Sheath	**S8FW5**	$8.76	
365	364	**MISCELLANEOUS & OPTIONAL COST:**				
366	365	**MISCELLANEOUS COSTS**				
367	366	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8F45**	$0.08	$14.81
368	367	Bits Timing	Based on two (2) leads per circuit	**S8FQT**	$3.58	$698.82
369	368	Space Availability Report	Per Premise	**NRFCQ**		$168.04
370	369	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
371	370	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
372	371	**CAGE COMMON COSTS**				
373	372	Cage Preparation	Per Linear Foot	**S8GCJ**	$1.00	$157.00
374	373	**INTERCONNECTION COSTS:**				
375	374	**ILEC TO CLEC CONNECTION**				
376	375	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F3E**	$3.86	$156.02
377	376	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8FWV**	$3.86	$156.02
378	377	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8F2J**	$295.42	$3,105.79
379	378	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F2P**	$6.07	$486.89
380	379	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F21**	$115.30	$1,809.40
381	380	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8F25**	$5.69	$116.67
382	381	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8F49**	$3.76	$495.49
383	382					
384	383	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGED COMMON**				
385	384	**REAL ESTATE**				
386	385	Site Conditioning	Per Bay	**S8GCL**		$92.81
387	386	Safety & Security	Per Frame	**S8GCN**		$195.57
388	387	Floor Space Usage	Per Linear Foot	**S8GCO**	$24.87	
389	388	**COMMON SYSTEMS**				
390	389	Common Systems - Common	Per Linear Foot	**S8GCP**	$3.62	$294.37
391	390	**PLANNING**				
392	391	Planning - Central Office	Per Linear Foot	**S8GCC**	$0.44	$29.24
393	392	Planning	Per Request	**NRFCJ**		$4,601.93
394	393	Planning - Subsequent Inter. Cabling	Per Request	**NRFCE**		$2,267.04
395	394	Planning - Subsequent Power Cabling	Per Request	**NRFCF**		$2,306.10
396	395	Planning - Subs. Inter./Power Cabling	Per Request	**NRFCG**		$2,884.60
397	396	Planning - Non-Standard	Per Request	**NRFCH**		$1,436.00
398	397	**POWER PROVISIONING**				
399	398	**Power Panel:**				
400	399	50 Amp	Per Power Panel	**S8GC8**	$15.77	$3,079.47

	A	B	C	D	E	F
1	**Line**	**Product Type**	**Rate Element Description**	**USOC**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**
401	400	200 Amp	Per Power Panel	**S8GC9**	$18.75	$3,659.46
402	401	**Power Cable and Infrastructure:**				
403	402	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3A**	$5.83	$1,378.83
404	403	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8GC1**	$7.74	$1,570.84
405	404	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3B**	$8.35	$1,700.70
406	405	2.40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3C**	$8.96	$1,830.56
407	406	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8GC2**	$9.57	$1,954.85
408	407	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	**S8GC3**	$11.39	$2,344.44
409	408	**Equipment Grounding:**				
410	409	Ground Cable Placement	Per Linear Foot	**S8GDC**	$0.13	$5.93
411	410	**DC POWER AMPERAGE CHARGE**				
412	411	HVAC	Per 10 Amps	**S8GCS**	$14.62	
413	412	Per Amp	Per Amp	**S8GCR**	$10.61	
414	413	**FIBER CABLE PLACEMENT**				
415	414	**Central Office:**				
416	415	Fiber Cable	Per Fiber Cable Sheath	**S8GDE**	$4.85	$1,619.88
417	416	Entrance Conduit	Per Fiber Cable Sheath	**S8GDD**	$8.76	
418	417	**MISCELLANEOUS & OPTIONAL COST:**				
419	418	**MISCELLANEOUS COSTS**				
420	419	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8GEK**	$0.08	$14.81
421	420	Bits Timing	Based on two (2) leads per circuit	**S8GEJ**	$3.58	$698.82
422	421	Space Availability Report	Per Premise	**NRFCQ**		$168.04
423	422	Security Access / ID Cards	Per Five Cards	**NRFCM**		$123.35
424	423	Security Access / ID Cards/Expedite	Per Five Cards	**NRFCN**		$203.35
425	424	**CAGE COMMON COSTS**				
426	425	Cage Preparation	Per Linear Foot	**S8GCJ**	$1.00	$157.00
427	426	**INTERCONNECTION COSTS:**				
428	427	**ILEC TO CLEC CONNECTION**				
429	428	Voice Grade Arrangement	100 Copper Pairs	**S8GD8**	$4.92	$1,027.16
430	429	Voice Grade Arrangement	100 Shielded Pairs	**S8GD9**	$4.92	$1,027.16
431	430	DS1 Arrangement - DCS	28 DS1	**S8GDM**	$297.44	$3,613.06
432	431	DS1 Arrangement - DSX	28 DS1	**S8GDR**	$9.79	$1,346.48
433	432	DS3 Arrangement - DCS	1 DS3	**S8GDX**	$115.58	$2,181.58
434	433	DS3 Arrangement - DSX	1 DS3	**S8GD2**	$7.14	$603.89
435	434	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8GEF**	$6.55	$1,779.78
436	435					
437	436	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: VIRTUAL**				
438	437	**REAL ESTATE**				
439	438	Site Conditioning	Per Frame	**S8FX5**		$92.81
440	439	Safety & Security	Per Frame	**S8FX6**		$195.57
441	440	Floor Space Usage	Per Frame	**S8F62**	$28.91	
442	441	**COMMON SYSTEMS**				

	A	B	C	D	E	F
1	**Line**	**Product Type**	**Rate Element Description**	**USOC**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**
443	442	Common Systems - Standard	Per Frame	**S8F64**	$10.75	
444	443	Common Systems - Non-Standard	Per Cabinet	**S8F65**	$19.36	
445	444	**PLANNING**				
446	445	Planning	Per Request	**NRM99**		$5,555.76
447	446	Planning - Subsequent Inter. Cabling	Per Request	**NRMA3**		$2,224.49
448	447	Planning - Subsequent Power Cabling	Per Request	**NRMAA**		$2,303.84
449	448	Planning - Subs. Inter./Power Cabling	Per Request	**NRMAX**		$2,882.61
450	449	**POWER PROVISIONING**				
451	450	**Power Cable and Infrastructure:**				
452	451	Power Cable Rack	Per Four Power Cables or Quad	**NONE**		
453	452	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	**C1F37**	$0.52	
454	453	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	**S8GFO**	$0.52	
455	454	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	**C1F38**	$0.52	
456	455	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	**C1F39**	$0.52	
457	456	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	**S8GFP**	$0.52	
458	457	**Equipment Grounding:**				
459	458	Ground Cable Placement	Per Frame	**S8F69**	$0.36	
460	459	**DC POWER AMPERAGE CHARGE**				
461	460	HVAC	Per 10 Amps	**S8FXO**	$14.62	
462	461	Per Amp	Per Amp	**S8FXN**	$10.61	
463	462	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8FXP**	$1.27	
464	463	**FIBER CABLE PLACEMENT**				
465	464	**Central Office:**				
466	465	Fiber Cable	Per Fiber Cable Sheath	**S8F8F**	$11.01	$1,971.42
467	466	Entrance Conduit	Per Fiber Cable Sheath	**S8F8G**	$8.17	
468	467	**CEV, HUT & Cabinets:**				
469	468	Fiber Cable Placement	Per Fiber Cable Sheath	**S8FXQ**		$53.58
470	469	Entrance Conduit	Per Fiber Cable Sheath	**S8FXR**	$2.61	
471	470	**MISCELLANEOUS & OPTIONAL COST:**				
472	471	**MISCELLANEOUS COSTS**				
473	472	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8FXT**	$0.08	$14.81
474	473	Bits Timing	Based on two (2) leads per circuit	**S8FXS**	$3.58	$698.82

	A	B	C	D	E	F
1	Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
475	474	**VIRTUAL FRAME OPTIONS**				
476	475	Standard Equipment Bay	Each (CLEC Provided)	**NONE**		
477	476	**CEV, HUT, CABINET**				
478	477	24 Foot CEV	2 Inch Mounting Space	**S8FXZ**	$1.64	
479	478	16 Foot CEV	2 Inch Mounting Space	**S8FY6**	$1.77	
480	479	Maxi-Hut	2 Inch Mounting Space	**S8FXX**	$0.77	
481	480	Mini-Hut	2 Inch Mounting Space	**S8FXY**	$1.33	
482	481	Large Cabinet	2 Inch Mounting Space	**S8FXU**	$1.63	
483	482	Medium Cabinet	2 Inch Mounting Space	**S8FXV**	$2.19	
484	483	Small Cabinet	2 Inch Mounting Space	**S8FXW**	$3.29	
485	484	**INTERCONNECTION COSTS:**				
486	485	**ILEC TO CLEC CONNECTION**				
487	486	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F82**	$3.86	$225.02
488	487	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8F83**	$3.86	$225.02
489	488	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8F8X**	$295.42	$3,496.22
490	489	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F8Y**	$6.07	$651.13
491	490	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F8Z**	$115.30	$2,186.12
492	491	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8F81**	$5.69	$204.42
493	492	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8F84**	$10.47	$152.71
494	493	**VIRTUAL TO VIRTUAL CONNECTION**				
495	494	Cable Racking and Hole for Optical	Per Cable	**S8FY7**	$0.90	
496	495	Cable Racking and Hole for DS1	Per Cable	**S8FY8**	$0.49	
497	496	Cable Racking and Hole for DS3	Per Cable	**S8FY9**	$0.35	
498	497	Route Design		**NRLWF**		$463.36
499	498	Connection for DS1	Per 28 Circuits (CLEC provides cable)	**S8GFQ**	$0.41	$0.00
500	499	Connection for DS3	Per Circuit (CLEC provides cable)	**S8GFR**	$0.27	$0.00
501	500	Connection for Optical	Per Cable (CLEC provides cable)	**S8GFS**	$0.81	$0.00
502	501	**PROJECT MANAGEMENT**				
503	502	**CEV, HUT & CABINET**				
504	503	Project Coordination	Per CLEC Application Augment	**NRFCK**		$631.17
505	504	**EQUIPMENT MAINTENANCE AND SECURITY ESCORT**				
506	505	**CENTRAL OFFICE TYPE**				
507	506	Staffed CO During Normal Business Hours	Per 1/4 Hour	**NRMHK**		$15.15
508	507	Staffed CO During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMHN**		$242.35
509	508	Staffed CO During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRMJ7**		$15.15
510	509	Not Staffed CO/RT During Normal Business Hours	Per 1/4 Hour	**NRMJ8**		$15.15
511	510	Not Staffed CO/RT During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMJ9**		$242.35
512	511	Not Staffed CO/RT During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRML7**		$15.15
513	512	**CEV, HUT & CABINET**				
514	513	Per Visit	4 Hour Minimum - Initial	**NRMJ9**		$242.35
515	514	Per Visit	Per 1/4 Hour - Additional	**NRML7**		$15.15
516	515	**ADDITIONAL LABOR ELEMENTS**				
517	516	**TRAINING**				

	A	B	C	D	E	F
1	**Line**	**Product Type**	**Rate Element Description**	**USOC**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**
518	517	Communications Tech	Per 1/2 Hour	**NRMCD**		$39.21
519	518	CO Manager	Per 1/2 Hour	**NRME9**		$39.45
520	519	Power Engineer	Per 1/2 Hour	**NRMF9**		$38.47
521	520	Equipment Engineer	Per 1/2 Hour	**NRMHJ**		$38.47
522	521	**EQUIPMENT EVALUATION COST**				
523	522	Equipment Engineer	Per 1/2 Hour	**NRMO9**		$38.47
524	523	**TEST AND ACCEPTANCE**				
525	524	Communications Tech	Per 1/2 Hour	**NRMP2**		$39.21
526	525					
527	526	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: VIRTUAL**				
528	527	**REAL ESTATE**				
529	528	Site Conditioning	Per Frame	**S8FX5**		$92.81
530	529	Safety & Security	Per Frame	**S8FX6**		$195.57
531	530	Floor Space Usage	Per Frame	**S8FX1**	$28.91	
532	531	**COMMON SYSTEMS**				
533	532	Common Systems - Standard	Per Frame	**S8FX3**	$10.75	
534	533	Common Systems - Non-Standard	Per Frame	**S8FX4**	$19.36	
535	534	**PLANNING**				
536	535	Planning	Per Request	**NRM99**		$5,555.76
537	536	Planning - Subsequent Inter. Cabling	Per Request	**NRMA3**		$2,224.49
538	537	Planning - Subsequent Power Cabling	Per Request	**NRMAA**		$2,303.84
539	538	Planning - Subs. Inter./Power Cabling	Per Request	**NRMAX**		$2,882.61
540	539	**POWER PROVISIONING**				
541	540	**Power Cable and Infrastructure:**				
542	541	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	**C1F3G**	$5.83	$1,378.83
543	542	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	**S8FX7**	$7.74	$1,570.84
544	543	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	**C1F3H**	$8.35	$1,700.70
545	544	2-40 Amp Feeds	Per 2-40 Amp Power Feeds	**C1F3J**	$8.96	$1,830.56
546	545	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	**S8FX8**	$9.57	$1,954.85
547	546	**Equipment Grounding:**				
548	547	Ground Cable Placement	Per Frame	**S8FX9**	$0.36	
549	548	**DC POWER AMPERAGE CHARGE**				
550	549	HVAC	Per 10 Amps	**S8FXO**	$14.62	
551	550	Per Amp	Per Amp	**S8FXN**	$10.61	
552	551	CEV, HUT & Cabinets	Per 2 inch mounting space	**S8FXP**	$1.27	

	A	B	C	D	E	F
1	Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
553	552	**FIBER CABLE PLACEMENT**				
554	553	**Central Office:**				
555	554	Fiber Cable	Per Fiber Cable Sheath	**S8F8F**	$11.01	$1,971.42
556	555	Entrance Conduit	Per Fiber Cable Sheath	**S8F8G**	$8.17	
557	556	**CEV, HUT & Cabinets:**				
558	557	Fiber Cable Placement	Per Fiber Cable Sheath	**S8FXQ**		$53.58
559	558	Entrance Conduit	Per Fiber Cable Sheath	**S8FXR**	$2.61	
560	559	**MISCELLANEOUS & OPTIONAL COST:**				
561	560	**MISCELLANEOUS COSTS**				
562	561	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	**S8FXT**	$0.08	$14.81
563	562	Bits Timing	Based on two (2) leads per circuit	**S8FXS**	$3.58	$698.82
564	563	**VIRTUAL FRAME OPTIONS**				
565	564	Standard Equipment Bay	Each	**S8FX2**	$22.19	
566	565	**CEV, HUT, CABINET**				
567	566	24 Foot CEV	2 Inch Mounting Space	**S8FXZ**	$1.64	
568	567	16 Foot CEV	2 Inch Mounting Space	**S8FY6**	$1.77	
569	568	Maxi-Hut	2 Inch Mounting Space	**S8FXX**	$0.77	
570	569	Mini-Hut	2 Inch Mounting Space	**S8FXY**	$1.33	
571	570	Large Cabinet	2 Inch Mounting Space	**S8FXU**	$1.63	
572	571	Medium Cabinet	2 Inch Mounting Space	**S8FXV**	$2.19	
573	572	Small Cabinet	2 Inch Mounting Space	**S8FXW**	$3.29	
574	573	**INTERCONNECTION COSTS:**				
575	574	**ILEC TO CLEC CONNECTION**				
576	575	Voice Grade Arrangement	100 Copper Pairs	**S8FXC**	$4.94	$1,481.37
577	576	Voice Grade Arrangement	100 Shielded Pairs	**S8FXD**	$4.94	$1,481.37
578	577	DS1 Arrangement - DCS	28 DS1	**S8FXE**	$297.44	$4,067.27
579	578	DS1 Arrangement - DSX	28 DS1	**S8FXF**	$9.79	$1,800.69
580	579	DS3 Arrangement - DCS	1 DS3	**S8FXG**	$115.59	$2,635.79
581	580	DS3 Arrangement - DSX	1 DS3	**S8FXH**	$7.14	$1,058.10
582	581	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8FXJ**	$6.55	$1,996.19
583	582	**VIRTUAL TO VIRTUAL CONNECTION**				
584	583	Cable Racking and Hole for Optical	Per Cable	**S8FY7**	$0.90	
585	584	Cable Racking and Hole for DS1	Per Cable	**S8FY8**	$0.49	
586	585	Cable Racking and Hole for DS3	Per Cable	**S8FY9**	$0.35	
587	586	Route Design		**NRML9**		$463.36
588	587	Connection for DS1	Per 28 Circuits	**S8FXL**	$3.34	$930.53
589	588	Connection for DS3	Per Circuit	**S8FXM**	$3.26	$706.77
590	589	Connection for Optical	Per Cable	**S8FXK**	$3.32	$1,095.09
591	590	**PROJECT MANAGEMENT**				
592	591	**CEV, HUT & CABINET**				
593	592	Project Coordination	Per CLEC Application Augment	**NRFCK**		$631.17
594	593	**EQUIPMENT MAINTENANCE AND SECURITY ESCORT**				
595	594	**CENTRAL OFFICE TYPE**				

	A	B	C	D	E	F
1	**Line**	**Product Type**	**Rate Element Description**	**USOC**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**
596	595	Staffed CO During Normal Business Hours	Per 1/4 Hour	**NRMHK**		$15.15
597	596	Staffed CO During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMHN**		$242.35
598	597	Staffed CO During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRMJ7**		$15.15
599	598	Not Staffed CO/RT During Normal Business Hours	Per 1/4 Hour	**NRMJ8**		$15.15
600	599	Not Staffed CO/RT During Outside Normal Business Hours	4 Hour Minimum - Initial	**NRMJ9**		$242.35
601	600	Not Staffed CO/RT During Outside Normal Business Hours	Per 1/4 Hour - Additional	**NRML7**		$15.15
602	601	**CEV, HUT & CABINET**				
603	602	Per Visit	4 Hour Minimum - Initial	**NRMJ9**		$242.35
604	603	Per Visit	Per 1/4 Hour - Additional	**NRML7**		$15.15
605	604	**ADDITIONAL LABOR ELEMENTS**				
606	605	**TRAINING**				
607	606	Communications Tech	Per 1/2 Hour	**NRMCD**		$39.21
608	607	CO Manager	Per 1/2 Hour	**NRME9**		$39.45
609	608	Power Engineer	Per 1/2 Hour	**NRMF9**		$38.47
610	609	Equipment Engineer	Per 1/2 Hour	**NRMHJ**		$38.47
611	610	**EQUIPMENT EVALUATION COST**				
612	611	Equipment Engineer	Per 1/2 Hour	**NRMO9**		$38.47
613	612	**TEST AND ACCEPTANCE**				
614	613	Communications Tech	Per 1/2 Hour	**NRMP2**		$39.21
615	614					
616	615	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: ADJACENT ON-SITE**				
617	616	**PLANNING**				
618	617	Planning - Initial	Per Request	**NRFA1**		$9,268.73
619	618	Planning - Subsequent	Per Request	**NRFA2**		$1,606.77
620	619	**REAL ESTATE**				
621	620	Land Rental	Per Square Foot	**S8GEN**	$0.44	
622	621	**POWER PROVISIONING**				
623	622	**Power Cable and Infrastructure:**				
624	623	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC provides cable)	**NONE**		
625	624	2-200 Amp Feeds	Per 2-200 Amp Power Feeds (CLEC provides cable)	**NONE**		
626	625	2-300 Amp Feeds	Per 2-300 Amp Power Feeds (CLEC provides cable)	**NONE**		
627	626	2-400 Amp Feeds	Per 2-400 Amp Power Feeds (CLEC provides cable)	**NONE**		
628	627	**AC Service:**				
629	628	Extension of 100 Amp AC Service (Opt.)	Per Request	**NRFCW**		$6,447.00
630	629	AC Usage	Per KWH	**S8GEO**	$0.05	
631	630	**DC POWER AMPERAGE CHARGE**				
632	631	Per Amp	Per Amp	**S8GCR**	$10.61	
633	632	**FIBER CABLE PLACEMENT**				
634	633	Fiber Installation	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	**S8GF4**	$2.13	$488.48
635	634	Entrance Fiber Racking	Per Rack/Conduit Duct	**S8GDG**	$1.55	
636	635	**CABLE RACK**				
637	636	DC Power Cable Rack	Per Rack	**S8GEP**	$13.64	$2,667.22

	A	B	C	D	E	F
1	**Line**	**Product Type**	**Rate Element Description**	**USOC**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**
638	637	Fiber Cable Rack	Per Rack	**S8GEQ**	$20.63	
639	638	Interconnection Arrangement (Copper) Racking	Per Rack	**S8GER**	$30.63	
640	639	**CONDUIT PLACEMENT**				
641	640	DC Power Cable Rack	Per Rack	**S8GES**		$7,386.71
642	641	Fiber Cable Rack	Per Rack	**S8GET**		$4,711.89
643	642	Interconnection Arrangement (Copper) Racking	Per Rack	**S8GEU**		$5,545.50
644	643	**INTERCONNECTION COSTS:**				
645	644	**ILEC TO CLEC CONNECTION**				
646	645	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	**S8F3G**	$3.86	$156.02
647	646	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	**S8FWW**	$3.86	$156.02
648	647	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	**S8F2L**	$295.42	$3,105.79
649	648	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	**S8F2R**	$6.07	$486.89
650	649	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	**S8F23**	$115.30	$1,809.40
651	650	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	**S8F27**	$5.69	$116.67
652	651	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	**S8F3N**	$3.76	$495.49
653	652					
654	653	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: ADJACENT ON-SITE**				
655	654	**PLANNING**				
656	655	Planning - Initial	Per Request	**NRFA1**		$9,268.73
657	656	Planning - Subsequent	Per Request	**NRFA2**		$1,606.77
658	657	**REAL ESTATE**				
659	658	Land Rental	Per Square Foot	**S8GEN**	$0.44	
660	659	**POWER PROVISIONING**				
661	660	**Power Cable and Infrastructure:**				
662	661	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	**S8GC4**	$13.84	$7,853.86
663	662	2-200 Amp Feeds	Per 2-200 Amp Power Feeds	**S8GC5**	$13.84	$14,584.00
664	663	2-300 Amp Feeds	Per 2-300 Amp Power Feeds	**S8GC6**	$13.84	$20,338.00
665	664	2-400 Amp Feeds	Per 2-400 Amp Power Feeds	**S8GC7**	$13.84	$28,143.00
666	665	**AC Service:**				
667	666	Extension of 100 Amp AC Service (Opt.)	Per Request	**NRFCW**		$6,447.00
668	667	AC Usage	Per KWH	**S8GEO**	$0.05	
669	668	**DC POWER AMPERAGE CHARGE**				
670	669	Per Amp	Per Amp	**S8GCR**	$10.61	
671	670	**FIBER CABLE PLACEMENT**				
672	671	Fiber Installation	Per Fiber Cable Sheath	**S8GDF**	$2.13	$976.96
673	672	Entrance Fiber Racking	Per Rack/Conduit Duct	**S8GDG**	$1.55	
674	673	**CABLE RACK**				
675	674	DC Power Cable Rack	Per Rack	**S8GEP**	$13.64	$2,667.22
676	675	Fiber Cable Rack	Per Rack	**S8GEQ**	$20.63	
677	676	Interconnection Arrangement (Copper) Racking	Per Rack	**S8GER**	$30.63	
678	677	**CONDUIT PLACEMENT**				
679	678	DC Power Cable Rack	Per 2-Duct	**S8GES**		$7,386.71

	A	B	C	D	E	F
1	**Line**	**Product Type**	**Rate Element Description**	**USOC**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**
680	679	Fiber Cable Rack	Per 1-Duct	**S8GET**		$4,711.89
681	680	Interconnection Arrangement (Copper) Racking	Per 2-Duct	**S8GEU**		$5,545.50
682	681	**INTERCONNECTION COSTS:**				
683	682	**ILEC TO CLEC CONNECTION**				
684	683	Voice Grade Arrangement	100 Copper Pairs	**S8GEA**	$6.19	$1,371.93
685	684	Voice Grade Arrangement	100 Shielded Pairs	**S8GEB**	$6.19	$1,371.93
686	685	DS1 Arrangement - DCS	28 DS1	**S8GDN**	$439.98	$2,341.45
687	686	DS1 Arrangement - DSX	28 DS1	**S8GDS**	$35.04	$2,341.45
688	687	DS3 Arrangement - DCS	1 DS3	**S8GDY**	$242.36	$598.33
689	688	DS3 Arrangement - DSX	1 DS3	**S8GD3**	$12.36	$598.33
690	689	Fiber Arrangement	12 Fiber Pairs(24 Fiber Strands)	**S8GEG**	$8.25	$3,751.22
691	690					
692	691	**CLEC-PROVISIONED FACILITIES & EQUIPMENT: ADJACENT OFF-SITE**				
693	692	**PLANNING**				
694	693	Planning	Per Request	**NRFA3**		$1,254.32
695	694	**CONDUIT**				
696	695	Conduit Space	Per Innerduct	**S8GEW**	$1.17	
697	696	**INTERCONNECTION COSTS:**				
698	697	**ILEC TO CLEC CONNECTION**				
699	698	Voice Grade/DS0 Arrangement	900 DS0 (Hole, Racking, MDF) (CLEC Vendor Pulls and Installs Cable)	**S8GF5**	$311.43	
700	699	DS1 Arrangement - DCS	28 DS1 (Hole, Racking, DCS) (CLEC Vendor Pulls and Installs Cable)	**S8GF6**	$439.96	
701	700	DS1 Arrangement - DSX	28 DS1 (Hole, Racking, DSX) (CLEC Vendor Pulls and Installs Cable)	**S8GF7**	$35.03	
702	701	DS1 Arrangement - MDF	450 DS1 (Hole, Racking, MDF) (CLEC Vendor Pulls and Installs Cable)	**S8GF8**	$311.43	
703	702	Fiber Arrangement	12 Fiber Pairs (Hole, Racking, FDF) (CLEC Vendor Pulls and Installs Cable)	**S8GF9**	$9.02	
704	703					

	A	B	C	D	E	F
1	Line	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
705	704	**AT&T-PROVISIONED FACILITIES & EQUIPMENT: ADJACENT OFF-SITE**				
706	705	**PLANNING**				
707	706	Planning	Per Request	**NRFA3**		$1,254.32
708	707	**CONDUIT**				
709	708	Conduit Space	Per Innerduct	**S8GEW**	$1.17	
710	709	**INTERCONNECTION COSTS:**				
711	710	**ILEC TO CLEC CONNECTION**				
712	711	Voice Grade/DS0 Arrangement	900 DS0	**S8GEC**	$311.43	$485.31
713	712	DS1 Arrangement - DCS	28 DS1	**S8GDO**	$439.96	$1,830.99
714	713	DS1 Arrangement - DSX	28 DS1	**S8GDT**	$35.03	$1,830.99
715	714	DS1 Arrangement - MDF	450 DS1	**S8GDU**	$311.43	$485.31
716	715	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	**S8GEH**	$9.02	$3,370.20
717	716					
718	717	**RATES AND CHARGES FOR**				
719	718	**COMPLETE SPACE DISCONTINUANCE**				
720	719	Application Fee	Per Request	**NRFX1**		$503.95
721	720	Project Management Fee – Complete Space Discontinuance	Per Request	**NRFX2**		$2,883.10
722	721	Remove Fiber Jumpers	Per linear foot	**NRFX3**		$18.79
723	722	Remove Fiber Cables	Per linear foot	**NRFX4**		$14.43
724	723	Remove VF/DS0 Cable	Per linear foot	**NRFX5**		$2.60
725	724	Remove DS1 Cable	Per linear foot	**NRFX6**		$4.89
726	725	Remove DS3 Cable (Coax)	Per linear foot	**NRFX7**		$3.57
727	726	Remove Timing Cable	Per Request	**NRFX8**		$9.64
728	727	Remove Power Cable-50AMP feed & below	Per linear foot	**NRFX9**		$24.76
729	728	Remove Power Cable-100AMP feed & above	Per linear foot	**NRFXA**		$22.73
730	729	Remove Cage Grounding Material	Each grounding lead & ground bar	**NRFXB**		$1,462.85
731	730	Remove Fiber Entrance Cable	Per cable removal job	**NRFXC**		$1,664.00
732	731	Infrastructure Maps & Records	Per cable removal job	**NRFXD**		$104.00
733	732	Engineering Work Order	Per cable removal job	**NRFXE**		$104.00
734	733	Work Group Information Distribution	Per cable removal job	**NRFXF**		$104.00
735	734	Restore Floor Tile – per Standard Bay	Per Standard Bay	**NRFXG**		$71.79
736	735	Floor Restoration Contractor Trip Charge	Per trip	**NRFXH**		$144.63
737	736	Restore Floor Tile	Per Non-Standard Bay	**NRFXJ**		$81.53
738	737					
739	738	**RATES AND CHARGES FOR**				
740	739	**SPACE REASSIGNMENT/RESTENCILING**				
741	740	Application Fee	Per Request	**NRFXK**		$503.95
742	741	Project Management Fee – Space Reassignment	Per Request	**NRFXL**		$2,883.10
743	742	Restencil DS0/DSL Block	Per 100 pair block	**NRFXM**		$15.33
744	743	Restencil DS1 Block	Per 28 DS1s	**NRFXN**		$6.02
745	744	Restencil DS3 Coax Cable	Per cable	**NRFXO**		$4.90
746	745	Restencil Fiber Cable Block	Per 12 pair cable	**NRFXP**		$91.95

	A	B	C	D	E	F
1	**Line**	**Product Type**	**Rate Element Description**	**USOC**	**Current Monthly Recurring Rate**	**Current Non-Recurring Rate (Initial)**
747	746	Restencil Fiber Jumper Block	Per 4 jumpers	**NRFXQ**		$61.30
748	747	Restencil Power and tag cables	Per 1-4 feeds	**NRFXR**		$107.28
749	748	Restencil Timing Source and tag cable	Per cable	**NRFXS**		$122.60
750	749	Timing Record Book Update	Per element	**NRFXT**		$45.98
751	750	Interconnection Records Update	Per element	**NRFXU**		$296.61
752	751	Power Records Update	Per element	**NRFXV**		$355.94
753	752	Vendor Engineering	Per Space Reassignment job	**NRFXW**		$711.88
754	753					
755	754	**RATES AND CHARGES FOR**				
756	755	**POWER REDUCTION (CABLE REMOVAL)**				
757	756	Application Fee	Per Request	**NRFXX**		$503.95
758	757	Project Management Fee – Power Reduction(cable removal)	Per Request	**NRFXY**		$2,220.45
759	758	Remove Power Cable-50AMP feed & below	Per linear foot	**NRFXZ**		$24.76
760	759	Remove Power Cable-100AMP feed & above	Per linear foot	**NRFY1**		$22.73
761	760					
762	761	**RATES AND CHARGES FOR**				
763	762	**POWER REDUCTION (REFUSING ONLY)**				
764	763	Application Fee	Per Request	**NRFY2**		$503.95
765	764	Project Management Fee – Power Refusing Only	50AMP A&B feeds & below	**NRFY3**		$1,562.80
766	765	Project Management Fee – Power Refusing Only	100AMP A&B feeds & above	**NRFY4**		$2,004.57
767	766	Power Fuse Reductions on Company BDFB	50AMP A&B feeds & below	**NRFY5**		$367.81
768	767	Restencil Power and tag cables	Per 1-4 feeds	**NRFY6**		$107.28
769	768	Power Records Update	Per element	**NRFY7**		$355.94
770	769	Vendor Engineering	Per Space Reassignment job	**NRFY8**		$711.88
771	770	Power Fuse Reductions on Power Board	100AMP A&B feeds & above	**NRFY9**		$490.41
772	771	Restencil Power and tag cables	Per 1-4 feeds	**NRFYA**		$107.28
773	772	Power Records Update	Per element	**NRFYB**		$355.94
774	773	Vendor Engineering	Per Space Reassignment job	**NRFYC**		$711.88
775	774					
776	775	**RATES AND CHARGES FOR**				
777	776	**INTERCONNECTION TERMINATION REDUCTION**				
778	777	Application Fee	Per Request	**NRFYD**		$503.95
779	778	Project Management Fee – Interconnection Cable Reduction	Per Request	**NRFYE**		$2,441.33
780	779	Remove VF/DS0 Cable	Per linear foot	**NRFYF**		$2.60
781	780	Remove DS1 Cable	Per linear foot	**NRFYG**		$4.89
782	781	Remove DS3 Cable (Coax)	Per linear foot	**NRFYH**		$3.57
783	782	Remove Fiber Cables	Per linear foot	**NRFYJ**		$14.43
784	783	Remove Fiber Jumpers	Per linear foot	**NRFYK**		$18.79