

North Shore Gas Company and The Peoples Gas Light and Coke Company
Docket 10-0564

Page 1of 1

Data Request:

DAB 3.01 Please provide the percentage of Peoples Gas S.C. 1 therms that are consumed by Peoples Gas S.C.1 customers whose “annual usage places them in the top 20%” (NS-PGL Ex. 4.0, p. 7, line 135).

Response: Approximately 41% of the total S.C. No. 1 therms consumed.

North Shore Gas Company and The Peoples Gas Light and Coke Company
Docket 10-0564

Page 1 of 1

Data Request:

DAB 3.02 Please provide the percentage of Peoples Gas S.C. 1 therms that are consumed by Peoples Gas S.C.1 customers whose annual usage places them in the lowest 50% of users.

Response: Approximately 22% of the total S.C. No. 1 therms consumed.

North Shore Gas Company and The Peoples Gas Light and Coke Company
Docket 10-0564

Page 1 of 1

Data Request:

DAB 3.03 Please provide the percentage of Peoples Gas S.C. 2 therms that are consumed by Peoples Gas S.C.2 customers whose “annual usage places them in the top 20%” (NS-PGL Ex. 4.0, p. 7, lines 147-148).

Response: Approximately 78% of the total S.C. No. 2 therms consumed.

North Shore Gas Company and The Peoples Gas Light and Coke Company
Docket 10-0564

Page 1 of 1

Data Request:

DAB 3.04 Please provide the percentage of Peoples Gas S.C. 2 therms that are consumed by Peoples Gas S.C.2 customers whose annual usage places them in the lowest 50% of users.

Response: Approximately 6% of the total S.C. No. 2 therms consumed.

North Shore Gas Company and The Peoples Gas Light and Coke Company
Docket 10-0564

Page 1of 1

Data Request:

DAB 3.05 Please provide the percentage of Peoples Gas S.C. Nos. 4, 5, 7, and 8 therms that are consumed by Peoples Gas S.C. Nos. 4, 5, 7, and 8 customers whose "annual usage places them in the top 20%" (NS-PGL Ex. 4.0, p. 8, lines 159-161).

Response: Approximately 59% of the total S.C. Nos. 4, 5, 7 and 8 therms consumed.

North Shore Gas Company and The Peoples Gas Light and Coke Company
Docket 10-0564

Page 1 of 1

Data Request:

DAB 3.06 Please provide the percentage of Peoples Gas S.C. Nos. 4, 5, 7, and 8 therms that are consumed by Peoples Gas S.C. Nos. 4, 5, 7, and 8 customers whose annual usage places them in the lowest 50% of users.

Response: Approximately 19% of the total S.C. Nos. 4, 5, 7 and 8 therms consumed.

North Shore Gas Company and The Peoples Gas Light and Coke Company
Docket 10-0564

Page 1 of 1

Data Request:

DAB 3.07 Please provide the percentage of North Shore S.C.1 therms that are consumed by North Shore S.C.1 customers whose “annual usage places them in the top 20%” (NS-PGL Ex. 4.0, p. 9, lines 171-173).

Response: Approximately 40% of the total S.C. No. 1 therms consumed.

North Shore Gas Company and The Peoples Gas Light and Coke Company
Docket 10-0564

Page 1 of 1

Data Request:

DAB 3.08 Please provide the percentage of North Shore S.C.1 therms that are consumed by North Shore S.C.1 customers whose annual usage places them in the lowest 50% of users.

Response: Approximately 30% of the total S.C. No. 1 therms consumed.

North Shore Gas Company and The Peoples Gas Light and Coke Company
Docket 10-0564

Page 1 of 1

Data Request:

DAB 3.09 Please provide the percentage of North Shore S.C.2 therms that are consumed by North Shore S.C.2 customers whose “annual usage places them in the top 20%” (NS-PGL Ex. 4.0, p. 9, lines 183-185).

Response: Approximately 78% of the total S.C. No. 2 therms consumed.

North Shore Gas Company and The Peoples Gas Light and Coke Company
Docket 10-0564

Page 1 of 1

Data Request:

DAB 3.10 Please provide the percentage of North Shore S.C.2 therms that are consumed by North Shore S.C.2 customers whose annual usage places them in the lowest 50% of users.

Response: Approximately 5% of the total S.C. No. 2 therms consumed.

North Shore Gas Company and The Peoples Gas Light and Coke Company
Docket 10-0564

Page 1 of 1

Data Request:

DAB 3.11 Please provide the percentage of North Shore S.C. Nos. 3, 4, and 6 therms that are consumed by North Shore S.C. Nos. 3, 4, and 6 customers whose “annual usage places them in the top 20%” (NS-PGL Ex. 4.0, p. 8, lines 159-161).

Response: North Shore believes the correct line reference is lines 196-197. With that clarification, approximately 68% of the total S.C. Nos. 3, 4 and 6 therms consumed.

North Shore Gas Company and The Peoples Gas Light and Coke Company
Docket 10-0564

Page 1 of 1

Data Request:

DAB 3.12 Please provide the percentage of North Shore S.C. Nos. 3, 4, and 6 therms that are consumed by North Shore S.C. Nos. 3, 4, and 6 customers whose annual usage places them in the lowest 50% of users.

Response: Approximately 16% of the total S.C. Nos. 3, 4 and 6 therms consumed.