

STATE OF ILLINOIS
ILLINOIS COMMERCE COMMISSION
STIPULATED AGREEMENT SURVEY FORM

RR/Line UP/SSWNAO Milepost 127.19 Inventory # 290 949x

City Bloomington Street Miller St. County McLean

Jurisdiction Local Urban X Rural Commercial Residential X

Street Surface bituminous Width 30' Condition

Angle 80° Tracks Tangent Y Degree of Curve Superelevation

Depth of Cut Height of Fill

Crossing Surface

Track Centers	Elevation	Track	Type	Width	Condition
		Main	Sectional timber	36'	

Intersecting Roads <100' <200' Pancake St. is 188'E
Partner Place is 195'W

Traffic Control Devices Present: Stop signs at both of the above

ADT 1400 Speed Statewide Y

School Buses possible Hazardous Materials possible Other

Rail Traffic: Ft. 4 @ 60 mph Pass. 6 @ 79 mph Switch

Simultaneous Movements: Daylight and Dark: Y

Present Protection: AFLS&G

Advance Warning Signs Yes on E only Pavement Marking Yes

Visibility Study

Quad	Clearing Visibility	Obstruction	Stopping Visibility	Obstruction
NE	_____	_____	_____	_____
NW	_____	_____	_____	_____
SE	_____	_____	_____	_____
SW	_____	_____	_____	_____



Approach Grades

East	25'	+0.40 %	50'	-0.40 %	%
West	25'	0.00 %	50'	0.00 %	%


“+” grade is ascending from crossing

“-“ grade is descending from crossing

comments



Crossing #: 290949x
 Location: Mclean Co., City of Bloomington (I)
 Lat/Long: 40°28'13" / 89°00'48"
 Railroad: UP
 Street: Miller Street
 Railroad Milepost: 127.19
 Crossing Protection: Train Activated Devices



③ Photo Location

STATE OF ILLINOIS
ILLINOIS COMMERCE COMMISSION
STIPULATED AGREEMENT SURVEY FORM

RR/Line UP/SSWNAO Milepost 102.04 Inventory # 290 776K

City Chenoa Street Division St. county McLean

Jurisdiction Local Urban X Rural Commercial Residential X

Street Surface oil mat Width 24' Condition

Angle 25° Tracks Tangent Y Degree of Curve Superelevation

Depth of Cut Height of Fill

Crossing Surface

Track Centers	Elevation	Track	Type	Width	Condition
		Main	timber and asphalt	68'	

Intersecting Roads 1100' <200

Traffic Control Devices Present:

ADT 1000 Speed Statewide Y

School Buses possible Hazardous Materials possible Other

Rail Traffic: Ft. 4 @ 60 mph Pass. 6 @ 79 mph Switch

Simultaneous Movements: Daylight and Dark: Y

Present Protection: AFLS&G

Advance Warning Signs Yes Pavement Marking Yes

Visibility Study

Quad	Clearing Visibility	Obstruction	Stopping Visibility	Obstruction
NE	_____	_____	_____	_____
NW	_____	_____	_____	_____
SE	_____	_____	_____	_____
SW	_____	_____	_____	_____



Approach Grades

South	25'	+1.20	%	50'	-1.60	%	'	%
North	25'	+0.40	%	50'	-0.40	%		%

“+” grade is ascending from crossing

“-“ grade is descending from crossing

Comments



Crossing #: 290776K

Location: McLean Co., City of Chenoa (I)

Lat/Long: 40°44'53" / 68°43'07"

Railroad: UP

Street: Division Street

Railroad Milepost: 102.04

Crossing Protection: Train Activated Devices