

STATE OF ILLINOIS
ILLINOIS COMMERCE COMMISSION
STIPULATED AGREEMENT SURVEY FORM

RR/Line UP/SSWNAO Milepost 99.20 Inventory # 290 771B
City near Chenoa Street TR195A(1100N) county Livingston
Jurisdiction Local Urban Rural X Commercial Residential
Street Surface bituminous Width 19 Condition
Angle 65° Tracks Tangent Y Degree of Curve Superelevation
Depth of Cut Height of Fill

Crossing Surface

Track Centers	Elevation	Track	Type	Width	Condition
		Main	Full wood plank	24'	

Intersecting Roads <100' <200' 1200E(Old Rt.66) is 131'W

Traffic Control Devices Present: Stop sign at 1200E

ADT 100 Speed Statewide Y

School Buses possible Hazardous Materials possible Other

Rail Traffic: Ft. 4 @ 60 mph Pass. 6 @ 79 mph Switch

Simultaneous Movements: Daylight and Dark: Y

Present Protection: AFLS

Advance Warning Signs No Pavement Marking No

Visibility Study

Quad	Clearing Visibility	Obstruction	Stopping Visibility	Obstruction
NE	_____	_____	_____	_____
NW	_____	_____	_____	_____
SE	_____	_____	_____	_____
SW	_____	_____	_____	_____

Approach Grades

East	25'	-0.40 %	50'	-0.40 %	%
West	25'	-0.40 %	50'	-2.80 %	%


“+” grade is ascending **from** crossing

“-“ grade is descending **from** crossing


Comments:




J:\LIVINGSTON\2907716\2907716.DWG 12/07/00 09:35 JJA



ROAD PROFILE



SCALE IN FEET



③ Photo Location

Crossing #: 2907716
 Location: Livingston Co., City of Chenoa (N)
 Lat/Long: 40°47'08", 88°41'42"
 Railroad: UP
 Street: 1100 N
 Railroad Milepost: 99.20
 Crossing Protection: Train Activated Devices

STATE OF ILLINOIS
ILLINOIS COMMERCE COMMISSION
STIPULATED AGREEMENT SURVEY FORM

RR/Line UP/SSWNAO Milepost 98.08 Inventory # 290 770u
 City near Chenoa Street CH8 (1200N) county Livingston
 Jurisdiction Local Urban Rural X Commercial Residential
 Street Surface bituminous Width 24' Condition
 Angle 65° Tracks Tangent Y Degree of Curve Superelevation
 Depth of Cut Height of Fill

Crossing Surface

Track Centers	Elevation	Track Main	Type	Width	Condition
			Full wood plank	33'	

Intersecting Roads <100' <200' 1260E(Old Rt.66) is 128'W

Traffic Control Devices Present: Stop sign at 1260E; "Caution 60' between tracks and highway"; Do not stop on track"

ADT 1300 Speed Statewide Y

School Buses possible Hazardous Materials possible Other

Rail Traffic: Ft. 4 @ 60 mph Pass. 6 @ 79 mph Switch

Simultaneous Movements: Daylight and Dark: Y

Present Protection: AFLS&G

Advance Warning Signs Yes Pavement Marking Yes

Visibility Study

Quad	Clearing Visibility	Obstruction	Stopping Visibility	Obstruction
------	------------------------	-------------	------------------------	-------------

NE
NW
SE
SW

Approach Grades

East	25'	-0.40	%	50'	-0.80	%	%
West	25'	-0.80	%	50'	-2.00	%	%


“+” grade is ascending from crossing

“-“ grade is descending from crossing

Comments:



J. LIVINGSTON\2907701\2907701.DWG 12/07/00 08:34:44



Crossing #: 29077011

Location: Livingston Co., City of Chenoa (N)

Lat/Long: 40°47'01", 88°41'11"

Railroad: UP

Street: 1200 N

Railroad Milepost: 98.08

Crossing Protection: Train Activated Devices

③ Photo Location