

STATE OF ILLINOIS
ILLINOIS COMMERCE COMMISSION
STIPULATED AGREEMENT SURVEY FORM

RR/Line UP/SSWNAO Milepost 88.90 Inventory # 290 748G

City near Pontiac Street TR113B(2000N) county Livingston

Jurisdiction Local Urban Rural X Commercial Residential

Street Surface bituminous Width 31' Condition

Angle 60° Tracks Tangent Y Degree of Curve Superelevation

Depth of Cut Height of Fill

Crossing Surface

Track Centers	Elevation	Track	Type	Width	Condition
		Main	Full wood plank	32'	

Intersecting Roads <100' 1700E(Old Rt.66) is 86'W; <200'
1700E is 90'E

Traffic Control Devices Present: Stop sign at 1700E(Old Rt66); "Caution 3.5' between tracks and highway"; "Do not stop on tracks"

ADT 550 Speed Statewide Y

School Buses possible Hazardous Materials possible Other

Rail Traffic: Ft. 4 @ 60 mph Pass. 6 @ 79 mph Switch

Simultaneous Movements: Daylight and Dark: Y

Present Protection: AFLS

Advance Warning Signs Yes Pavement Marking Yes

Visibility Study

Quad	Clearing Visibility	Obstruction	Stopping Visibility	Obstruction
NE	_____	_____	_____	_____
NW	_____	_____	_____	_____
SE	_____	_____	_____	_____
SW	_____	_____	_____	_____

Approach Grades

East	25'	-1.20 %	50'	-3.20 %	%
West	25'	-4.00 %	50'	-5.20 %	%


“+” grade is ascending from crossing

“-“ grade is descending from crossing



Comments:



I:\NMGSTDM\290748G\290748G.DWG 12/07/00 08:22 JJA



ROAD PROFILE



③ Photo Location

Crossing #: 290748G
 Location: Livingston Co., City of Pontiac (N)
 Lat/Long: 40°55'05", 88°36'17"
 Railroad: UP
 Street: 2000 N
 Railroad Milepost: 88.90
 Crossing Protection: Train Activated Devices

STATE OF ILLINOIS

ILLINOIS COMMERCE COMMISSION

STIPULATED AGREEMENT SURVEY FORM

RR/Line UP/SSWNAO Milepost 86.92 Inventory # 290 747A

City near Pontiac Street TR101 (2160N) county Livingston

Jurisdiction Local Urban Rural Commercial X Residential

Street Surface bituminous Width 22' Condition

Angle 70° Tracks Tangent Y Degree of Curve Superelevation

Depth of Cut Height of Fill

Crossing Surface

Track Centers	Elevation	Track	Type	Width	Condition
		Main	Full wood plank	25'	

Intersecting Roads <100' 1814E(Old Rt.66) is 91'W; <200'
1819E is 65'E

Traffic Control Devices Present: Stop sign at 1814E(Old Rt66); "Caution 50' between tracks and highway"; "Do not stop on tracks"

ADT 175 Speed Statewide Y

School Buses possible Hazardous Materials possible Other

Rail Traffic: Ft. 4 @ 60 mph Pass. 6 @ 79 mph Switch

Simultaneous Movements: Daylight and Dark: Y

Present Protection: AFLS

Advance Warning Signs Yes Pavement Marking No

Visibility Study

Quad	Clearing Visibility	Obstruction	Stopping Visibility	Obstruction
NE				
NW				
SE				
SW				

Approach Grades


East	25'	-2.00 %	50'	-4.50 %	'	%
West	25'	-4.40 %	50'	-6.80 %		%

“+” **grade** is ascending from crossing

“-“ **grade** is descending from crossing


comments:

J:\LIVINGSTON\290747A\290747A.DWG 12/07/00 08:14 JJA



ROAD PROFILE

SCALE IN FEET



③ Photo Location

Crossing #:	290747A
Location:	Livingston Co., City of Pontiac (N)
Lat/Long:	40°56'28" , 88°34'59"
Railroad:	UP
Street:	2160 N
Railroad Milepost:	86.92
Crossing Protection:	Train Activated Devices