

As an initial matter, the Large C&I Pilot program template set forth in ComEd's 2014-2016 Energy Efficiency and Demand Plan (ComEd Ex. 1.0) notes that many elements of the pilot are "still in development". As reflected in ComEd's Data Request Response to REACT 1.08, the development of the Large C&I Pilot program occurred only shortly before the Plan's filing.

- a. Please see ComEd's Data Request Response to REACT 1.21.
- b. Please see ComEd's Data Request Response to REACT 1.21.
- c. No, ComEd does not currently track the EDA charges paid by individual customers.
- d.
 - i. No. The current details regarding the proposed Large C&I Pilot program are set forth in ComEd Ex. 1.0, the Direct Testimony of Michael S Brandt (ComEd Ex. 2.0), and ComEd's Data Request Response to REACT 1.08, REACT 1.11, REACT 1.13, REACT 1.14, REACT 1.15, REACT 1.16, REACT 1.17, REACT 1.18, REACT 1.19, REACT 1.20, REACT 1.21 and NRDC 2.07. As explained in these responses, ComEd expects to address the remaining details of the Pilot during final program design, which will occur following approval of ComEd Ex. 1.0.
 - ii. All program elements are still in development as outlined in the Large C&I Pilot program template set forth in ComEd Ex. 1.0 and as described further in ComEd's Data Request Response to REACT 1.13, REACT 1.14, REACT 1.15, REACT 1.16, REACT 1.17, REACT 1.18, REACT 1.19, REACT 1.20, and REACT 1.21.
 - iii. Please see ComEd's response to paragraph (i) of subpart (d), above. ComEd has not yet set a schedule for the full development of the Large C&I Pilot program, but expects that the majority of the work will occur following Commission approval of ComEd Ex. 1.0. Although ComEd has not identified at this time which ComEd employees will work on the Pilot, ComEd expects that the personnel listed in ComEd's Data Request Response to REACT 1.09 will be involved.
 - iv. The proposed Large C&I Pilot program is just that – a pilot, and no energy savings are associated with the pilot at this time. Because the Pilot is not, at this time, a core program element of ComEd Ex. 1.0, ComEd intended only to present the framework for the Pilot, which is fully set forth in ComEd Ex. 1.0.
 - v. Although ComEd does not understand what is meant by "other structure", ComEd did not consider any alternative large C&I pilot programs for inclusion in ComEd Ex. 1.0.

ICC Docket No. 13-0495

**Commonwealth Edison Company's Response to
Natural Resources Defense Council ("NRDC") Data Requests
NRDC 2.01 – 2.20**

Date Received: September 20, 2013

Date Served: October 3, 2013

REQUEST NO. NRDC 2.07:

Regarding the Company's proposed new "Large C&I Pilot" program:

- a. What are the eligibility criteria for this program? Is there a minimum annual electricity usage level?
- b. How many different customers are eligible to participate?
- c. Among the eligible customers, how many participated in one or more of Com Ed's efficiency programs in each of the years from PY1 through PY6 (YTD)?
 1. What was the total savings from these customers in each year?
 2. How many incentive dollars did Com Ed spend on these customers (as a group) to achieve those savings?
 3. What fraction of the incremental cost of the efficiency measures that these customers installed did Com Ed's program covered on average?
- d. Why has the Company forecast no savings for this program?

RESPONSE:

- a. The Large C&I Pilot program is a new concept that is still in the early stages of development. Indeed, the concept for this Pilot only recently came to ComEd's attention through feedback received during the Stakeholder Advisory Group process. As such, certain program elements such as eligibility criteria and size of customer have not yet been determined.
- b. Please see ComEd's response to subpart (a), above.
- c. Please see ComEd's response to subpart (a), above.
- d. Because the proposed Large C&I Pilot program is, by definition, a pilot that is still being developed, no forecast of kWh savings has been determined at this time.

ICC Docket No. 13-0495

**Commonwealth Edison Company's Response to
Natural Resources Defense Council ("NRDC") Data Requests**

NRDC 2.01 – 2.20

Date Received: September 20, 2013

Date Served: October 3, 2013

REQUEST NO. NRDC 2.09:

Regarding the C&I Incentives program, please indicate how much of the forecast savings are expected to come from each program measure.

RESPONSE:

Please see the attachment labeled as NRDC 2.09_Attach 1.

Variable: Sheet:	C&I Incentives Program 1	Lifetime Net kWh Savings Per Measure 5
1001-1500 lbs/day Restaurant		10047.45208
1001-1500 lbs/day Retail/Service		10047.45208
101-200 lb/day Restaurant		2109.964936
101-200 lb/day Retail/Service		2109.964936
201-300 lbs/day Restaurant		3494.76594
201-300 lbs/day Retail/Service		3494.76594
2-ft T8 lamp and ballast College / University		433.086682
2-ft T8 lamp and ballast Grocery		890.3903891
2-ft T8 lamp and ballast Heavy Industry		557.2122092
2-ft T8 lamp and ballast Hotel/Motel		296.808419
2-ft T8 lamp and ballast K-12 School		215.8839287
2-ft T8 lamp and ballast Light Industry		592.473208
2-ft T8 lamp and ballast Medical		803.4728374
2-ft T8 lamp and ballast Miscellaneous		608.9398594
2-ft T8 lamp and ballast Office		595.4727055
2-ft T8 lamp and ballast Restaurant		528.192741
2-ft T8 lamp and ballast Retail/Service		627.96923
2-ft T8 lamp and ballast Warehouse		590.8162404
301-400 lbs/day Restaurant		4342.246681
3-ft T8 lamp and ballast College / University		527.235944
3-ft T8 lamp and ballast Grocery		1083.953517
3-ft T8 lamp and ballast Heavy Industry		678.3452982
3-ft T8 lamp and ballast Hotel/Motel		361.3319883
3-ft T8 lamp and ballast K-12 School		262.8152175
3-ft T8 lamp and ballast Light Industry		721.2717314
3-ft T8 lamp and ballast Medical		978.1408455
3-ft T8 lamp and ballast Miscellaneous		741.3180897
3-ft T8 lamp and ballast Office		724.9232937
3-ft T8 lamp and ballast Restaurant		643.0172499
3-ft T8 lamp and ballast Retail/Service		764.48428
3-ft T8 lamp and ballast Warehouse		719.2545536
401-500 lbs/day Restaurant		5071.779071
4-foot HP T8 Lamp and Ballast College / University		244.7881168
4-foot HP T8 Lamp and Ballast Grocery		503.264133
4-foot HP T8 Lamp and Ballast Heavy Industry		314.9460313
4-foot HP T8 Lamp and Ballast Hotel/Motel		167.7612803
4-foot HP T8 Lamp and Ballast K-12 School		122.021351
4-foot HP T8 Lamp and Ballast Light Industry		334.876161
4-foot HP T8 Lamp and Ballast Medical		454.1368211
4-foot HP T8 Lamp and Ballast Miscellaneous		344.1833988
4-foot HP T8 Lamp and Ballast Office		336.5715292
4-foot HP T8 Lamp and Ballast Restaurant		298.5437232
4-foot HP T8 Lamp and Ballast Retail/Service		354.93913
4-foot HP T8 Lamp and Ballast Warehouse		333.9396142
4-foot RW T8 Lamp and Ballast College / University		244.7881168
4-foot RW T8 Lamp and Ballast Grocery		503.264133
4-foot RW T8 Lamp and Ballast Heavy Industry		314.9460313
4-foot RW T8 Lamp and Ballast Hotel/Motel		167.7612803
4-foot RW T8 Lamp and Ballast K-12 School		122.021351
4-foot RW T8 Lamp and Ballast Light Industry		334.876161
4-foot RW T8 Lamp and Ballast Medical		454.1368211
4-foot RW T8 Lamp and Ballast Miscellaneous		344.1833988
4-foot RW T8 Lamp and Ballast Office		336.5715292
4-foot RW T8 Lamp and Ballast Restaurant		298.5437232
4-foot RW T8 Lamp and Ballast Retail/Service		354.93913
4-foot RW T8 Lamp and Ballast Warehouse		333.9396142
501-1000 lbs/day Restaurant		8059.803949
501-1000 lbs/day Retail/Service		8059.803949
8-foot RW T8 Lamp and Ballast College / University		357.7672477
8-foot RW T8 Lamp and Ballast Grocery		735.5398867
8-foot RW T8 Lamp and Ballast Heavy Industry		460.305738
8-foot RW T8 Lamp and Ballast Hotel/Motel		245.1895635
8-foot RW T8 Lamp and Ballast K-12 School		178.3388976

8-foot RW T8 Lamp and Ballast Light Industry	489.4343892
8-foot RW T8 Lamp and Ballast Medical	663.7384309
8-foot RW T8 Lamp and Ballast Miscellaneous	503.0372751
8-foot RW T8 Lamp and Ballast Office	491.912235
8-foot RW T8 Lamp and Ballast Restaurant	436.3331339
8-foot RW T8 Lamp and Ballast Retail/Service	518.75719
8-foot RW T8 Lamp and Ballast Warehouse	488.0655899
Air Cooled less than 150	2131.835093
Air Cooled grtr than equal to 150	2090.034405
Air-Side Economizer Miscellaneous	4632.997824
Air-Side Economizer Office	4632.997824
Air-Side Economizer Retail/Service	4632.997824
Anti-sweat control system Grocery	2935.796522
Anti-sweat control system Miscellaneous	2935.796522
Anti-sweat control system Retail/Service	2935.796522
Automatic Fume Hood Sash Closer - Chiller - less than 50 percent - 12'	4455.142814
Automatic Fume Hood Sash Closer - Chiller - less than 50 percent - 18'	9465.587627
Automatic Fume Hood Sash Closer - Chiller - less than 50 percent - 24'	14476.03244
Automatic Fume Hood Sash Closer - Chiller - less than 50 percent - 28'	17816.32898
Automatic Fume Hood Sash Closer - Chiller - 50-79 percent - 18'	2872.644089
Automatic Fume Hood Sash Closer - Chiller - 50-79 percent - 24'	5685.441056
Automatic Fume Hood Sash Closer - Chiller - 50-79 percent - 28'	7560.639033
Automatic Fume Hood Sash Closer - DX - less than 50 percent - 12'	4750.917758
Automatic Fume Hood Sash Closer - DX - less than 50 percent - 18'	10091.14969
Automatic Fume Hood Sash Closer - DX - less than 50 percent - 24'	15431.38162
Automatic Fume Hood Sash Closer - DX - less than 50 percent - 28'	18991.53624
Automatic Fume Hood Sash Closer - DX - 50-79 percent - 18'	3076.860381
Automatic Fume Hood Sash Closer - DX - 50-79 percent - 24'	6078.995877
Automatic Fume Hood Sash Closer - DX - 50-79 percent - 28'	8080.419541
Automatic Fume Hood Sash Closer - Other - less than 50 percent - 12'	4603.030286
Automatic Fume Hood Sash Closer - Other - less than 50 percent - 18'	9778.368659
Automatic Fume Hood Sash Closer - Other - less than 50 percent - 24'	14953.70703
Automatic Fume Hood Sash Closer - Other - less than 50 percent - 28'	18403.93261
Automatic Fume Hood Sash Closer - Other - 50-79 percent - 18'	2974.752235
Automatic Fume Hood Sash Closer - Other - 50-79 percent - 24'	5882.218466
Automatic Fume Hood Sash Closer - Other - 50-79 percent - 28'	7820.529287
Bi-level Stairwell/Hall/Garage Light Fixtures College / University	3456.185477
Bi-level Stairwell/Hall/Garage Light Fixtures Grocery	3456.185477
Bi-level Stairwell/Hall/Garage Light Fixtures Heavy Industry	3456.185477
Bi-level Stairwell/Hall/Garage Light Fixtures-Hotel/Motel	3456.185477
Bi-level Stairwell/Hall/Garage Light Fixtures K-12 School	3456.185477
Bi-level Stairwell/Hall/Garage Light Fixtures Light Industry	3456.185477
Bi-level Stairwell/Hall/Garage Light Fixtures Medical	3456.185477
Bi-level Stairwell/Hall/Garage Light Fixtures Miscellaneous	3456.185477
Bi-level Stairwell/Hall/Garage Light Fixtures Office	3456.185477
Bi-level Stairwell/Hall/Garage Light Fixtures Restaurant	3456.185477
Bi-level Stairwell/Hall/Garage Light Fixtures Retail/Service	3456.185477
Bi-level Stairwell/Hall/Garage Light Fixtures Warehouse	3456.185477
Centrifugal less than 300	1323.514287
Centrifugal 300 to 599	1219.143194
Centrifugal grtr than equal to 600	1196.936578
Chilled Water Reset Controls on Air-Cooled Chillers College / University	94.92609672
Chilled Water Reset Controls on Air-Cooled Chillers Medical	94.92609672
Chilled Water Reset Controls on Air-Cooled Chillers Miscellaneous	94.92609672
Chilled Water Reset Controls on Air-Cooled Chillers Office	94.92609672
Chilled Water Reset Controls on Water-Cooled Chillers College / University	229.383751
Chilled Water Reset Controls on Water-Cooled Chillers Medical	229.383751
Chilled Water Reset Controls on Water-Cooled Chillers Miscellaneous	229.383751
Chilled Water Reset Controls on Water-Cooled Chillers Office	229.383751
Cogged V-Belts for HVAC Fans College / University	478.1905619
Cogged V-Belts for HVAC Fans Medical	536.9913058
Cogged V-Belts for HVAC Fans Miscellaneous	306.7332723
Cogged V-Belts for HVAC Fans Office	167.1488255
Combination Oven Grocery	180482.2536
Combination Oven Hotel/Motel	180482.2536
Combination Oven Medical	180482.2536
Combination Oven Restaurant	180482.2536

Combination Oven Retail/Service	180482.2536
Commercial Kitchen Demand Control Ventilation Grocery	53339.62561
Commercial Kitchen Demand Control Ventilation Hotel/Motel	53339.62561
Commercial Kitchen Demand Control Ventilation Medical	53339.62561
Commercial Kitchen Demand Control Ventilation Restaurant	53339.62561
Commercial Kitchen Demand Control Ventilation Retail/Service	53339.62561
Commercial Refrigeration	46.05
Compressed Air	184.20
Constant Volume to Variable Air Volume Fume Hood - Chiller - 12' - less than 50 percent	20686.67899
Constant Volume to Variable Air Volume Fume Hood - Chiller - 12' - 50-79 percent	24932.2372
Constant Volume to Variable Air Volume Fume Hood - Chiller - 12' - grtr than equal to 80 percent	25141.8218
Constant Volume to Variable Air Volume Fume Hood - Chiller - 18' - less than 50 percent	15676.23417
Constant Volume to Variable Air Volume Fume Hood - Chiller - 18' - 50-79 percent	22269.17771
Constant Volume to Variable Air Volume Fume Hood - Chiller - 18' - grtr than equal to 80 percent	25141.8218
Constant Volume to Variable Air Volume Fume Hood - Chiller - 24' - less than 50 percent	10665.78936
Constant Volume to Variable Air Volume Fume Hood - Chiller - 24' - 50-79 percent	19456.38075
Constant Volume to Variable Air Volume Fume Hood - Chiller - 24' - grtr than equal to 80 percent	25141.8218
Constant Volume to Variable Air Volume Fume Hood - Chiller - 28' - less than 50 percent	7325.49282
Constant Volume to Variable Air Volume Fume Hood - Chiller - 28' - 50-79 percent	17581.18277
Constant Volume to Variable Air Volume Fume Hood - Chiller - 28' - grtr than equal to 80 percent	25133.03682
Constant Volume to Variable Air Volume Fume Hood - Chiller - 6' - less than 50 percent	25141.8218
Constant Volume to Variable Air Volume Fume Hood - Chiller - 6' - 50-79 percent	25141.8218
Constant Volume to Variable Air Volume Fume Hood - Chiller - 6' - grtr than equal to 80 percent	25141.8218
Constant Volume to Variable Air Volume Fume Hood - DX - 12' - less than 50 percent	22034.27327
Constant Volume to Variable Air Volume Fume Hood - DX - 12' - 50-79 percent	26555.54844
Constant Volume to Variable Air Volume Fume Hood - DX - 12' - grtr than equal to 80 percent	26785.19103
Constant Volume to Variable Air Volume Fume Hood - DX - 18' - less than 50 percent	16694.04134
Constant Volume to Variable Air Volume Fume Hood - DX - 18' - 50-79 percent	23708.33065
Constant Volume to Variable Air Volume Fume Hood - DX - 18' - grtr than equal to 80 percent	26785.19103
Constant Volume to Variable Air Volume Fume Hood - DX - 24' - less than 50 percent	11353.80941
Constant Volume to Variable Air Volume Fume Hood - DX - 24' - 50-79 percent	20706.19516
Constant Volume to Variable Air Volume Fume Hood - DX - 24' - grtr than equal to 80 percent	26785.19103
Constant Volume to Variable Air Volume Fume Hood - DX - 28' - less than 50 percent	7793.654788
Constant Volume to Variable Air Volume Fume Hood - DX - 28' - 50-79 percent	18704.77149
Constant Volume to Variable Air Volume Fume Hood - DX - 28' - grtr than equal to 80 percent	26775.5653
Constant Volume to Variable Air Volume Fume Hood - DX - 6' - less than 50 percent	26785.19103
Constant Volume to Variable Air Volume Fume Hood - DX - 6' - 50-79 percent	26785.19103
Constant Volume to Variable Air Volume Fume Hood - DX - 6' - grtr than equal to 80 percent	26785.19103
Constant Volume to Variable Air Volume Fume Hood - Other - 12' - less than 50 percent	21360.47613
Constant Volume to Variable Air Volume Fume Hood - Other - 12' - 50-79 percent	25743.89282
Constant Volume to Variable Air Volume Fume Hood - Other - 12' - grtr than equal to 80 percent	25963.50642
Constant Volume to Variable Air Volume Fume Hood - Other - 18' - less than 50 percent	16185.13776
Constant Volume to Variable Air Volume Fume Hood - Other - 18' - 50-79 percent	22988.75418
Constant Volume to Variable Air Volume Fume Hood - Other - 18' - grtr than equal to 80 percent	25963.50642
Constant Volume to Variable Air Volume Fume Hood - Other - 24' - less than 50 percent	11009.79939
Constant Volume to Variable Air Volume Fume Hood - Other - 24' - 50-79 percent	20081.28795
Constant Volume to Variable Air Volume Fume Hood - Other - 24' - grtr than equal to 80 percent	25963.50642
Constant Volume to Variable Air Volume Fume Hood - Other - 28' - less than 50 percent	7559.573804
Constant Volume to Variable Air Volume Fume Hood - Other - 28' - 50-79 percent	18142.97713
Constant Volume to Variable Air Volume Fume Hood - Other - 28' - grtr than equal to 80 percent	25954.30106
Constant Volume to Variable Air Volume Fume Hood - Other - 6' - less than 50 percent	25963.50642
Constant Volume to Variable Air Volume Fume Hood - Other - 6' - 50-79 percent	25963.50642
Constant Volume to Variable Air Volume Fume Hood - Other - 6' - grtr than equal to 80 percent	25963.50642
Containment Airflow	8.75
Containment Airflow, Economization, Temperature	8.75
Containment Airflow, VFD, Controls	8.75
Containment Airflow, VFD, Cooling Equipment	8.75
Controls	8.75
Controls, Economization	8.75
Controls, Temperature	12.40
Cell:	162
Daylighting Controls College / University	8.467810697
Daylighting Controls Grocery	17.40911881
Daylighting Controls Heavy Industry	10.89474198
Daylighting Controls Hotel/Motel	12.81554763
Daylighting Controls K-12 School	8.617900522
Daylighting Controls Light Industry	11.58417318

Daylighting Controls Medical	15.70968674
Daylighting Controls Miscellaneous	11.90613296
Daylighting Controls Office	11.64282005
Daylighting Controls Restaurant	10.32734663
Daylighting Controls Retail/Service	12.27819961
Daylighting Controls Warehouse	11.55177577
Demand Control Ventilation - Conditioned Space Hotel / Motel	4756.0968
Demand Control Ventilation - Conditioned Space Medical	4756.0968
Demand Control Ventilation - Conditioned Space Miscellaneous	4756.0968
Demand Control Ventilation - Conditioned Space Office	4756.0968
Demand Control Ventilation - Conditioned Space Restaurant	4756.0968
Demand Control Ventilation - Conditioned Space Retail/Service	4756.0968
Demand Control Ventilation - Garage College / University	51211.27229
Demand Control Ventilation - Garage Hotel / Motel	51211.27229
Demand Control Ventilation - Garage Medical	51211.27229
Demand Control Ventilation - Garage Miscellaneous	51211.27229
Demand Control Ventilation - Garage Office	51211.27229
Demand Control Ventilation - Garage Retail/Service	51211.27229
Demand Defrost Controls on Coolers Grocery	1423.657283
Demand Defrost Controls on Coolers Miscellaneous	1423.657283
Demand Defrost Controls on Coolers Retail/Service	1423.657283
Demand Defrost Controls on Freezers Grocery	1655.415445
Demand Defrost Controls on Freezers Miscellaneous	1655.415445
Demand Defrost Controls on Freezers Retail/Service	1655.415445
DLC Qualified 2x2, 2x4, and 1x4 Luminaires and Retrofit Kits for Ambient Lighting College / University	40.79801947
DLC Qualified 2x2, 2x4, and 1x4 Luminaires and Retrofit Kits for Ambient Lighting Grocery	83.8773555
DLC Qualified 2x2, 2x4, and 1x4 Luminaires and Retrofit Kits for Ambient Lighting Heavy Industry	52.49100521
DLC Qualified 2x2, 2x4, and 1x4 Luminaires and Retrofit Kits for Ambient Lighting Hotel/Motel	27.96021338
DLC Qualified 2x2, 2x4, and 1x4 Luminaires and Retrofit Kits for Ambient Lighting K-12 School	20.33689183
DLC Qualified 2x2, 2x4, and 1x4 Luminaires and Retrofit Kits for Ambient Lighting Light Industry	55.8126935
DLC Qualified 2x2, 2x4, and 1x4 Luminaires and Retrofit Kits for Ambient Lighting Medical	75.68947019
DLC Qualified 2x2, 2x4, and 1x4 Luminaires and Retrofit Kits for Ambient Lighting Miscellaneous	57.36389979
DLC Qualified 2x2, 2x4, and 1x4 Luminaires and Retrofit Kits for Ambient Lighting Office	56.09525487
DLC Qualified 2x2, 2x4, and 1x4 Luminaires and Retrofit Kits for Ambient Lighting Restaurant	49.75728719
DLC Qualified 2x2, 2x4, and 1x4 Luminaires and Retrofit Kits for Ambient Lighting Retail/Service	59.15652166
DLC Qualified 2x2, 2x4, and 1x4 Luminaires and Retrofit Kits for Ambient Lighting Warehouse	55.65660236
DLC Qualified Architectural Flood and Spot Lighting College / University	64.8184184
DLC Qualified Architectural Flood and Spot Lighting Grocery	64.8184184
DLC Qualified Architectural Flood and Spot Lighting Heavy Industry	64.8184184
DLC Qualified Architectural Flood and Spot Lighting Hotel/Motel	64.8184184
DLC Qualified Architectural Flood and Spot Lighting K-12 School	64.8184184
DLC Qualified Architectural Flood and Spot Lighting Light Industry	64.8184184
DLC Qualified Architectural Flood and Spot Lighting Medical	64.8184184
DLC Qualified Architectural Flood and Spot Lighting Miscellaneous	64.8184184
DLC Qualified Architectural Flood and Spot Lighting Office	64.8184184
DLC Qualified Architectural Flood and Spot Lighting Restaurant	64.8184184
DLC Qualified Architectural Flood and Spot Lighting Retail/Service	64.8184184
DLC Qualified Architectural Flood and Spot Lighting Warehouse	64.8184184
DLC Qualified Canopy LED Luminaires HID Base College / University	45.7541777
DLC Qualified Canopy LED Luminaires HID Base Grocery	45.7541777
DLC Qualified Canopy LED Luminaires HID Base Heavy Industry	45.7541777
DLC Qualified Canopy LED Luminaires HID Base Hotel/Motel	45.7541777
DLC Qualified Canopy LED Luminaires HID Base K-12 School	45.7541777
DLC Qualified Canopy LED Luminaires HID Base Light Industry	45.7541777
DLC Qualified Canopy LED Luminaires HID Base Medical	45.7541777
DLC Qualified Canopy LED Luminaires HID Base Miscellaneous	45.7541777
DLC Qualified Canopy LED Luminaires HID Base Office	45.7541777
DLC Qualified Canopy LED Luminaires HID Base Restaurant	45.7541777
DLC Qualified Canopy LED Luminaires HID Base Retail/Service	45.7541777
DLC Qualified Canopy LED Luminaires HID Base Warehouse	45.7541777
DLC Qualified Display Case Lighting College / University	34.52140109
DLC Qualified Display Case Lighting Grocery	70.97314696
DLC Qualified Display Case Lighting Heavy Industry	44.41546595
DLC Qualified Display Case Lighting Hotel/Motel	23.65864209
DLC Qualified Display Case Lighting K-12 School	17.20813924
DLC Qualified Display Case Lighting Light Industry	47.22612527
DLC Qualified Display Case Lighting Medical	64.04493832

DLC Qualified Display Case Lighting Miscellaneous	48.53868444
DLC Qualified Display Case Lighting Office	47.46521566
DLC Qualified Display Case Lighting Restaurant	42.10231993
DLC Qualified Display Case Lighting Retail/Service	50.05551833
DLC Qualified Display Case Lighting Warehouse	47.09404815
DLC Qualified High-bay, Low-bay and Aisle LED Fixtures College / University	31.3830919
DLC Qualified High-bay, Low-bay and Aisle LED Fixtures Grocery	64.52104269
DLC Qualified High-bay, Low-bay and Aisle LED Fixtures Heavy Industry	40.37769832
DLC Qualified High-bay, Low-bay and Aisle LED Fixtures Hotel/Motel	21.50785645
DLC Qualified High-bay, Low-bay and Aisle LED Fixtures K-12 School	15.64376295
DLC Qualified High-bay, Low-bay and Aisle LED Fixtures Light Industry	42.93284116
DLC Qualified High-bay, Low-bay and Aisle LED Fixtures Medical	58.22266938
DLC Qualified High-bay, Low-bay and Aisle LED Fixtures Miscellaneous	44.12607677
DLC Qualified High-bay, Low-bay and Aisle LED Fixtures Office	43.15019605
DLC Qualified High-bay, Low-bay and Aisle LED Fixtures Restaurant	38.2748363
DLC Qualified High-bay, Low-bay and Aisle LED Fixtures Retail/Service	45.50501666
DLC Qualified High-bay, Low-bay and Aisle LED Fixtures Warehouse	42.81277105
DLC Qualified Interior Wall-Wash LED Luminaires College / University	40.79801947
DLC Qualified Interior Wall-Wash LED Luminaires Grocery	83.8773555
DLC Qualified Interior Wall-Wash LED Luminaires Heavy Industry	52.49100521
DLC Qualified Interior Wall-Wash LED Luminaires Hotel/Motel	27.96021338
DLC Qualified Interior Wall-Wash LED Luminaires K-12 School	20.33689183
DLC Qualified Interior Wall-Wash LED Luminaires Light Industry	55.8126935
DLC Qualified Interior Wall-Wash LED Luminaires Medical	75.68947019
DLC Qualified Interior Wall-Wash LED Luminaires Miscellaneous	57.36389979
DLC Qualified Interior Wall-Wash LED Luminaires Office	56.09525487
DLC Qualified Interior Wall-Wash LED Luminaires Restaurant	49.75728719
DLC Qualified Interior Wall-Wash LED Luminaires Retail/Service	59.15652166
DLC Qualified Interior Wall-Wash LED Luminaires Warehouse	55.65660236
DLC Qualified LED Bollards College / University	45.7541777
DLC Qualified LED Bollards Grocery	45.7541777
DLC Qualified LED Bollards Heavy Industry	45.7541777
DLC Qualified LED Bollards Hotel/Motel	45.7541777
DLC Qualified LED Bollards K-12 School	45.7541777
DLC Qualified LED Bollards Light Industry	45.7541777
DLC Qualified LED Bollards Medical	45.7541777
DLC Qualified LED Bollards Miscellaneous	45.7541777
DLC Qualified LED Bollards Office	45.7541777
DLC Qualified LED Bollards Restaurant	45.7541777
DLC Qualified LED Bollards Retail/Service	45.7541777
DLC Qualified LED Bollards Warehouse	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Area LED Luminaires College / University	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Area LED Luminaires Grocery	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Area LED Luminaires Heavy Industry	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Area LED Luminaires Hotel/Motel	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Area LED Luminaires K-12 School	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Area LED Luminaires Light Industry	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Area LED Luminaires Medical	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Area LED Luminaires Miscellaneous	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Area LED Luminaires Office	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Area LED Luminaires Restaurant	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Area LED Luminaires Retail/Service	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Area LED Luminaires Warehouse	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Decorative LED Luminaires College / University	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Decorative LED Luminaires Grocery	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Decorative LED Luminaires Heavy Industry	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Decorative LED Luminaires Hotel/Motel	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Decorative LED Luminaires K-12 School	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Decorative LED Luminaires Light Industry	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Decorative LED Luminaires Medical	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Decorative LED Luminaires Miscellaneous	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Decorative LED Luminaires Office	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Decorative LED Luminaires Restaurant	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Decorative LED Luminaires Retail/Service	45.7541777
DLC Qualified Outdoor Pole/Arm-Mounted Decorative LED Luminaires Warehouse	45.7541777
DLC Qualified Outdoor Wall-Mounted Area LED Luminaires College / University	45.7541777
DLC Qualified Outdoor Wall-Mounted Area LED Luminaires Grocery	45.7541777

DLC Qualified Outdoor Wall-Mounted Area LED Luminaires Heavy Industry	45.7541777
DLC Qualified Outdoor Wall-Mounted Area LED Luminaires Hotel/Motel	45.7541777
DLC Qualified Outdoor Wall-Mounted Area LED Luminaires K-12 School	45.7541777
DLC Qualified Outdoor Wall-Mounted Area LED Luminaires Light Industry	45.7541777
DLC Qualified Outdoor Wall-Mounted Area LED Luminaires Medical	45.7541777
DLC Qualified Outdoor Wall-Mounted Area LED Luminaires Miscellaneous	45.7541777
DLC Qualified Outdoor Wall-Mounted Area LED Luminaires Office	45.7541777
DLC Qualified Outdoor Wall-Mounted Area LED Luminaires Restaurant	45.7541777
DLC Qualified Outdoor Wall-Mounted Area LED Luminaires Retail/Service	45.7541777
DLC Qualified Outdoor Wall-Mounted Area LED Luminaires Warehouse	45.7541777
DLC Qualified Parking Garage LED Luminaires - Garage/24-7 College / University	54.53547103
DLC Qualified Parking Garage LED Luminaires - Garage/24-7 Grocery	54.53547103
DLC Qualified Parking Garage LED Luminaires - Garage/24-7 Heavy Industry	54.53547103
DLC Qualified Parking Garage LED Luminaires - Garage/24-7 Hotel/Motel	54.53547103
DLC Qualified Parking Garage LED Luminaires - Garage/24-7 K-12 School	54.53547103
DLC Qualified Parking Garage LED Luminaires - Garage/24-7 Light Industry	54.53547103
DLC Qualified Parking Garage LED Luminaires - Garage/24-7 Medical	54.53547103
DLC Qualified Parking Garage LED Luminaires - Garage/24-7 Miscellaneous	54.53547103
DLC Qualified Parking Garage LED Luminaires - Garage/24-7 Office	54.53547103
DLC Qualified Parking Garage LED Luminaires - Garage/24-7 Restaurant	54.53547103
DLC Qualified Parking Garage LED Luminaires - Garage/24-7 Retail/Service	54.53547103
DLC Qualified Parking Garage LED Luminaires - Garage/24-7 Warehouse	54.53547103
DLC Qualified Parking Garage LED Luminaires - Garage/Non-24-7 College / University	44.04644477
DLC Qualified Parking Garage LED Luminaires - Garage/Non-24-7 Grocery	44.04644477
DLC Qualified Parking Garage LED Luminaires - Garage/Non-24-7 Heavy Industry	44.04644477
DLC Qualified Parking Garage LED Luminaires - Garage/Non-24-7 Hotel/Motel	44.04644477
DLC Qualified Parking Garage LED Luminaires - Garage/Non-24-7 K-12 School	44.04644477
DLC Qualified Parking Garage LED Luminaires - Garage/Non-24-7 Light Industry	44.04644477
DLC Qualified Parking Garage LED Luminaires - Garage/Non-24-7 Medical	44.04644477
DLC Qualified Parking Garage LED Luminaires - Garage/Non-24-7 Miscellaneous	44.04644477
DLC Qualified Parking Garage LED Luminaires - Garage/Non-24-7 Office	44.04644477
DLC Qualified Parking Garage LED Luminaires - Garage/Non-24-7 Restaurant	44.04644477
DLC Qualified Parking Garage LED Luminaires - Garage/Non-24-7 Retail/Service	44.04644477
DLC Qualified Parking Garage LED Luminaires - Garage/Non-24-7 Warehouse	44.04644477
DLC Qualified Stairwell and Passageway LED Lighting College / University	74.98627267
DLC Qualified Stairwell and Passageway LED Lighting Grocery	74.98627267
DLC Qualified Stairwell and Passageway LED Lighting Heavy Industry	74.98627267
DLC Qualified Stairwell and Passageway LED Lighting Hotel/Motel	74.98627267
DLC Qualified Stairwell and Passageway LED Lighting K-12 School	74.98627267
DLC Qualified Stairwell and Passageway LED Lighting Light Industry	74.98627267
DLC Qualified Stairwell and Passageway LED Lighting Medical	74.98627267
DLC Qualified Stairwell and Passageway LED Lighting Miscellaneous	74.98627267
DLC Qualified Stairwell and Passageway LED Lighting Office	74.98627267
DLC Qualified Stairwell and Passageway LED Lighting Restaurant	74.98627267
DLC Qualified Stairwell and Passageway LED Lighting Retail/Service	74.98627267
DLC Qualified Stairwell and Passageway LED Lighting Warehouse	74.98627267
DLC Qualified Track or Mono-point Fixture ≥ 40 W Base College / University	1966.464539
DLC Qualified Track or Mono-point Fixture ≥ 40 W Base Grocery	4042.888535
DLC Qualified Track or Mono-point Fixture ≥ 40 W Base Heavy Industry	2530.066451
DLC Qualified Track or Mono-point Fixture ≥ 40 W Base Hotel/Motel	1347.682285
DLC Qualified Track or Mono-point Fixture ≥ 40 W Base K-12 School	980.2381863
DLC Qualified Track or Mono-point Fixture ≥ 40 W Base Light Industry	2690.171827
DLC Qualified Track or Mono-point Fixture ≥ 40 W Base Medical	3648.232463
DLC Qualified Track or Mono-point Fixture ≥ 40 W Base Miscellaneous	2764.93997
DLC Qualified Track or Mono-point Fixture ≥ 40 W Base Office	2703.791285
DLC Qualified Track or Mono-point Fixture ≥ 40 W Base Restaurant	2398.301243
DLC Qualified Track or Mono-point Fixture ≥ 40 W Base Retail/Service	2851.344344
DLC Qualified Track or Mono-point Fixture ≥ 40 W Base Warehouse	2682.648234
EC motor Reach-In Grocery	4093.149752
EC motor Reach-In Hotel/Motel	4093.149752
EC motor Reach-In Medical	4093.149752
EC motor Reach-In Miscellaneous	4093.149752
EC motor Reach-In Restaurant	4093.149752
EC motor Reach-In Retail/Service	4093.149752
EC Motor Walkin Grocery	4772.743139
EC Motor Walkin Hotel/Motel	4772.743139
EC Motor Walkin Medical	4772.743139

EC Motor Walkin Miscellaneous	4772.743139
EC Motor Walkin Restaurant	4772.743139
EC Motor Walkin Retail/Service	4772.743139
Efficient Refrigeration Condenser College / University	1428.273704
Efficient Refrigeration Condenser Grocery	1428.273704
Efficient Refrigeration Condenser Heavy Industry	1428.273704
Efficient Refrigeration Condenser Hotel/Motel	1428.273704
Efficient Refrigeration Condenser K-12 School	1428.273704
Efficient Refrigeration Condenser Light Industry	1428.273704
Efficient Refrigeration Condenser Medical	1428.273704
Efficient Refrigeration Condenser Miscellaneous	1428.273704
Efficient Refrigeration Condenser Office	1428.273704
Efficient Refrigeration Condenser Restaurant	1428.273704
Efficient Refrigeration Condenser Retail/Service	1428.273704
Efficient Refrigeration Condenser WareHouse	1428.273704
Electronically Commutated Motors (ECMs) on Fan Powered Boxes College / University	2782.316628
Electronically Commutated Motors (ECMs) on Fan Powered Boxes Medical	2782.316628
Electronically Commutated Motors (ECMs) on Fan Powered Boxes Miscellaneous	2782.316628
Electronically Commutated Motors (ECMs) on Fan Powered Boxes Office	2782.316628
EMCS	46.05
EMCS - EC	11.51
Energy Management System Light Industry	38.40548166
Energy Management System Miscellaneous	38.40548166
Energy Management System Office	38.40548166
Energy Management System Restaurant	38.40548166
Energy Management System Retail/Service	38.40548166
ENERGY STAR Convection Oven Grocery	27162.90814
ENERGY STAR Convection Oven Hotel/Motel	27162.90814
ENERGY STAR Convection Oven Medical	27162.90814
ENERGY STAR Convection Oven Restaurant	27162.90814
ENERGY STAR Convection Oven Retail/Service	27162.90814
ENERGY STAR Glass Door Refrigerator Grocery	6317.727325
ENERGY STAR Glass Door Refrigerator Hotel/Motel	6317.727325
ENERGY STAR Glass Door Refrigerator Miscellaneous	6317.727325
ENERGY STAR Glass Door Refrigerator Restaurant	6317.727325
ENERGY STAR Glass Door Refrigerator Retail/Service	6317.727325
ENERGY STAR Heat Pump Water Heaters Hotel/Motel	76093.62103
ENERGY STAR Heat Pump Water Heaters Medical	18887.4653
ENERGY STAR Heat Pump Water Heaters Restaurant	21730.73964
ENERGY STAR Heat Pump Water Heaters Retail/Service	88672.66586
ENERGY STAR Solid Door Refrigerator Grocery	6116.912828
ENERGY STAR Solid Door Refrigerator Hotel/Motel	6116.912828
ENERGY STAR Solid Door Refrigerator Miscellaneous	6116.912828
ENERGY STAR Solid Door Refrigerator Restaurant	6116.912828
ENERGY STAR Solid Door Refrigerator Retail/Service	6116.912828
ENERGY STAR Tier II Vending Machine Refurbishment Kits College / University	16063.29729
ENERGY STAR Tier II Vending Machine Refurbishment Kits Heavy Industry	16063.29729
ENERGY STAR Tier II Vending Machine Refurbishment Kits Hotel/Motel	16063.29729
ENERGY STAR Tier II Vending Machine Refurbishment Kits K-12 School	16063.29729
ENERGY STAR Tier II Vending Machine Refurbishment Kits Light Industry	16063.29729
ENERGY STAR Tier II Vending Machine Refurbishment Kits Medical	16063.29729
ENERGY STAR Tier II Vending Machine Refurbishment Kits Miscellaneous	16063.29729
ENERGY STAR Tier II Vending Machine Refurbishment Kits Office	16063.29729
ENERGY STAR Tier II Vending Machine Refurbishment Kits Retail/Service	16063.29729
ENERGY STAR Tier II Vending Machine Refurbishment Kits WareHouse	16063.29729
Engine Block Timer Miscellaneous	1858.724595
Evaporator Fan Controls on ECM Grocery	2761.366504
Evaporator Fan Controls on ECM Hotel/Motel	2761.366504
Evaporator Fan Controls on ECM Medical	2761.366504
Evaporator Fan Controls on ECM Miscellaneous	2761.366504
Evaporator Fan Controls on ECM Restaurant	2761.366504
Evaporator Fan Controls on ECM Retail/Service	2761.366504
Evaporator Fan Controls on Shaded Pole College / University	6012.265896
Evaporator Fan Controls on Shaded Pole Grocery	6012.265896
Evaporator Fan Controls on Shaded Pole Heavy Industry	6012.265896
Evaporator Fan Controls on Shaded Pole Hotel/Motel	6012.265896
Evaporator Fan Controls on Shaded Pole K-12 School	6012.265896

Evaporator Fan Controls on Shaded Pole Light Industry	6012.265896
Evaporator Fan Controls on Shaded Pole Medical	6012.265896
Evaporator Fan Controls on Shaded Pole Miscellaneous	6012.265896
Evaporator Fan Controls on Shaded Pole Office	6012.265896
Evaporator Fan Controls on Shaded Pole Restaurant	6012.265896
Evaporator Fan Controls on Shaded Pole Retail/Service	6012.265896
Evaporator Fan Controls on Shaded Pole WareHouse	6012.265896
Exterior Controls - Photocells College / University	1.9583928
Exterior Controls - Photocells Grocery	1.9583928
Exterior Controls - Photocells Heavy Industry	1.9583928
Exterior Controls - Photocells Hotel/Motel	1.9583928
Exterior Controls - Photocells K-12 School	1.9583928
Exterior Controls - Photocells Light Industry	1.9583928
Exterior Controls - Photocells Medical	1.9583928
Exterior Controls - Photocells Miscellaneous	1.9583928
Exterior Controls - Photocells Office	1.9583928
Exterior Controls - Photocells Restaurant	1.9583928
Exterior Controls - Photocells Retail/Service	1.9583928
Exterior Controls - Photocells Warehouse	1.9583928
Exterior Controls - Time Clocks College / University	3.429285678
Exterior Controls - Time Clocks Grocery	3.429285678
Exterior Controls - Time Clocks Heavy Industry	3.429285678
Exterior Controls - Time Clocks Hotel/Motel	3.429285678
Exterior Controls - Time Clocks K-12 School	3.429285678
Exterior Controls - Time Clocks Light Industry	3.429285678
Exterior Controls - Time Clocks Medical	3.429285678
Exterior Controls - Time Clocks Miscellaneous	3.429285678
Exterior Controls - Time Clocks Office	3.429285678
Exterior Controls - Time Clocks Restaurant	3.429285678
Exterior Controls - Time Clocks Retail/Service	3.429285678
Exterior Controls - Time Clocks Warehouse	3.429285678
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior College / University	49.56702584
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior Grocery	49.56702584
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior Heavy Industry	49.56702584
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior Hotel/Motel	49.56702584
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior K-12 School	49.56702584
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior Light Industry	49.56702584
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior Medical	49.56702584
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior Miscellaneous	49.56702584
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior Office	49.56702584
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior Restaurant	49.56702584
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior Retail/Service	49.56702584
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior Warehouse	49.56702584
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior/Garage College / University	42.67738111
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior/Garage Grocery	42.67738111
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior/Garage Heavy Industry	42.67738111
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior/Garage Hotel/Motel	42.67738111
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior/Garage K-12 School	42.67738111
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior/Garage Light Industry	42.67738111
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior/Garage Medical	42.67738111
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior/Garage Miscellaneous	42.67738111
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior/Garage Office	42.67738111
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior/Garage Restaurant	42.67738111
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior/Garage Retail/Service	42.67738111
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Exterior/Garage Warehouse	42.67738111
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage College / University	35.78773638
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage Grocery	35.78773638
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage Heavy Industry	35.78773638
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage Hotel/Motel	35.78773638
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage K-12 School	35.78773638
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage Light Industry	35.78773638
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage Medical	35.78773638
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage Miscellaneous	35.78773638
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage Office	35.78773638
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage Restaurant	35.78773638
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage Retail/Service	35.78773638
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage Warehouse	35.78773638

Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage/24-7 College / University	88.62014042
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage/24-7 Grocery	88.62014042
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage/24-7 Heavy Industry	88.62014042
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage/24-7 Hotel/Motel	88.62014042
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage/24-7 K-12 School	88.62014042
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage/24-7 Light Industry	88.62014042
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage/24-7 Medical	88.62014042
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage/24-7 Miscellaneous	88.62014042
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage/24-7 Office	88.62014042
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage/24-7 Restaurant	88.62014042
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage/24-7 Retail/Service	88.62014042
Exterior Garage T8/T5 New Fluorescent Fixture w/Electronic Ballast - Garage/24-7 Warehouse	88.62014042
Exterior LED Channel Sign less than equal to 2 feet College / University	2331.914261
Exterior LED Channel Sign less than equal to 2 feet Grocery	2331.914261
Exterior LED Channel Sign less than equal to 2 feet Heavy Industry	2331.914261
Exterior LED Channel Sign less than equal to 2 feet Hotel/Motel	2331.914261
Exterior LED Channel Sign less than equal to 2 feet K-12 School	2331.914261
Exterior LED Channel Sign less than equal to 2 feet Light Industry	2331.914261
Exterior LED Channel Sign less than equal to 2 feet Medical	2331.914261
Exterior LED Channel Sign less than equal to 2 feet Miscellaneous	2331.914261
Exterior LED Channel Sign less than equal to 2 feet Office	2331.914261
Exterior LED Channel Sign less than equal to 2 feet Restaurant	2331.914261
Exterior LED Channel Sign less than equal to 2 feet Retail/Service	2331.914261
Exterior LED Channel Sign less than equal to 2 feet Warehouse	2331.914261
Exterior LED Channel Sign grtr than 2 feet College / University	5898.371366
Exterior LED Channel Sign grtr than 2 feet Grocery	5898.371366
Exterior LED Channel Sign grtr than 2 feet Heavy Industry	5898.371366
Exterior LED Channel Sign grtr than 2 feet Hotel/Motel	5898.371366
Exterior LED Channel Sign grtr than 2 feet K-12 School	5898.371366
Exterior LED Channel Sign grtr than 2 feet Light Industry	5898.371366
Exterior LED Channel Sign grtr than 2 feet Medical	5898.371366
Exterior LED Channel Sign grtr than 2 feet Miscellaneous	5898.371366
Exterior LED Channel Sign grtr than 2 feet Office	5898.371366
Exterior LED Channel Sign grtr than 2 feet Restaurant	5898.371366
Exterior LED Channel Sign grtr than 2 feet Retail/Service	5898.371366
Exterior LED Channel Sign grtr than 2 feet Warehouse	5898.371366
Exterior/Garage HW CFL - 29W or Less - Exterior College / University	3161.730997
Exterior/Garage HW CFL - 29W or Less - Exterior Grocery	3161.730997
Exterior/Garage HW CFL - 29W or Less - Exterior Heavy Industry	3161.730997
Exterior/Garage HW CFL - 29W or Less - Exterior Hotel/Motel	3161.730997
Exterior/Garage HW CFL - 29W or Less - Exterior K-12 School	3161.730997
Exterior/Garage HW CFL - 29W or Less - Exterior Light Industry	3161.730997
Exterior/Garage HW CFL - 29W or Less - Exterior Medical	3161.730997
Exterior/Garage HW CFL - 29W or Less - Exterior Miscellaneous	3161.730997
Exterior/Garage HW CFL - 29W or Less - Exterior Office	3161.730997
Exterior/Garage HW CFL - 29W or Less - Exterior Restaurant	3161.730997
Exterior/Garage HW CFL - 29W or Less - Exterior Retail/Service	3161.730997
Exterior/Garage HW CFL - 29W or Less - Exterior Warehouse	3161.730997
Exterior/Garage HW CFL - 29W or Less - Exterior/Garage College / University	2527.814112
Exterior/Garage HW CFL - 29W or Less - Exterior/Garage Grocery	2527.814112
Exterior/Garage HW CFL - 29W or Less - Exterior/Garage Heavy Industry	2527.814112
Exterior/Garage HW CFL - 29W or Less - Exterior/Garage Hotel/Motel	2527.814112
Exterior/Garage HW CFL - 29W or Less - Exterior/Garage K-12 School	2527.814112
Exterior/Garage HW CFL - 29W or Less - Exterior/Garage Light Industry	2527.814112
Exterior/Garage HW CFL - 29W or Less - Exterior/Garage Medical	2527.814112
Exterior/Garage HW CFL - 29W or Less - Exterior/Garage Miscellaneous	2527.814112
Exterior/Garage HW CFL - 29W or Less - Exterior/Garage Office	2527.814112
Exterior/Garage HW CFL - 29W or Less - Exterior/Garage Restaurant	2527.814112
Exterior/Garage HW CFL - 29W or Less - Exterior/Garage Retail/Service	2527.814112
Exterior/Garage HW CFL - 29W or Less - Exterior/Garage Warehouse	2527.814112
Exterior/Garage HW CFL - 29W or Less - Garage College / University	2119.735155
Exterior/Garage HW CFL - 29W or Less - Garage Grocery	2119.735155
Exterior/Garage HW CFL - 29W or Less - Garage Heavy Industry	2166.89028
Exterior/Garage HW CFL - 29W or Less - Garage Hotel/Motel	2166.89028
Exterior/Garage HW CFL - 29W or Less - Garage K-12 School	2166.89028
Exterior/Garage HW CFL - 29W or Less - Garage Light Industry	2166.89028
Exterior/Garage HW CFL - 29W or Less - Garage Medical	2166.89028

Exterior/Garage HW CFL - 29W or Less - Garage Miscellaneous	2166.89028
Exterior/Garage HW CFL - 29W or Less - Garage Office	2166.89028
Exterior/Garage HW CFL - 29W or Less - Garage Restaurant	2166.89028
Exterior/Garage HW CFL - 29W or Less - Garage Retail/Service	2166.89028
Exterior/Garage HW CFL - 29W or Less - Garage Warehouse	2166.89028
Exterior/Garage HW CFL - 29W or Less - Garage/24-7 College / University	5249.039087
Exterior/Garage HW CFL - 29W or Less - Garage/24-7 Grocery	5249.039087
Exterior/Garage HW CFL - 29W or Less - Garage/24-7 Heavy Industry	5249.039087
Exterior/Garage HW CFL - 29W or Less - Garage/24-7 Hotel/Motel	5249.039087
Exterior/Garage HW CFL - 29W or Less - Garage/24-7 K-12 School	5249.039087
Exterior/Garage HW CFL - 29W or Less - Garage/24-7 Light Industry	5249.039087
Exterior/Garage HW CFL - 29W or Less - Garage/24-7 Medical	5249.039087
Exterior/Garage HW CFL - 29W or Less - Garage/24-7 Miscellaneous	5249.039087
Exterior/Garage HW CFL - 29W or Less - Garage/24-7 Office	5249.039087
Exterior/Garage HW CFL - 29W or Less - Garage/24-7 Restaurant	5249.039087
Exterior/Garage HW CFL - 29W or Less - Garage/24-7 Retail/Service	5249.039087
Exterior/Garage HW CFL - 29W or Less - Garage/24-7 Warehouse	5249.039087
Exterior/Garage HW CFL - 30W - 60W - Exterior College / University	7740.081727
Exterior/Garage HW CFL - 30W - 60W - Exterior Grocery	7740.081727
Exterior/Garage HW CFL - 30W - 60W - Exterior Heavy Industry	7740.081727
Exterior/Garage HW CFL - 30W - 60W - Exterior Hotel/Motel	7740.081727
Exterior/Garage HW CFL - 30W - 60W - Exterior K-12 School	7740.081727
Exterior/Garage HW CFL - 30W - 60W - Exterior Light Industry	7740.081727
Exterior/Garage HW CFL - 30W - 60W - Exterior Medical	7740.081727
Exterior/Garage HW CFL - 30W - 60W - Exterior Miscellaneous	7740.081727
Exterior/Garage HW CFL - 30W - 60W - Exterior Office	7740.081727
Exterior/Garage HW CFL - 30W - 60W - Exterior Restaurant	7740.081727
Exterior/Garage HW CFL - 30W - 60W - Exterior Retail/Service	7740.081727
Exterior/Garage HW CFL - 30W - 60W - Exterior Warehouse	7740.081727
Exterior/Garage HW CFL - 30W - 60W - Exterior/Garage College / University	6664.237204
Exterior/Garage HW CFL - 30W - 60W - Exterior/Garage Grocery	6664.237204
Exterior/Garage HW CFL - 30W - 60W - Exterior/Garage Heavy Industry	6664.237204
Exterior/Garage HW CFL - 30W - 60W - Exterior/Garage Hotel/Motel	6664.237204
Exterior/Garage HW CFL - 30W - 60W - Exterior/Garage K-12 School	6664.237204
Exterior/Garage HW CFL - 30W - 60W - Exterior/Garage Light Industry	6664.237204
Exterior/Garage HW CFL - 30W - 60W - Exterior/Garage Medical	6664.237204
Exterior/Garage HW CFL - 30W - 60W - Exterior/Garage Miscellaneous	6664.237204
Exterior/Garage HW CFL - 30W - 60W - Exterior/Garage Office	6664.237204
Exterior/Garage HW CFL - 30W - 60W - Exterior/Garage Restaurant	6664.237204
Exterior/Garage HW CFL - 30W - 60W - Exterior/Garage Retail/Service	6664.237204
Exterior/Garage HW CFL - 30W - 60W - Exterior/Garage Warehouse	6664.237204
Exterior/Garage HW CFL - 30W - 60W - Garage College / University	5588.392681
Exterior/Garage HW CFL - 30W - 60W - Garage Grocery	5588.392681
Exterior/Garage HW CFL - 30W - 60W - Garage Heavy Industry	5712.710738
Exterior/Garage HW CFL - 30W - 60W - Garage Hotel/Motel	5712.710738
Exterior/Garage HW CFL - 30W - 60W - Garage K-12 School	5712.710738
Exterior/Garage HW CFL - 30W - 60W - Garage Light Industry	5712.710738
Exterior/Garage HW CFL - 30W - 60W - Garage Medical	5712.710738
Exterior/Garage HW CFL - 30W - 60W - Garage Miscellaneous	5712.710738
Exterior/Garage HW CFL - 30W - 60W - Garage Office	5712.710738
Exterior/Garage HW CFL - 30W - 60W - Garage Restaurant	5712.710738
Exterior/Garage HW CFL - 30W - 60W - Garage Retail/Service	5712.710738
Exterior/Garage HW CFL - 30W - 60W - Garage Warehouse	5712.710738
Exterior/Garage HW CFL - 30W - 60W - Garage/24-7 College / University	13838.37577
Exterior/Garage HW CFL - 30W - 60W - Garage/24-7 Grocery	13838.37577
Exterior/Garage HW CFL - 30W - 60W - Garage/24-7 Heavy Industry	13838.37577
Exterior/Garage HW CFL - 30W - 60W - Garage/24-7 Hotel/Motel	13838.37577
Exterior/Garage HW CFL - 30W - 60W - Garage/24-7 K-12 School	13838.37577
Exterior/Garage HW CFL - 30W - 60W - Garage/24-7 Light Industry	13838.37577
Exterior/Garage HW CFL - 30W - 60W - Garage/24-7 Medical	13838.37577
Exterior/Garage HW CFL - 30W - 60W - Garage/24-7 Miscellaneous	13838.37577
Exterior/Garage HW CFL - 30W - 60W - Garage/24-7 Office	13838.37577
Exterior/Garage HW CFL - 30W - 60W - Garage/24-7 Restaurant	13838.37577
Exterior/Garage HW CFL - 30W - 60W - Garage/24-7 Retail/Service	13838.37577
Exterior/Garage HW CFL - 30W - 60W - Garage/24-7 Warehouse	13838.37577
Exterior/Garage HW CFL - 61W - 120W - Exterior College / University	14359.1861
Exterior/Garage HW CFL - 61W - 120W - Exterior Grocery	14359.1861

Exterior/Garage HW CFL - 61W - 120W - Exterior Heavy Industry	14359.1861
Exterior/Garage HW CFL - 61W - 120W - Exterior Hotel/Motel	14359.1861
Exterior/Garage HW CFL - 61W - 120W - Exterior K-12 School	14359.1861
Exterior/Garage HW CFL - 61W - 120W - Exterior Light Industry	14359.1861
Exterior/Garage HW CFL - 61W - 120W - Exterior Medical	14359.1861
Exterior/Garage HW CFL - 61W - 120W - Exterior Miscellaneous	14359.1861
Exterior/Garage HW CFL - 61W - 120W - Exterior Office	14359.1861
Exterior/Garage HW CFL - 61W - 120W - Exterior Restaurant	14359.1861
Exterior/Garage HW CFL - 61W - 120W - Exterior Retail/Service	14359.1861
Exterior/Garage HW CFL - 61W - 120W - Exterior Warehouse	14359.1861
Exterior/Garage HW CFL - 61W - 120W - Exterior/Garage College / University	12363.30902
Exterior/Garage HW CFL - 61W - 120W - Exterior/Garage Grocery	12363.30902
Exterior/Garage HW CFL - 61W - 120W - Exterior/Garage Heavy Industry	12363.30902
Exterior/Garage HW CFL - 61W - 120W - Exterior/Garage Hotel/Motel	12363.30902
Exterior/Garage HW CFL - 61W - 120W - Exterior/Garage K-12 School	12363.30902
Exterior/Garage HW CFL - 61W - 120W - Exterior/Garage Light Industry	12363.30902
Exterior/Garage HW CFL - 61W - 120W - Exterior/Garage Medical	12363.30902
Exterior/Garage HW CFL - 61W - 120W - Exterior/Garage Miscellaneous	12363.30902
Exterior/Garage HW CFL - 61W - 120W - Exterior/Garage Office	12363.30902
Exterior/Garage HW CFL - 61W - 120W - Exterior/Garage Restaurant	12363.30902
Exterior/Garage HW CFL - 61W - 120W - Exterior/Garage Retail/Service	12363.30902
Exterior/Garage HW CFL - 61W - 120W - Exterior/Garage Warehouse	12363.30902
Exterior/Garage HW CFL - 61W - 120W - Garage College / University	10367.43194
Exterior/Garage HW CFL - 61W - 120W - Garage Grocery	10367.43194
Exterior/Garage HW CFL - 61W - 120W - Garage Heavy Industry	10598.06337
Exterior/Garage HW CFL - 61W - 120W - Garage Hotel/Motel	10598.06337
Exterior/Garage HW CFL - 61W - 120W - Garage K-12 School	10598.06337
Exterior/Garage HW CFL - 61W - 120W - Garage Light Industry	10598.06337
Exterior/Garage HW CFL - 61W - 120W - Garage Medical	10598.06337
Exterior/Garage HW CFL - 61W - 120W - Garage Miscellaneous	10598.06337
Exterior/Garage HW CFL - 61W - 120W - Garage Office	10598.06337
Exterior/Garage HW CFL - 61W - 120W - Garage Restaurant	10598.06337
Exterior/Garage HW CFL - 61W - 120W - Garage Retail/Service	10598.06337
Exterior/Garage HW CFL - 61W - 120W - Garage Warehouse	10598.06337
Exterior/Garage HW CFL - 61W - 120W - Garage/24-7 College / University	25672.57299
Exterior/Garage HW CFL - 61W - 120W - Garage/24-7 Grocery	25672.57299
Exterior/Garage HW CFL - 61W - 120W - Garage/24-7 Heavy Industry	25672.57299
Exterior/Garage HW CFL - 61W - 120W - Garage/24-7 Hotel/Motel	25672.57299
Exterior/Garage HW CFL - 61W - 120W - Garage/24-7 K-12 School	25672.57299
Exterior/Garage HW CFL - 61W - 120W - Garage/24-7 Light Industry	25672.57299
Exterior/Garage HW CFL - 61W - 120W - Garage/24-7 Medical	25672.57299
Exterior/Garage HW CFL - 61W - 120W - Garage/24-7 Miscellaneous	25672.57299
Exterior/Garage HW CFL - 61W - 120W - Garage/24-7 Office	25672.57299
Exterior/Garage HW CFL - 61W - 120W - Garage/24-7 Restaurant	25672.57299
Exterior/Garage HW CFL - 61W - 120W - Garage/24-7 Retail/Service	25672.57299
Exterior/Garage HW CFL - 61W - 120W - Garage/24-7 Warehouse	25672.57299
Exterior/Garage Induction - Watts Reduced - Exterior College / University	68.63126655
Exterior/Garage Induction - Watts Reduced - Exterior Grocery	68.63126655
Exterior/Garage Induction - Watts Reduced - Exterior Heavy Industry	68.63126655
Exterior/Garage Induction - Watts Reduced - Exterior Hotel/Motel	68.63126655
Exterior/Garage Induction - Watts Reduced - Exterior K-12 School	68.63126655
Exterior/Garage Induction - Watts Reduced - Exterior Light Industry	68.63126655
Exterior/Garage Induction - Watts Reduced - Exterior Medical	68.63126655
Exterior/Garage Induction - Watts Reduced - Exterior Miscellaneous	68.63126655
Exterior/Garage Induction - Watts Reduced - Exterior Office	68.63126655
Exterior/Garage Induction - Watts Reduced - Exterior Restaurant	68.63126655
Exterior/Garage Induction - Watts Reduced - Exterior Retail/Service	68.63126655
Exterior/Garage Induction - Watts Reduced - Exterior Warehouse	68.63126655
Exterior/Garage Induction - Watts Reduced - Exterior/Garage College / University	59.09175846
Exterior/Garage Induction - Watts Reduced - Exterior/Garage Grocery	59.09175846
Exterior/Garage Induction - Watts Reduced - Exterior/Garage Heavy Industry	59.09175846
Exterior/Garage Induction - Watts Reduced - Exterior/Garage Hotel/Motel	59.09175846
Exterior/Garage Induction - Watts Reduced - Exterior/Garage K-12 School	59.09175846
Exterior/Garage Induction - Watts Reduced - Exterior/Garage Light Industry	59.09175846
Exterior/Garage Induction - Watts Reduced - Exterior/Garage Medical	59.09175846
Exterior/Garage Induction - Watts Reduced - Exterior/Garage Miscellaneous	59.09175846
Exterior/Garage Induction - Watts Reduced - Exterior/Garage Office	59.09175846

Exterior/Garage Induction - Watts Reduced - Exterior/Garage Restaurant	59.09175846
Exterior/Garage Induction - Watts Reduced - Exterior/Garage Retail/Service	59.09175846
Exterior/Garage Induction - Watts Reduced - Exterior/Garage Warehouse	59.09175846
Exterior/Garage Induction - Watts Reduced - Garage College / University	49.55225037
Exterior/Garage Induction - Watts Reduced - Garage Grocery	49.55225037
Exterior/Garage Induction - Watts Reduced - Garage Heavy Industry	49.55225037
Exterior/Garage Induction - Watts Reduced - Garage Hotel/Motel	49.55225037
Exterior/Garage Induction - Watts Reduced - Garage K-12 School	49.55225037
Exterior/Garage Induction - Watts Reduced - Garage Light Industry	49.55225037
Exterior/Garage Induction - Watts Reduced - Garage Medical	49.55225037
Exterior/Garage Induction - Watts Reduced - Garage Miscellaneous	49.55225037
Exterior/Garage Induction - Watts Reduced - Garage Office	49.55225037
Exterior/Garage Induction - Watts Reduced - Garage Restaurant	49.55225037
Exterior/Garage Induction - Watts Reduced - Garage Retail/Service	49.55225037
Exterior/Garage Induction - Watts Reduced - Garage Warehouse	49.55225037
Exterior/Garage Induction - Watts Reduced - Garage/24-7 College / University	122.7048098
Exterior/Garage Induction - Watts Reduced - Garage/24-7 Grocery	122.7048098
Exterior/Garage Induction - Watts Reduced - Garage/24-7 Heavy Industry	122.7048098
Exterior/Garage Induction - Watts Reduced - Garage/24-7 Hotel/Motel	122.7048098
Exterior/Garage Induction - Watts Reduced - Garage/24-7 K-12 School	122.7048098
Exterior/Garage Induction - Watts Reduced - Garage/24-7 Light Industry	122.7048098
Exterior/Garage Induction - Watts Reduced - Garage/24-7 Medical	122.7048098
Exterior/Garage Induction - Watts Reduced - Garage/24-7 Miscellaneous	122.7048098
Exterior/Garage Induction - Watts Reduced - Garage/24-7 Office	122.7048098
Exterior/Garage Induction - Watts Reduced - Garage/24-7 Restaurant	122.7048098
Exterior/Garage Induction - Watts Reduced - Garage/24-7 Retail/Service	122.7048098
Exterior/Garage Induction - Watts Reduced - Garage/24-7 Warehouse	122.7048098
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior College / University	5078.713724
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior Grocery	5078.713724
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior Heavy Industry	5078.713724
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior Hotel/Motel	5078.713724
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior K-12 School	5078.713724
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior Light Industry	5078.713724
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior Medical	5078.713724
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior Miscellaneous	5078.713724
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior Office	5078.713724
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior Restaurant	5078.713724
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior Retail/Service	5078.713724
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior Warehouse	5078.713724
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior/Garage College / University	4372.790126
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior/Garage Grocery	4372.790126
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior/Garage Heavy Industry	4372.790126
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior/Garage Hotel/Motel	4372.790126
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior/Garage K-12 School	4372.790126
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior/Garage Light Industry	4372.790126
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior/Garage Medical	4372.790126
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior/Garage Miscellaneous	4372.790126
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior/Garage Office	4372.790126
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior/Garage Restaurant	4372.790126
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior/Garage Retail/Service	4372.790126
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Exterior/Garage Warehouse	4372.790126
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage College / University	3666.866527
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage Grocery	3666.866527
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage Heavy Industry	3666.866527
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage Hotel/Motel	3666.866527
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage K-12 School	3666.866527
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage Light Industry	3666.866527
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage Medical	3666.866527
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage Miscellaneous	3666.866527
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage Office	3666.866527
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage Restaurant	3666.866527
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage Retail/Service	3666.866527
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage Warehouse	3666.866527
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage/24-7 College / University	9080.155927
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage/24-7 Grocery	9080.155927
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage/24-7 Heavy Industry	9080.155927
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage/24-7 Hotel/Motel	9080.155927

Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage/24-7 K-12 School	9080.155927
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage/24-7 Light Industry	9080.155927
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage/24-7 Medical	9080.155927
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage/24-7 Miscellaneous	9080.155927
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage/24-7 Office	9080.155927
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage/24-7 Restaurant	9080.155927
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage/24-7 Retail/Service	9080.155927
Exterior/Garage Pulse Start or Ceramic, 100W or Less - Garage/24-7 Warehouse	9080.155927
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior College / University	6931.757921
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior Grocery	6931.757921
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior Heavy Industry	6931.757921
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior Hotel/Motel	6931.757921
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior K-12 School	6931.757921
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior Light Industry	6931.757921
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior Medical	6931.757921
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior Miscellaneous	6931.757921
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior Office	6931.757921
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior Restaurant	6931.757921
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior Retail/Service	6931.757921
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior Warehouse	6931.757921
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior/Garage College / University	5968.267604
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior/Garage Grocery	5968.267604
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior/Garage Heavy Industry	5968.267604
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior/Garage Hotel/Motel	5968.267604
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior/Garage K-12 School	5968.267604
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior/Garage Light Industry	5968.267604
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior/Garage Medical	5968.267604
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior/Garage Miscellaneous	5968.267604
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior/Garage Office	5968.267604
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior/Garage Restaurant	5968.267604
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior/Garage Retail/Service	5968.267604
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Exterior/Garage Warehouse	5968.267604
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage College / University	5004.777288
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage Grocery	5004.777288
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage Heavy Industry	5004.777288
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage Hotel/Motel	5004.777288
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage K-12 School	5004.777288
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage Light Industry	5004.777288
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage Medical	5004.777288
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage Miscellaneous	5004.777288
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage Office	5004.777288
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage Restaurant	5004.777288
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage Retail/Service	5004.777288
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage Warehouse	5004.777288
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage/24-7 College / University	12393.18579
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage/24-7 Grocery	12393.18579
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage/24-7 Heavy Industry	12393.18579
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage/24-7 Hotel/Motel	12393.18579
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage/24-7 K-12 School	12393.18579
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage/24-7 Light Industry	12393.18579
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage/24-7 Medical	12393.18579
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage/24-7 Miscellaneous	12393.18579
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage/24-7 Office	12393.18579
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage/24-7 Restaurant	12393.18579
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage/24-7 Retail/Service	12393.18579
Exterior/Garage Pulse Start or Ceramic, 101W - 200W - Garage/24-7 Warehouse	12393.18579
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior College / University	9196.589717
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior Grocery	9196.589717
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior Heavy Industry	9196.589717
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior Hotel/Motel	9196.589717
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior K-12 School	9196.589717
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior Light Industry	9196.589717
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior Medical	9196.589717
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior Miscellaneous	9196.589717
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior Office	9196.589717
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior Restaurant	9196.589717
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior Retail/Service	9196.589717

Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior Warehouse	9196.589717
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior/Garage College / University	7918.295633
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior/Garage Grocery	7918.295633
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior/Garage Heavy Industry	7918.295633
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior/Garage Hotel/Motel	7918.295633
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior/Garage K-12 School	7918.295633
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior/Garage Light Industry	7918.295633
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior/Garage Medical	7918.295633
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior/Garage Miscellaneous	7918.295633
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior/Garage Office	7918.295633
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior/Garage Restaurant	7918.295633
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior/Garage Retail/Service	7918.295633
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Exterior/Garage Warehouse	7918.295633
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage College / University	6640.00155
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage Grocery	6640.00155
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage Heavy Industry	6640.00155
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage Hotel/Motel	6640.00155
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage K-12 School	6640.00155
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage Light Industry	6640.00155
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage Medical	6640.00155
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage Miscellaneous	6640.00155
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage Office	6640.00155
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage Restaurant	6640.00155
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage Retail/Service	6640.00155
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage Warehouse	6640.00155
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage/24-7 College / University	16442.44452
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage/24-7 Grocery	16442.44452
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage/24-7 Heavy Industry	16442.44452
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage/24-7 Hotel/Motel	16442.44452
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage/24-7 K-12 School	16442.44452
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage/24-7 Light Industry	16442.44452
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage/24-7 Medical	16442.44452
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage/24-7 Miscellaneous	16442.44452
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage/24-7 Office	16442.44452
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage/24-7 Restaurant	16442.44452
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage/24-7 Retail/Service	16442.44452
Exterior/Garage Pulse Start or Ceramic, 201W - 350W - Garage/24-7 Warehouse	16442.44452
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior College / University	28481.97562
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior Grocery	28481.97562
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior Heavy Industry	28481.97562
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior Hotel/Motel	28481.97562
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior K-12 School	28481.97562
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior Light Industry	28481.97562
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior Medical	28481.97562
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior Miscellaneous	28481.97562
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior Office	28481.97562
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior Restaurant	28481.97562
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior Retail/Service	28481.97562
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior Warehouse	28481.97562
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior/Garage College / University	24523.07976
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior/Garage Grocery	24523.07976
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior/Garage Heavy Industry	24523.07976
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior/Garage Hotel/Motel	24523.07976
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior/Garage K-12 School	24523.07976
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior/Garage Light Industry	24523.07976
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior/Garage Medical	24523.07976
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior/Garage Miscellaneous	24523.07976
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior/Garage Office	24523.07976
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior/Garage Restaurant	24523.07976
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior/Garage Retail/Service	24523.07976
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Exterior/Garage Warehouse	24523.07976
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage College / University	20564.1839
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage Grocery	20564.1839
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage Heavy Industry	20564.1839
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage Hotel/Motel	20564.1839
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage K-12 School	20564.1839
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage Light Industry	20564.1839

Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage Medical	20564.1839
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage Miscellaneous	20564.1839
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage Office	20564.1839
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage Restaurant	20564.1839
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage Retail/Service	20564.1839
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage Warehouse	20564.1839
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage/24-7 College / University	50922.49607
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage/24-7 Grocery	50922.49607
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage/24-7 Heavy Industry	50922.49607
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage/24-7 Hotel/Motel	50922.49607
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage/24-7 K-12 School	50922.49607
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage/24-7 Light Industry	50922.49607
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage/24-7 Medical	50922.49607
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage/24-7 Miscellaneous	50922.49607
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage/24-7 Office	50922.49607
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage/24-7 Restaurant	50922.49607
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage/24-7 Retail/Service	50922.49607
Exterior/Garage Pulse Start or Ceramic, 351W - 400W - Garage/24-7 Warehouse	50922.49607
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior College / University	18873.5983
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior Grocery	18873.5983
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior Heavy Industry	18873.5983
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior Hotel/Motel	18873.5983
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior K-12 School	18873.5983
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior Light Industry	18873.5983
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior Medical	18873.5983
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior Miscellaneous	18873.5983
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior Office	18873.5983
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior Restaurant	18873.5983
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior Retail/Service	18873.5983
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior Warehouse	18873.5983
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior/Garage College / University	16250.23358
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior/Garage Grocery	16250.23358
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior/Garage Heavy Industry	16250.23358
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior/Garage Hotel/Motel	16250.23358
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior/Garage K-12 School	16250.23358
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior/Garage Light Industry	16250.23358
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior/Garage Medical	16250.23358
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior/Garage Miscellaneous	16250.23358
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior/Garage Office	16250.23358
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior/Garage Restaurant	16250.23358
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior/Garage Retail/Service	16250.23358
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Exterior/Garage Warehouse	16250.23358
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage College / University	13626.86885
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage Grocery	13626.86885
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage Heavy Industry	13626.86885
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage Hotel/Motel	13626.86885
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage K-12 School	13626.86885
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage Light Industry	13626.86885
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage Medical	13626.86885
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage Miscellaneous	13626.86885
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage Office	13626.86885
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage Restaurant	13626.86885
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage Retail/Service	13626.86885
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage Warehouse	13626.86885
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage/24-7 College / University	33743.8227
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage/24-7 Grocery	33743.8227
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage/24-7 Heavy Industry	33743.8227
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage/24-7 Hotel/Motel	33743.8227
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage/24-7 K-12 School	33743.8227
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage/24-7 Light Industry	33743.8227
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage/24-7 Medical	33743.8227
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage/24-7 Miscellaneous	33743.8227
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage/24-7 Office	33743.8227
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage/24-7 Restaurant	33743.8227
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage/24-7 Retail/Service	33743.8227
Exterior/Garage Pulse Start or Ceramic, 401W - 1000W - Garage/24-7 Warehouse	33743.8227
Floating Head Pressure Controls College / University	4548.236831

Floating Head Pressure Controls Grocery	4548.236831
Floating Head Pressure Controls Heavy Industry	4548.236831
Floating Head Pressure Controls Hotel/Motel	4548.236831
Floating Head Pressure Controls K-12 School	4548.236831
Floating Head Pressure Controls Light Industry	4548.236831
Floating Head Pressure Controls Medical	4548.236831
Floating Head Pressure Controls Miscellaneous	4548.236831
Floating Head Pressure Controls Office	4548.236831
Floating Head Pressure Controls Restaurant	4548.236831
Floating Head Pressure Controls Retail/Service	4548.236831
Floating Head Pressure Controls Warehouse	4548.236831
Free Cooling	11.51
Fume Hood Occupancy Controls - Chiller - 1 - Position CV - less than 50 percent - 12'	11720.78851
Fume Hood Occupancy Controls - Chiller - 1 - Position CV - less than 50 percent - 18'	11720.78851
Fume Hood Occupancy Controls - Chiller - 1 - Position CV - less than 50 percent - 24'	11720.78851
Fume Hood Occupancy Controls - Chiller - 1 - Position CV - less than 50 percent - 28'	11720.78851
Fume Hood Occupancy Controls - Chiller - 1 - Position CV - less than 50 percent - 6'	11720.78851
Fume Hood Occupancy Controls - Chiller - 1 - Position CV - grtr than equal to 80 percent - 28'	11720.78851
Fume Hood Occupancy Controls - Chiller - 1 - Position CV - 50-79 percent - 12'	11720.78851
Fume Hood Occupancy Controls - Chiller - 1 - Position CV - 50-79 percent - 18'	11720.78851
Fume Hood Occupancy Controls - Chiller - 1 - Position CV - 50-79 percent - 24'	11720.78851
Fume Hood Occupancy Controls - Chiller - 1 - Position CV - 50-79 percent - 28'	11720.78851
Fume Hood Occupancy Controls - Chiller - 1 - Position CV - 50-79 percent - 6'	11720.78851
Fume Hood Occupancy Controls - Chiller - 1 - Position CV - grtr than equal to 80 percent - 12'	11720.78851
Fume Hood Occupancy Controls - Chiller - 1 - Position CV - grtr than equal to 80 percent - 18'	11720.78851
Fume Hood Occupancy Controls - Chiller - 1 - Position CV - grtr than equal to 80 percent - 24'	11720.78851
Fume Hood Occupancy Controls - Chiller - 1 - Position CV - grtr than equal to 80 percent - 6'	11720.78851
Fume Hood Occupancy Controls - Chiller - 2 - Position CV - less than 50 percent - 12'	8366.668961
Fume Hood Occupancy Controls - Chiller - 2 - Position CV - less than 50 percent - 18'	8366.668961
Fume Hood Occupancy Controls - Chiller - 2 - Position CV - less than 50 percent - 24'	8366.668961
Fume Hood Occupancy Controls - Chiller - 2 - Position CV - less than 50 percent - 28'	8366.668961
Fume Hood Occupancy Controls - Chiller - 2 - Position CV - less than 50 percent - 6'	8366.668961
Fume Hood Occupancy Controls - Chiller - 2 - Position CV - 50-79 percent - 12'	7086.005133
Fume Hood Occupancy Controls - Chiller - 2 - Position CV - 50-79 percent - 18'	7086.005133
Fume Hood Occupancy Controls - Chiller - 2 - Position CV - 50-79 percent - 24'	7086.005133
Fume Hood Occupancy Controls - Chiller - 2 - Position CV - 50-79 percent - 28'	7086.005133
Fume Hood Occupancy Controls - Chiller - 2 - Position CV - 50-79 percent - 6'	7086.005133
Fume Hood Occupancy Controls - Chiller - 2 - Position CV - grtr than equal to 80 percent - 12'	5988.29328
Fume Hood Occupancy Controls - Chiller - 2 - Position CV - grtr than equal to 80 percent - 18'	5988.29328
Fume Hood Occupancy Controls - Chiller - 2 - Position CV - grtr than equal to 80 percent - 24'	5988.29328
Fume Hood Occupancy Controls - Chiller - 2 - Position CV - grtr than equal to 80 percent - 28'	5988.29328
Fume Hood Occupancy Controls - Chiller - 2 - Position CV - grtr than equal to 80 percent - 6'	5988.29328
Fume Hood Occupancy Controls - Chiller - VAV - less than 50 percent - 12'	3822.15984
Fume Hood Occupancy Controls - Chiller - VAV - less than 50 percent - 18'	5733.23976
Fume Hood Occupancy Controls - Chiller - VAV - less than 50 percent - 24'	7644.31968
Fume Hood Occupancy Controls - Chiller - VAV - less than 50 percent - 28'	8918.37296
Fume Hood Occupancy Controls - Chiller - VAV - 50-79 percent - 12'	209.5846022
Fume Hood Occupancy Controls - Chiller - VAV - 50-79 percent - 18'	2799.968318
Fume Hood Occupancy Controls - Chiller - VAV - 50-79 percent - 24'	4281.421017
Fume Hood Occupancy Controls - Chiller - VAV - 50-79 percent - 28'	4994.991186
Fume Hood Occupancy Controls - DX - 1 - Position CV - less than 50 percent - 12'	12469.84766
Fume Hood Occupancy Controls - DX - 1 - Position CV - less than 50 percent - 18'	12469.84766
Fume Hood Occupancy Controls - DX - 1 - Position CV - less than 50 percent - 24'	12469.84766
Fume Hood Occupancy Controls - DX - 1 - Position CV - less than 50 percent - 28'	12469.84766
Fume Hood Occupancy Controls - DX - 1 - Position CV - less than 50 percent - 6'	12469.84766
Fume Hood Occupancy Controls - DX - 1 - Position CV - 50-79 percent - 12'	12469.84766
Fume Hood Occupancy Controls - DX - 1 - Position CV - 50-79 percent - 18'	12469.84766
Fume Hood Occupancy Controls - DX - 1 - Position CV - 50-79 percent - 24'	12469.84766
Fume Hood Occupancy Controls - DX - 1 - Position CV - 50-79 percent - 28'	12469.84766
Fume Hood Occupancy Controls - DX - 1 - Position CV - 50-79 percent - 6'	12469.84766
Fume Hood Occupancy Controls - DX - 1 - Position CV - grtr than equal to 80 percent - 12'	12469.84766
Fume Hood Occupancy Controls - DX - 1 - Position CV - grtr than equal to 80 percent - 18'	12469.84766
Fume Hood Occupancy Controls - DX - 1 - Position CV - grtr than equal to 80 percent - 24'	12469.84766
Fume Hood Occupancy Controls - DX - 1 - Position CV - grtr than equal to 80 percent - 28'	12469.84766
Fume Hood Occupancy Controls - DX - 1 - Position CV - grtr than equal to 80 percent - 6'	12469.84766
Fume Hood Occupancy Controls - DX - 2 - Position CV - less than 50 percent - 12'	8999.691018
Fume Hood Occupancy Controls - DX - 2 - Position CV - less than 50 percent - 18'	8999.691018

Fume Hood Occupancy Controls - DX - 2 - Position CV - less than 50 percent - 24'	8999.691018
Fume Hood Occupancy Controls - DX - 2 - Position CV - less than 50 percent - 28'	8999.691018
Fume Hood Occupancy Controls - DX - 2 - Position CV - less than 50 percent - 6'	8999.691018
Fume Hood Occupancy Controls - DX - 2 - Position CV - 50-79 percent - 12'	7674.722118
Fume Hood Occupancy Controls - DX - 2 - Position CV - 50-79 percent - 18'	7674.722118
Fume Hood Occupancy Controls - DX - 2 - Position CV - 50-79 percent - 24'	7674.722118
Fume Hood Occupancy Controls - DX - 2 - Position CV - 50-79 percent - 28'	7674.722118
Fume Hood Occupancy Controls - DX - 2 - Position CV - 50-79 percent - 6'	7674.722118
Fume Hood Occupancy Controls - DX - 2 - Position CV - grtr than equal to 80 percent - 18'	6539.03449
Fume Hood Occupancy Controls - DX - 2 - Position CV - grtr than equal to 80 percent - 24'	6539.03449
Fume Hood Occupancy Controls - DX - 2 - Position CV - grtr than equal to 80 percent - 28'	6539.03449
Fume Hood Occupancy Controls - DX - 2 - Position CV - grtr than equal to 80 percent - 12'	6539.03449
Fume Hood Occupancy Controls - DX - 2 - Position CV - grtr than equal to 80 percent - 6'	6539.03449
Fume Hood Occupancy Controls - DX - VAV - less than 50 percent - 12'	4068.169917
Fume Hood Occupancy Controls - DX - VAV - less than 50 percent - 18'	6102.254875
Fume Hood Occupancy Controls - DX - VAV - less than 50 percent - 24'	8136.339833
Fume Hood Occupancy Controls - DX - VAV - less than 50 percent - 28'	9492.396472
Fume Hood Occupancy Controls - DX - VAV - 50-79 percent - 12'	229.6425927
Fume Hood Occupancy Controls - DX - VAV - 50-79 percent - 18'	2997.229281
Fume Hood Occupancy Controls - DX - VAV - 50-79 percent - 24'	4563.398406
Fume Hood Occupancy Controls - DX - VAV - 50-79 percent - 28'	5323.964807
Fume Hood Occupancy Controls - Other - 1 - Position CV - less than 50 percent - 12'	12095.31809
Fume Hood Occupancy Controls - Other - 1 - Position CV - less than 50 percent - 18'	12095.31809
Fume Hood Occupancy Controls - Other - 1 - Position CV - less than 50 percent - 24'	12095.31809
Fume Hood Occupancy Controls - Other - 1 - Position CV - less than 50 percent - 28'	12095.31809
Fume Hood Occupancy Controls - Other - 1 - Position CV - less than 50 percent - 6'	12095.31809
Fume Hood Occupancy Controls - Other - 1 - Position CV - grtr than equal to 80 percent - 12'	12095.31809
Fume Hood Occupancy Controls - Other - 1 - Position CV - grtr than equal to 80 percent - 18'	12095.31809
Fume Hood Occupancy Controls - Other - 1 - Position CV - grtr than equal to 80 percent - 24'	12095.31809
Fume Hood Occupancy Controls - Other - 1 - Position CV - grtr than equal to 80 percent - 28'	12095.31809
Fume Hood Occupancy Controls - Other - 1 - Position CV - grtr than equal to 80 percent - 6'	12095.31809
Fume Hood Occupancy Controls - Other - 1 - Position CV - 50-79 percent - 12'	12095.31809
Fume Hood Occupancy Controls - Other - 1 - Position CV - 50-79 percent - 18'	12095.31809
Fume Hood Occupancy Controls - Other - 1 - Position CV - 50-79 percent - 24'	12095.31809
Fume Hood Occupancy Controls - Other - 1 - Position CV - 50-79 percent - 28'	12095.31809
Fume Hood Occupancy Controls - Other - 1 - Position CV - 50-79 percent - 6'	12095.31809
Fume Hood Occupancy Controls - Other - 2 - Position CV - less than 50 percent - 12'	8683.17999
Fume Hood Occupancy Controls - Other - 2 - Position CV - less than 50 percent - 18'	8683.17999
Fume Hood Occupancy Controls - Other - 2 - Position CV - less than 50 percent - 24'	8683.17999
Fume Hood Occupancy Controls - Other - 2 - Position CV - less than 50 percent - 28'	8683.17999
Fume Hood Occupancy Controls - Other - 2 - Position CV - less than 50 percent - 6'	8683.17999
Fume Hood Occupancy Controls - Other - 2 - Position CV - grtr than equal to 80 percent - 12'	6263.663885
Fume Hood Occupancy Controls - Other - 2 - Position CV - grtr than equal to 80 percent - 18'	6263.663885
Fume Hood Occupancy Controls - Other - 2 - Position CV - grtr than equal to 80 percent - 24'	6263.663885
Fume Hood Occupancy Controls - Other - 2 - Position CV - grtr than equal to 80 percent - 28'	6263.663885
Fume Hood Occupancy Controls - Other - 2 - Position CV - grtr than equal to 80 percent - 6'	6263.663885
Fume Hood Occupancy Controls - Other - 2 - Position CV - 50-79 percent - 12'	7380.363626
Fume Hood Occupancy Controls - Other - 2 - Position CV - 50-79 percent - 18'	7380.363626
Fume Hood Occupancy Controls - Other - 2 - Position CV - 50-79 percent - 24'	7380.363626
Fume Hood Occupancy Controls - Other - 2 - Position CV - 50-79 percent - 28'	7380.363626
Fume Hood Occupancy Controls - Other - 2 - Position CV - 50-79 percent - 6'	7380.363626
Fume Hood Occupancy Controls - Other - VAV - less than 50 percent - 12'	3945.164878
Fume Hood Occupancy Controls - Other - VAV - less than 50 percent - 18'	5917.747317
Fume Hood Occupancy Controls - Other - VAV - less than 50 percent - 24'	7890.329756
Fume Hood Occupancy Controls - Other - VAV - less than 50 percent - 28'	9205.384716
Fume Hood Occupancy Controls - Other - VAV - 50-79 percent - 12'	219.6135974
Fume Hood Occupancy Controls - Other - VAV - 50-79 percent - 18'	2898.598799
Fume Hood Occupancy Controls - Other - VAV - 50-79 percent - 24'	4422.409711
Fume Hood Occupancy Controls - Other - VAV - 50-79 percent - 28'	5159.477997
Glass Door Freezer, ENERGY STARtm Grocery	19943.5886
Glass Door Freezer, ENERGY STARtm Hotel/Motel	19943.5886
Glass Door Freezer, ENERGY STARtm Miscellaneous	19943.5886
Glass Door Freezer, ENERGY STARtm Restaurant	19943.5886
Glass Door Freezer, ENERGY STARtm Retail/Service	19943.5886
Guest Room Energy Management System (Electric Heat/AC) Hotel / Motel	13281.40031
Guest Room Energy Management System (Non-Electric Heat/AC) Hotel / Motel	3971.340828
High Efficiency Pumps and Pumping Efficiency Improvements College / University	3692.549624

High Efficiency Pumps and Pumping Efficiency Improvements Medical	5538.824437
High Efficiency Pumps and Pumping Efficiency Improvements Miscellaneous	5846.536905
High Efficiency Pumps and Pumping Efficiency Improvements Office	6154.249374
High Speed Fans grtr than equal to 24in. and less than 36in. Miscellaneous	2342.559525
High Speed Fans grtr than equal to 36in. and less than 48in. Miscellaneous	3935.719062
High Speed Fans grtr than equal to 48in. and less than equal to 71in. Miscellaneous	7065.069888
High Volume Low Speed Fan Miscellaneous	73351.35053
Hot Food Holding Cabinet Hotel/Motel	51823.96947
Hot Food Holding Cabinet Medical	51823.96947
Hot Food Holding Cabinet Restaurant	51823.96947
Hot Food Holding Cabinet Retail/Service	51823.96947
HVAC	123.25
	18.96
Industrial Refrigeration	
Insulation of Bare Refrigeration Suction Lines Grocery	286.4572411
Insulation of Bare Refrigeration Suction Lines Miscellaneous	286.4572411
Insulation of Bare Refrigeration Suction Lines Retail/Service	286.4572411
Interior Controls - Time Clocks College / University	2.822603566
Interior Controls - Time Clocks Grocery	5.803039602
Interior Controls - Time Clocks Heavy Industry	3.63158066
Interior Controls - Time Clocks Hotel/Motel	4.271849209
Interior Controls - Time Clocks K-12 School	2.872633507
Interior Controls - Time Clocks Light Industry	3.861391061
Interior Controls - Time Clocks Medical	5.236562245
Interior Controls - Time Clocks Miscellaneous	3.968710986
Interior Controls - Time Clocks Office	3.880940018
Interior Controls - Time Clocks Restaurant	3.442448875
Interior Controls - Time Clocks Retail/Service	4.092733204
Interior Controls - Time Clocks Warehouse	3.850591923
Interior HW CFL - 29W or Less College / University	2416.498076
Interior HW CFL - 29W or Less Grocery	4968.120287
Interior HW CFL - 29W or Less Heavy Industry	3109.082617
Interior HW CFL - 29W or Less Hotel/Motel	1656.104946
Interior HW CFL - 29W or Less K-12 School	1204.569747
Interior HW CFL - 29W or Less Light Industry	3305.828769
Interior HW CFL - 29W or Less Medical	4483.145542
Interior HW CFL - 29W or Less Miscellaneous	3397.707911
Interior HW CFL - 29W or Less Office	3322.565096
Interior HW CFL - 29W or Less Restaurant	2947.162395
Interior HW CFL - 29W or Less Retail/Service	3503.886283
Interior HW CFL - 29W or Less Warehouse	3296.583371
Interior HW CFL - 30W - 60W College / University	6370.767656
Interior HW CFL - 30W - 60W Grocery	13097.77167
Interior HW CFL - 30W - 60W Heavy Industry	8196.672353
Interior HW CFL - 30W - 60W Hotel/Motel	4366.094859
Interior HW CFL - 30W - 60W K-12 School	3175.683878
Interior HW CFL - 30W - 60W Light Industry	8715.366755
Interior HW CFL - 30W - 60W Medical	11819.20188
Interior HW CFL - 30W - 60W Miscellaneous	8957.593583
Interior HW CFL - 30W - 60W Office	8759.489799
Interior HW CFL - 30W - 60W Restaurant	7769.79177
Interior HW CFL - 30W - 60W Retail/Service	9237.518383
Interior HW CFL - 30W - 60W Warehouse	8690.992522
Interior HW CFL - 61W - 120W College / University	11818.87241
Interior HW CFL - 61W - 120W Grocery	24298.62468
Interior HW CFL - 61W - 120W Heavy Industry	15206.24043
Interior HW CFL - 61W - 120W Hotel/Motel	8099.858738
Interior HW CFL - 61W - 120W K-12 School	5891.441126
Interior HW CFL - 61W - 120W Light Industry	16168.50798
Interior HW CFL - 61W - 120W Medical	21926.65729
Interior HW CFL - 61W - 120W Miscellaneous	16617.88051
Interior HW CFL - 61W - 120W Office	16250.36383
Interior HW CFL - 61W - 120W Restaurant	14414.30335
Interior HW CFL - 61W - 120W Retail/Service	17137.18928
Interior HW CFL - 61W - 120W Warehouse	16123.28958
Interior Induction - Watts Reduced College / University	56.48956542
Interior Induction - Watts Reduced Grocery	116.1378768
Interior Induction - Watts Reduced Heavy Industry	72.67985337

Interior Induction - Watts Reduced Hotel/Motel	38.7141416
Interior Induction - Watts Reduced K-12 School	28.15877331
Interior Induction - Watts Reduced Light Industry	77.27911408
Interior Induction - Watts Reduced Medical	104.8008049
Interior Induction - Watts Reduced Miscellaneous	79.42693818
Interior Induction - Watts Reduced Office	77.67035289
Interior Induction - Watts Reduced Restaurant	68.89470535
Interior Induction - Watts Reduced Retail/Service	81.90903
Interior Induction - Watts Reduced Warehouse	77.06298788
Industrial 3-Phase High Frequency Battery Charger - 16 Hour Shift Heavy Industry	39821.15209
Industrial 3-Phase High Frequency Battery Charger - 16 Hour Shift Light Industry	39821.15209
Industrial 3-Phase High Frequency Battery Charger - 16 Hour Shift Warehouse	39821.15209
Industrial 3-Phase High Frequency Battery Charger - 24 Hour Shift Heavy Industry	53882.27435
Industrial 3-Phase High Frequency Battery Charger - 24 Hour Shift Light Industry	53882.27435
Industrial 3-Phase High Frequency Battery Charger - 24 Hour Shift Warehouse	53882.27435
Industrial 3-Phase High Frequency Battery Charger - 8 Hour Shift Heavy Industry	21612.62692
Industrial 3-Phase High Frequency Battery Charger - 8 Hour Shift Light Industry	21612.62692
Industrial 3-Phase High Frequency Battery Charger - 8 Hour Shift Warehouse	21612.62692
LED Channel Sign less than equal to 2 feet Interior College / University	1919.370425
LED Channel Sign less than equal to 2 feet Interior Grocery	3946.06693
LED Channel Sign less than equal to 2 feet Interior Heavy Industry	2469.474849
LED Channel Sign less than equal to 2 feet Interior Hotel/Motel	2904.857462
LED Channel Sign less than equal to 2 feet Interior K-12 School	1953.390785
LED Channel Sign less than equal to 2 feet Interior Light Industry	2625.745921
LED Channel Sign less than equal to 2 feet Interior Medical	3560.862327
LED Channel Sign less than equal to 2 feet Interior Miscellaneous	2698.723471
LED Channel Sign less than equal to 2 feet Interior Office	2639.039212
LED Channel Sign less than equal to 2 feet Interior Restaurant	2340.865235
LED Channel Sign less than equal to 2 feet Interior Retail/Service	2783.058579
LED Channel Sign less than equal to 2 feet Interior Warehouse	2618.402508
LED Channel Sign grtr than 2 feet Interior College / University	4854.878133
LED Channel Sign grtr than 2 feet Interior Grocery	9981.228116
LED Channel Sign grtr than 2 feet Interior Heavy Industry	6246.318735
LED Channel Sign grtr than 2 feet Interior Hotel/Motel	7347.580639
LED Channel Sign grtr than 2 feet Interior K-12 School	4940.929633
LED Channel Sign grtr than 2 feet Interior Light Industry	6641.592625
LED Channel Sign grtr than 2 feet Interior Medical	9006.887061
LED Channel Sign grtr than 2 feet Interior Miscellaneous	6826.182896
LED Channel Sign grtr than 2 feet Interior Office	6675.21683
LED Channel Sign grtr than 2 feet Interior Restaurant	5921.012066
LED Channel Sign grtr than 2 feet Interior Retail/Service	7039.501112
LED Channel Sign grtr than 2 feet Interior Warehouse	6623.018108
LED Refrigerated Case Lighting - Closed Grocery	2827.811692
LED Refrigerated Case Lighting - Closed Miscellaneous	2827.811692
LED Refrigerated Case Lighting - Closed Retail/Service	2827.811692
LED Refrigerated Case Lighting - Closed Warehouse	2827.811692
LED Refrigerated Case Lighting - Open Grocery	610.0024431
LED Refrigerated Case Lighting - Open Miscellaneous	610.0024431
LED Refrigerated Case Lighting - Open Retail/Service	610.0024431
LED Refrigerated Case Lighting - Open Warehouse	610.0024431
LED, T-1, or Electroluminescent Exit Signs College / University	3942.09598
LED, T-1, or Electroluminescent Exit Signs Grocery	4944.90987
LED, T-1, or Electroluminescent Exit Signs Heavy Industry	3561.718298
LED, T-1, or Electroluminescent Exit Signs Hotel/Motel	3976.67577
LED, T-1, or Electroluminescent Exit Signs K-12 School	4218.734295
LED, T-1, or Electroluminescent Exit Signs Light Industry	3561.718298
LED, T-1, or Electroluminescent Exit Signs Medical	4650.981661
LED, T-1, or Electroluminescent Exit Signs Miscellaneous	4287.893873
LED, T-1, or Electroluminescent Exit Signs Office	4322.473663
LED, T-1, or Electroluminescent Exit Signs Restaurant	4633.691767
LED, T-1, or Electroluminescent Exit Signs Retail/Service	4287.893873
LED, T-1, or Electroluminescent Exit Signs Warehouse	4011.255559
Lighting Controls in Closed Refrigerated Display Cases Grocery	1188.988316
Lighting Controls in Closed Refrigerated Display Cases Miscellaneous	1188.988316
Lighting Controls in Closed Refrigerated Display Cases Retail/Service	1188.988316
Lighting Controls in Open Refrigerated Display Cases Grocery	197.6407915
Lighting Controls in Open Refrigerated Display Cases Miscellaneous	197.6407915

Lighting Controls in Open Refrigerated Display Cases Retail/Service	197.6407915
Livestock Waterer Miscellaneous	13368.96845
Low Pressure Drop HEPA Filters	7474.066236
Low Pressure Drop High Efficiency (Non-HEPA) Air Filters	856.097424
Low-Flow High Performance Hood - Chiller - 1 - Position CV - less than 50 percent - 12'	27022.66038
Low-Flow High Performance Hood - Chiller - 1 - Position CV - less than 50 percent - 18'	27022.66038
Low-Flow High Performance Hood - Chiller - 1 - Position CV - less than 50 percent - 24'	27022.66038
Low-Flow High Performance Hood - Chiller - 1 - Position CV - less than 50 percent - 28'	27022.66038
Low-Flow High Performance Hood - Chiller - 1 - Position CV - less than 50 percent - 6'	27022.66038
Low-Flow High Performance Hood - Chiller - 1 - Position CV - 50-79 percent - 12'	27022.66038
Low-Flow High Performance Hood - Chiller - 1 - Position CV - 50-79 percent - 18'	27022.66038
Low-Flow High Performance Hood - Chiller - 1 - Position CV - 50-79 percent - 24'	27022.66038
Low-Flow High Performance Hood - Chiller - 1 - Position CV - 50-79 percent - 28'	27022.66038
Low-Flow High Performance Hood - Chiller - 1 - Position CV - 50-79 percent - 6'	27022.66038
Low-Flow High Performance Hood - Chiller - 1 - Position CV - grtr than equal to 80 percent - 12'	27022.66038
Low-Flow High Performance Hood - Chiller - 1 - Position CV - grtr than equal to 80 percent - 18'	27022.66038
Low-Flow High Performance Hood - Chiller - 1 - Position CV - grtr than equal to 80 percent - 24'	27022.66038
Low-Flow High Performance Hood - Chiller - 1 - Position CV - grtr than equal to 80 percent - 28'	27022.66038
Low-Flow High Performance Hood - Chiller - 1 - Position CV - grtr than equal to 80 percent - 6'	27022.66038
Low-Flow High Performance Hood - Chiller - 2 - Position CV - less than 50 percent - 12'	19643.59737
Low-Flow High Performance Hood - Chiller - 2 - Position CV - less than 50 percent - 18'	19643.59737
Low-Flow High Performance Hood - Chiller - 2 - Position CV - less than 50 percent - 24'	19643.59737
Low-Flow High Performance Hood - Chiller - 2 - Position CV - less than 50 percent - 28'	19643.59737
Low-Flow High Performance Hood - Chiller - 2 - Position CV - less than 50 percent - 6'	19643.59737
Low-Flow High Performance Hood - Chiller - 2 - Position CV - 50-79 percent - 12'	16826.13694
Low-Flow High Performance Hood - Chiller - 2 - Position CV - 50-79 percent - 18'	16826.13694
Low-Flow High Performance Hood - Chiller - 2 - Position CV - 50-79 percent - 24'	16826.13694
Low-Flow High Performance Hood - Chiller - 2 - Position CV - 50-79 percent - 28'	16826.13694
Low-Flow High Performance Hood - Chiller - 2 - Position CV - 50-79 percent - 6'	16826.13694
Low-Flow High Performance Hood - Chiller - 2 - Position CV - grtr than equal to 80 percent - 12'	14411.17087
Low-Flow High Performance Hood - Chiller - 2 - Position CV - grtr than equal to 80 percent - 18'	14411.17087
Low-Flow High Performance Hood - Chiller - 2 - Position CV - grtr than equal to 80 percent - 24'	14411.17087
Low-Flow High Performance Hood - Chiller - 2 - Position CV - grtr than equal to 80 percent - 28'	14411.17087
Low-Flow High Performance Hood - Chiller - 2 - Position CV - grtr than equal to 80 percent - 6'	14411.17087
Low-Flow High Performance Hood - Chiller - VAV - less than 50 percent - 12'	8818.38287
Low-Flow High Performance Hood - Chiller - VAV - less than 50 percent - 18'	13227.57431
Low-Flow High Performance Hood - Chiller - VAV - less than 50 percent - 24'	17636.76574
Low-Flow High Performance Hood - Chiller - VAV - less than 50 percent - 28'	20576.2267
Low-Flow High Performance Hood - Chiller - VAV - 50-79 percent - 18'	6319.816996
Low-Flow High Performance Hood - Chiller - VAV - 50-79 percent - 24'	9901.045322
Low-Flow High Performance Hood - Chiller - VAV - 50-79 percent - 28'	11551.21954
Low-Flow High Performance Hood - DX - 1 - Position CV - less than 50 percent - 12'	28788.96868
Low-Flow High Performance Hood - DX - 1 - Position CV - less than 50 percent - 18'	28788.96868
Low-Flow High Performance Hood - DX - 1 - Position CV - less than 50 percent - 24'	28788.96868
Low-Flow High Performance Hood - DX - 1 - Position CV - less than 50 percent - 28'	28788.96868
Low-Flow High Performance Hood - DX - 1 - Position CV - less than 50 percent - 6'	28788.96868
Low-Flow High Performance Hood - DX - 1 - Position CV - grtr than equal to 80 percent - 12'	28788.96868
Low-Flow High Performance Hood - DX - 1 - Position CV - grtr than equal to 80 percent - 18'	28788.96868
Low-Flow High Performance Hood - DX - 1 - Position CV - grtr than equal to 80 percent - 24'	28788.96868
Low-Flow High Performance Hood - DX - 1 - Position CV - grtr than equal to 80 percent - 28'	28788.96868
Low-Flow High Performance Hood - DX - 1 - Position CV - grtr than equal to 80 percent - 6'	28788.96868
Low-Flow High Performance Hood - DX - 1 - Position CV - 50-79 percent - 12'	28788.96868
Low-Flow High Performance Hood - DX - 1 - Position CV - 50-79 percent - 18'	28788.96868
Low-Flow High Performance Hood - DX - 1 - Position CV - 50-79 percent - 24'	28788.96868
Low-Flow High Performance Hood - DX - 1 - Position CV - 50-79 percent - 28'	28788.96868
Low-Flow High Performance Hood - DX - 1 - Position CV - 50-79 percent - 6'	28788.96868
Low-Flow High Performance Hood - DX - 2 - Position CV - less than 50 percent - 12'	21154.62407
Low-Flow High Performance Hood - DX - 2 - Position CV - less than 50 percent - 18'	21154.62407
Low-Flow High Performance Hood - DX - 2 - Position CV - less than 50 percent - 24'	21154.62407
Low-Flow High Performance Hood - DX - 2 - Position CV - less than 50 percent - 28'	21154.62407
Low-Flow High Performance Hood - DX - 2 - Position CV - less than 50 percent - 6'	21154.62407
Low-Flow High Performance Hood - DX - 2 - Position CV - grtr than equal to 80 percent - 12'	15741.17971
Low-Flow High Performance Hood - DX - 2 - Position CV - grtr than equal to 80 percent - 18'	15741.17971
Low-Flow High Performance Hood - DX - 2 - Position CV - grtr than equal to 80 percent - 24'	15741.17971
Low-Flow High Performance Hood - DX - 2 - Position CV - grtr than equal to 80 percent - 28'	15741.17971
Low-Flow High Performance Hood - DX - 2 - Position CV - 50-79 percent - 12'	18239.69249
Low-Flow High Performance Hood - DX - 2 - Position CV - 50-79 percent - 18'	18239.69249

Low-Flow High Performance Hood - DX - 2 - Position CV - 50-79 percent - 24'	18239.69249
Low-Flow High Performance Hood - DX - 2 - Position CV - 50-79 percent - 28'	18239.69249
Low-Flow High Performance Hood - DX - 2 - Position CV - 50-79 percent - 6'	18239.69249
Low-Flow High Performance Hood - DX - 2 - Position CV - grtr than equal to 80 percent - 6'	15741.17971
Low-Flow High Performance Hood - DX - VAV - less than 50 percent - 12'	9398.808201
Low-Flow High Performance Hood - DX - VAV - less than 50 percent - 18'	14098.2123
Low-Flow High Performance Hood - DX - VAV - less than 50 percent - 24'	18797.6164
Low-Flow High Performance Hood - DX - VAV - less than 50 percent - 28'	21930.55247
Low-Flow High Performance Hood - DX - VAV - 50-79 percent - 18'	6769.092839
Low-Flow High Performance Hood - DX - VAV - 50-79 percent - 24'	10567.51695
Low-Flow High Performance Hood - DX - VAV - 50-79 percent - 28'	12328.76977
Low-Flow High Performance Hood - Other - 1 - Position CV - less than 50 percent - 12'	27905.81453
Low-Flow High Performance Hood - Other - 1 - Position CV - less than 50 percent - 18'	27905.81453
Low-Flow High Performance Hood - Other - 1 - Position CV - less than 50 percent - 24'	27905.81453
Low-Flow High Performance Hood - Other - 1 - Position CV - less than 50 percent - 28'	27905.81453
Low-Flow High Performance Hood - Other - 1 - Position CV - less than 50 percent - 6'	27905.81453
Low-Flow High Performance Hood - Other - 1 - Position CV - grtr than equal to 80 percent - 12'	27905.81453
Low-Flow High Performance Hood - Other - 1 - Position CV - grtr than equal to 80 percent - 18'	27905.81453
Low-Flow High Performance Hood - Other - 1 - Position CV - grtr than equal to 80 percent - 24'	27905.81453
Low-Flow High Performance Hood - Other - 1 - Position CV - grtr than equal to 80 percent - 28'	27905.81453
Low-Flow High Performance Hood - Other - 1 - Position CV - grtr than equal to 80 percent - 6'	27905.81453
Low-Flow High Performance Hood - Other - 1 - Position CV - 50-79 percent - 12'	27905.81453
Low-Flow High Performance Hood - Other - 1 - Position CV - 50-79 percent - 18'	27905.81453
Low-Flow High Performance Hood - Other - 1 - Position CV - 50-79 percent - 24'	27905.81453
Low-Flow High Performance Hood - Other - 1 - Position CV - 50-79 percent - 28'	27905.81453
Low-Flow High Performance Hood - Other - 1 - Position CV - 50-79 percent - 6'	27905.81453
Low-Flow High Performance Hood - Other - 2 - Position CV - less than 50 percent - 12'	20399.11072
Low-Flow High Performance Hood - Other - 2 - Position CV - less than 50 percent - 18'	20399.11072
Low-Flow High Performance Hood - Other - 2 - Position CV - less than 50 percent - 24'	20399.11072
Low-Flow High Performance Hood - Other - 2 - Position CV - less than 50 percent - 28'	20399.11072
Low-Flow High Performance Hood - Other - 2 - Position CV - less than 50 percent - 6'	20399.11072
Low-Flow High Performance Hood - Other - 2 - Position CV - grtr than equal to 80 percent - 12'	15076.17529
Low-Flow High Performance Hood - Other - 2 - Position CV - grtr than equal to 80 percent - 18'	15076.17529
Low-Flow High Performance Hood - Other - 2 - Position CV - grtr than equal to 80 percent - 24'	15076.17529
Low-Flow High Performance Hood - Other - 2 - Position CV - grtr than equal to 80 percent - 28'	15076.17529
Low-Flow High Performance Hood - Other - 2 - Position CV - grtr than equal to 80 percent - 6'	15076.17529
Low-Flow High Performance Hood - Other - 2 - Position CV - 50-79 percent - 12'	17532.91472
Low-Flow High Performance Hood - Other - 2 - Position CV - 50-79 percent - 18'	17532.91472
Low-Flow High Performance Hood - Other - 2 - Position CV - 50-79 percent - 24'	17532.91472
Low-Flow High Performance Hood - Other - 2 - Position CV - 50-79 percent - 28'	17532.91472
Low-Flow High Performance Hood - Other - 2 - Position CV - 50-79 percent - 6'	17532.91472
Low-Flow High Performance Hood - Other - VAV - less than 50 percent - 12'	9108.595536
Low-Flow High Performance Hood - Other - VAV - less than 50 percent - 18'	13662.8933
Low-Flow High Performance Hood - Other - VAV - less than 50 percent - 24'	18217.19107
Low-Flow High Performance Hood - Other - VAV - less than 50 percent - 28'	21253.38958
Low-Flow High Performance Hood - Other - VAV - 50-79 percent - 18'	6544.454917
Low-Flow High Performance Hood - Other - VAV - 50-79 percent - 24'	10234.28113
Low-Flow High Performance Hood - Other - VAV - 50-79 percent - 28'	11939.99466
Miscellaneous	66.37
Motors Fans Pumps	11.51
Motors Fans Pumps - EC	11.51
New Cooler Display Case with Doors Grocery	12936.46884
New Cooler Display Case with Doors Miscellaneous	12936.46884
New Cooler Display Case with Doors Retail/Service	12936.46884
New Freezer Display Case with Doors Grocery	21108.48496
New Freezer Display Case with Doors Miscellaneous	21108.48496
New Freezer Display Case with Doors Retail/Service	21108.48496
New T8/T5 Fluorescent Fixtures with Electronic Ballast College / University	40.79801947
New T8/T5 Fluorescent Fixtures with Electronic Ballast Grocery	83.8773555
New T8/T5 Fluorescent Fixtures with Electronic Ballast Heavy Industry	52.49100521
New T8/T5 Fluorescent Fixtures with Electronic Ballast Hotel/Motel	27.96021338
New T8/T5 Fluorescent Fixtures with Electronic Ballast K-12 School	20.33689183
New T8/T5 Fluorescent Fixtures with Electronic Ballast Light Industry	55.8126935
New T8/T5 Fluorescent Fixtures with Electronic Ballast Medical	75.68947019
New T8/T5 Fluorescent Fixtures with Electronic Ballast Miscellaneous	57.36389979
New T8/T5 Fluorescent Fixtures with Electronic Ballast Office	56.09525487
New T8/T5 Fluorescent Fixtures with Electronic Ballast Restaurant	49.75728719

New T8/T5 Fluorescent Fixtures with Electronic Ballast Retail/Service	59.15652166
New T8/T5 Fluorescent Fixtures with Electronic Ballast Warehouse	55.65660236
Occupancy Sensor College / University	9.455721945
Occupancy Sensor Grocery	19.44018267
Occupancy Sensor Heavy Industry	12.16579521
Occupancy Sensor Hotel/Motel	14.31069485
Occupancy Sensor K-12 School	9.62332225
Occupancy Sensor Light Industry	12.93566005
Occupancy Sensor Medical	17.54248352
Occupancy Sensor Miscellaneous	13.2951818
Occupancy Sensor Office	13.00114906
Occupancy Sensor Plus Daylighting Controls College / University	11.51622255
Occupancy Sensor Plus Daylighting Controls Grocery	23.67640158
Occupancy Sensor Plus Daylighting Controls Heavy Industry	14.81684909
Occupancy Sensor Plus Daylighting Controls Hotel/Motel	17.42914477
Occupancy Sensor Plus Daylighting Controls K-12 School	11.72034471
Occupancy Sensor Plus Daylighting Controls Light Industry	15.75447553
Occupancy Sensor Plus Daylighting Controls Medical	21.36517396
Occupancy Sensor Plus Daylighting Controls Miscellaneous	16.19234082
Occupancy Sensor Plus Daylighting Controls Office	15.83423527
Occupancy Sensor Plus Daylighting Controls Restaurant	14.04519141
Occupancy Sensor Plus Daylighting Controls Retail/Service	16.69835147
Occupancy Sensor Plus Daylighting Controls Warehouse	15.71041505
Occupancy Sensor Restaurant	11.53220373
Occupancy Sensor Retail/Service	13.71065624
Occupancy Sensor Warehouse	12.89948294
One 8-ft T12 Lamp to two 4-ft HP T8 Lamps and Ballast College / University	282.4478271
One 8-ft T12 Lamp to two 4-ft HP T8 Lamps and Ballast Grocery	580.6893842
One 8-ft T12 Lamp to two 4-ft HP T8 Lamps and Ballast Heavy Industry	363.3992669
One 8-ft T12 Lamp to two 4-ft HP T8 Lamps and Ballast Hotel/Motel	193.570708
One 8-ft T12 Lamp to two 4-ft HP T8 Lamps and Ballast K-12 School	140.7938665
One 8-ft T12 Lamp to two 4-ft HP T8 Lamps and Ballast Light Industry	386.3955704
One 8-ft T12 Lamp to two 4-ft HP T8 Lamps and Ballast Medical	524.0040244
One 8-ft T12 Lamp to two 4-ft HP T8 Lamps and Ballast Miscellaneous	397.1346909
One 8-ft T12 Lamp to two 4-ft HP T8 Lamps and Ballast Office	388.3517645
One 8-ft T12 Lamp to two 4-ft HP T8 Lamps and Ballast Restaurant	344.4735267
One 8-ft T12 Lamp to two 4-ft HP T8 Lamps and Ballast Retail/Service	409.54515
One 8-ft T12 Lamp to two 4-ft HP T8 Lamps and Ballast Warehouse	385.3149394
One 8-ft T12 Lamp to two 4-ft RW T8 Lamps and Ballast College / University	282.4478271
One 8-ft T12 Lamp to two 4-ft RW T8 Lamps and Ballast Grocery	580.6893842
One 8-ft T12 Lamp to two 4-ft RW T8 Lamps and Ballast Heavy Industry	363.3992669
One 8-ft T12 Lamp to two 4-ft RW T8 Lamps and Ballast Hotel/Motel	193.570708
One 8-ft T12 Lamp to two 4-ft RW T8 Lamps and Ballast K-12 School	140.7938665
One 8-ft T12 Lamp to two 4-ft RW T8 Lamps and Ballast Light Industry	386.3955704
One 8-ft T12 Lamp to two 4-ft RW T8 Lamps and Ballast Medical	524.0040244
One 8-ft T12 Lamp to two 4-ft RW T8 Lamps and Ballast Miscellaneous	397.1346909
One 8-ft T12 Lamp to two 4-ft RW T8 Lamps and Ballast Office	388.3517645
One 8-ft T12 Lamp to two 4-ft RW T8 Lamps and Ballast Restaurant	344.4735267
One 8-ft T12 Lamp to two 4-ft RW T8 Lamps and Ballast Retail/Service	409.54515
One 8-ft T12 Lamp to two 4-ft RW T8 Lamps and Ballast Warehouse	385.3149394
Other	310.84
Other - EC	9.48
Pneumatic to Wireless DDC Thermostat College / University	11383.15815
Pneumatic to Wireless DDC Thermostat Medical	11383.15815
Pneumatic to Wireless DDC Thermostat Miscellaneous	11383.15815
Pneumatic to Wireless DDC Thermostat Office	11383.15815
Pool Pump - VSD Control Miscellaneous	21602.81138
Pre-Rinse Sprayers Hotel/Motel	18564.29735
Pre-Rinse Sprayers Medical	18564.29735
Pre-Rinse Sprayers Restaurant	18564.29735
Pre-Rinse Sprayers Retail/Service	18564.29735
Process Cooling	18.96
Process Cooling Heating	9.48
PTAC EER Hotel / Motel	2333.699384
PTAC EER Medical	2333.699384
Pulse Start or Ceramic, 100W or Less College / University	4180.227841
Pulse Start or Ceramic, 100W or Less Grocery	8594.202886

Pulse Start or Ceramic, 100W or Less Heavy Industry	5378.30915
Pulse Start or Ceramic, 100W or Less Hotel/Motel	2864.846479
Pulse Start or Ceramic, 100W or Less K-12 School	2083.749225
Pulse Start or Ceramic, 100W or Less Light Industry	5718.654442
Pulse Start or Ceramic, 100W or Less Medical	7755.259561
Pulse Start or Ceramic, 100W or Less Miscellaneous	5877.593425
Pulse Start or Ceramic, 100W or Less Office	5747.606114
Pulse Start or Ceramic, 100W or Less Restaurant	5098.208196
Pulse Start or Ceramic, 100W or Less Retail/Service	6061.26822
Pulse Start or Ceramic, 100W or Less Warehouse	5702.661103
Pulse Start or Ceramic, 101W - 200W College / University	5705.446108
Pulse Start or Ceramic, 101W - 200W Grocery	11729.92556
Pulse Start or Ceramic, 101W - 200W Heavy Industry	7340.665191
Pulse Start or Ceramic, 101W - 200W Hotel/Motel	3910.128302
Pulse Start or Ceramic, 101W - 200W K-12 School	2844.036104
Pulse Start or Ceramic, 101W - 200W Light Industry	7805.190522
Pulse Start or Ceramic, 101W - 200W Medical	10584.88129
Pulse Start or Ceramic, 101W - 200W Miscellaneous	8022.120756
Pulse Start or Ceramic, 101W - 200W Office	7844.705642
Pulse Start or Ceramic, 101W - 200W Restaurant	6958.36524
Pulse Start or Ceramic, 101W - 200W Retail/Service	8272.81203
Pulse Start or Ceramic, 101W - 200W Warehouse	7783.361776
Pulse Start or Ceramic, 201W - 350W College / University	7569.601767
Pulse Start or Ceramic, 201W - 350W Grocery	15562.4755
Pulse Start or Ceramic, 201W - 350W Heavy Industry	9739.100352
Pulse Start or Ceramic, 201W - 350W Hotel/Motel	5187.694975
Pulse Start or Ceramic, 201W - 350W K-12 School	3773.275623
Pulse Start or Ceramic, 201W - 350W Light Industry	10355.40129
Pulse Start or Ceramic, 201W - 350W Medical	14043.30785
Pulse Start or Ceramic, 201W - 350W Miscellaneous	10643.20972
Pulse Start or Ceramic, 201W - 350W Office	10407.82729
Pulse Start or Ceramic, 201W - 350W Restaurant	9231.890516
Pulse Start or Ceramic, 201W - 350W Retail/Service	10975.81002
Pulse Start or Ceramic, 201W - 350W Warehouse	10326.44038
Pulse Start or Ceramic, 351W - 400W College / University	23443.16965
Pulse Start or Ceramic, 351W - 400W Grocery	48197.21889
Pulse Start or Ceramic, 351W - 400W Heavy Industry	30162.13915
Pulse Start or Ceramic, 351W - 400W Hotel/Motel	16066.36877
Pulse Start or Ceramic, 351W - 400W K-12 School	11685.89092
Pulse Start or Ceramic, 351W - 400W Light Industry	32070.83234
Pulse Start or Ceramic, 351W - 400W Medical	43492.33403
Pulse Start or Ceramic, 351W - 400W Miscellaneous	32962.17934
Pulse Start or Ceramic, 351W - 400W Office	32233.19645
Pulse Start or Ceramic, 351W - 400W Restaurant	28591.30272
Pulse Start or Ceramic, 351W - 400W Retail/Service	33992.24745
Pulse Start or Ceramic, 351W - 400W Warehouse	31981.13997
Pulse Start or Ceramic, 401W - 1000W College / University	15534.63049
Pulse Start or Ceramic, 401W - 1000W Grocery	31937.91613
Pulse Start or Ceramic, 401W - 1000W Heavy Industry	19986.95968
Pulse Start or Ceramic, 401W - 1000W Hotel/Motel	10646.38894
Pulse Start or Ceramic, 401W - 1000W K-12 School	7743.662659
Pulse Start or Ceramic, 401W - 1000W Light Industry	21251.75637
Pulse Start or Ceramic, 401W - 1000W Medical	28820.22134
Pulse Start or Ceramic, 401W - 1000W Miscellaneous	21842.408
Pulse Start or Ceramic, 401W - 1000W Office	21359.34705
Pulse Start or Ceramic, 401W - 1000W Restaurant	18946.04397
Pulse Start or Ceramic, 401W - 1000W Retail/Service	22524.98325
Pulse Start or Ceramic, 401W - 1000W Warehouse	21192.32167
Reach-in (Novelty) Cooler Controls Grocery	5922.708593
Reach-in (Novelty) Cooler Controls Hotel/Motel	5922.708593
Reach-in (Novelty) Cooler Controls Medical	5922.708593
Reach-in (Novelty) Cooler Controls Miscellaneous	5922.708593
Reach-in (Novelty) Cooler Controls Restaurant	5922.708593
Reach-in (Novelty) Cooler Controls Retail/Service	5922.708593
Reciprocating less than 75	1399.01678
Reciprocating 150 to 299	1287.983702
Reciprocating 75 to 149	1365.706857

Reciprocating grtr than equal to 300	1199.15724
Reduce/Optimize Air Change per Hour (ACH) Rate - Occupied - Chiller	112.6485862
Reduce/Optimize Air Change per Hour (ACH) Rate - Occupied - DX	123.4294558
Reduce/Optimize Air Change per Hour (ACH) Rate - Occupied - Other	118.039021
Reduce/Optimize Air Change per Hour (ACH) Rate - Unoccupied - Chiller	111.0779851
Reduce/Optimize Air Change per Hour (ACH) Rate - Unoccupied - DX	114.9207719
Reduce/Optimize Air Change per Hour (ACH) Rate - Unoccupied - Other	127.4951141
Remove 2-foot Lamp and install reflector College / University	995.4716751
Remove 2-foot Lamp and install reflector Grocery	2046.607474
Remove 2-foot Lamp and install reflector Heavy Industry	1280.780527
Remove 2-foot Lamp and install reflector Hotel/Motel	682.2292065
Remove 2-foot Lamp and install reflector K-12 School	496.2201607
Remove 2-foot Lamp and install reflector Light Industry	1361.829721
Remove 2-foot Lamp and install reflector Medical	1846.823073
Remove 2-foot Lamp and install reflector Miscellaneous	1399.679155
Remove 2-foot Lamp and install reflector Office	1368.724219
Remove 2-foot Lamp and install reflector Restaurant	1214.077808
Remove 2-foot Lamp and install reflector Retail/Service	1443.419129
Remove 2-foot Lamp and install reflector Warehouse	1358.021098
Remove 2-foot Lamp College / University	895.9245076
Remove 2-foot Lamp Grocery	2046.607474
Remove 2-foot Lamp Heavy Industry	1280.780527
Remove 2-foot Lamp Hotel/Motel	682.2292065
Remove 2-foot Lamp K-12 School	496.2201607
Remove 2-foot Lamp Light Industry	1361.829721
Remove 2-foot Lamp Medical	1846.823073
Remove 2-foot Lamp Miscellaneous	1399.679155
Remove 2-foot Lamp Office	1368.724219
Remove 2-foot Lamp Restaurant	1214.077808
Remove 2-foot Lamp Retail/Service	1443.419129
Remove 2-foot Lamp Warehouse	1358.021098
Remove 3-ft Lamp College / University	1423.85088
Remove 3-ft Lamp Grocery	2927.319707
Remove 3-ft Lamp Heavy Industry	1831.936082
Remove 3-ft Lamp Hotel/Motel	975.811447
Remove 3-ft Lamp K-12 School	709.7575249
Remove 3-ft Lamp Light Industry	1947.863003
Remove 3-ft Lamp Medical	2641.56251
Remove 3-ft Lamp Miscellaneous	2002.000103
Remove 3-ft Lamp Office	1957.724395
Remove 3-ft Lamp Restaurant	1736.529323
Remove 3-ft Lamp Retail/Service	2064.562606
Remove 3-ft Lamp Warehouse	1942.415422
Remove 4-ft Lamp and Install Reflector College / University	676.6194614
Remove 4-ft Lamp and Install Reflector Grocery	1391.07368
Remove 4-ft Lamp and Install Reflector Heavy Industry	870.5431326
Remove 4-ft Lamp and Install Reflector Hotel/Motel	463.709385
Remove 4-ft Lamp and Install Reflector K-12 School	337.2795292
Remove 4-ft Lamp and Install Reflector Light Industry	925.6320553
Remove 4-ft Lamp and Install Reflector Medical	1255.280752
Remove 4-ft Lamp and Install Reflector Miscellaneous	951.3582151
Remove 4-ft Lamp and Install Reflector Office	930.3182269
Remove 4-ft Lamp and Install Reflector Restaurant	825.2054707
Remove 4-ft Lamp and Install Reflector Retail/Service	981.0881593
Remove 4-ft Lamp and Install Reflector Warehouse	923.0433437
Remove 4-ft Lamp College / University	676.6194614
Remove 4-ft Lamp Grocery	1391.07368
Remove 4-ft Lamp Heavy Industry	870.5431326
Remove 4-ft Lamp Hotel/Motel	463.709385
Remove 4-ft Lamp K-12 School	337.2795292
Remove 4-ft Lamp Light Industry	925.6320553
Remove 4-ft Lamp Medical	1255.280752
Remove 4-ft Lamp Miscellaneous	951.3582151
Remove 4-ft Lamp Office	930.3182269
Remove 4-ft Lamp Restaurant	825.2054707
Remove 4-ft Lamp Retail/Service	981.0881593
Remove 4-ft Lamp Warehouse	923.0433437

Remove 8-ft Lamp and Install Reflector College / University	1230.217203
Remove 8-ft Lamp and Install Reflector Grocery	2529.224873
Remove 8-ft Lamp and Install Reflector Heavy Industry	1582.805696
Remove 8-ft Lamp and Install Reflector Hotel/Motel	843.1079727
Remove 8-ft Lamp and Install Reflector K-12 School	613.2355075
Remove 8-ft Lamp and Install Reflector Light Industry	1682.967373
Remove 8-ft Lamp and Install Reflector Medical	2282.32864
Remove 8-ft Lamp and Install Reflector Miscellaneous	1729.742209
Remove 8-ft Lamp and Install Reflector Office	1691.487685
Remove 8-ft Lamp and Install Reflector Restaurant	1500.373583
Remove 8-ft Lamp and Install Reflector Retail/Service	1783.796653
Remove 8-ft Lamp and Install Reflector Warehouse	1678.260625
Remove 8-ft Lamp College / University	1230.217203
Remove 8-ft Lamp Grocery	2529.224873
Remove 8-ft Lamp Heavy Industry	1582.805696
Remove 8-ft Lamp Hotel/Motel	843.1079727
Remove 8-ft Lamp K-12 School	613.2355075
Remove 8-ft Lamp Light Industry	1682.967373
Remove 8-ft Lamp Medical	2282.32864
Remove 8-ft Lamp Miscellaneous	1729.742209
Remove 8-ft Lamp Office	1691.487685
Remove 8-ft Lamp Restaurant	1500.373583
Remove 8-ft Lamp Retail/Service	1783.796653
Remove 8-ft Lamp Warehouse	1678.260625
Restroom Exhaust Fan Occupancy Sensor College / University	867.28824
Restroom Exhaust Fan Occupancy Sensor Medical	1832.49612
Restroom Exhaust Fan Occupancy Sensor Miscellaneous	1119.0816
Restroom Exhaust Fan Occupancy Sensor Office	965.20788
Retrofit T12 Fixtures with T5 Lamps and New Electronic Ballast College / University	263.617972
Retrofit T12 Fixtures with T5 Lamps and New Electronic Ballast Grocery	541.9767586
Retrofit T12 Fixtures with T5 Lamps and New Electronic Ballast Heavy Industry	339.1726491
Retrofit T12 Fixtures with T5 Lamps and New Electronic Ballast Hotel/Motel	180.6659941
Retrofit T12 Fixtures with T5 Lamps and New Electronic Ballast K-12 School	131.4076088
Retrofit T12 Fixtures with T5 Lamps and New Electronic Ballast Light Industry	360.6358657
Retrofit T12 Fixtures with T5 Lamps and New Electronic Ballast Medical	489.0704228
Retrofit T12 Fixtures with T5 Lamps and New Electronic Ballast Miscellaneous	370.6590448
Retrofit T12 Fixtures with T5 Lamps and New Electronic Ballast Office	362.4616468
Retrofit T12 Fixtures with T5 Lamps and New Electronic Ballast Restaurant	321.5086249
Retrofit T12 Fixtures with T5 Lamps and New Electronic Ballast Retail/Service	382.24214
Retrofit T12 Fixtures with T5 Lamps and New Electronic Ballast Warehouse	359.6272768
Room AC EER less than 8000 Btuh Level 2 College / University	323.7122619
Room AC EER less than 8000 Btuh Level 2 Heavy Industry	323.7122619
Room AC EER less than 8000 Btuh Level 2 Hotel / Motel	323.7122619
Room AC EER less than 8000 Btuh Level 2 K-12 School	323.7122619
Room AC EER less than 8000 Btuh Level 2 Light Industry	323.7122619
Room AC EER less than 8000 Btuh Level 2 Medical	323.7122619
Room AC EER less than 8000 Btuh Level 2 Miscellaneous	323.7122619
Room AC EER less than 8000 Btuh Level 2 Office	323.7122619
Room AC EER less than 8000 Btuh Level 2 Retail/Service	323.7122619
Room AC EER 14,000 to 19,999 Btuh Level 2 College / University	323.7122619
Room AC EER 14,000 to 19,999 Btuh Level 2 Heavy Industry	323.7122619
Room AC EER 14,000 to 19,999 Btuh Level 2 Hotel / Motel	323.7122619
Room AC EER 14,000 to 19,999 Btuh Level 2 K-12 School	323.7122619
Room AC EER 14,000 to 19,999 Btuh Level 2 Light Industry	323.7122619
Room AC EER 14,000 to 19,999 Btuh Level 2 Medical	323.7122619
Room AC EER 14,000 to 19,999 Btuh Level 2 Miscellaneous	323.7122619
Room AC EER 14,000 to 19,999 Btuh Level 2 Office	323.7122619
Room AC EER 14,000 to 19,999 Btuh Level 2 Retail/Service	323.7122619
Room AC EER 8000 to 13,999 Btuh Level 2 College / University	317.5735971
Room AC EER 8000 to 13,999 Btuh Level 2 Heavy Industry	317.5735971
Room AC EER 8000 to 13,999 Btuh Level 2 Hotel / Motel	317.5735971
Room AC EER 8000 to 13,999 Btuh Level 2 K-12 School	317.5735971
Room AC EER 8000 to 13,999 Btuh Level 2 Light Industry	317.5735971
Room AC EER 8000 to 13,999 Btuh Level 2 Medical	317.5735971
Room AC EER 8000 to 13,999 Btuh Level 2 Miscellaneous	317.5735971
Room AC EER 8000 to 13,999 Btuh Level 2 Office	317.5735971
Room AC EER 8000 to 13,999 Btuh Level 2 Retail/Service	317.5735971

Room AC EER greater or equal to 20,000 Btuh Level 2 College / University	365.8945993
Room AC EER greater or equal to 20,000 Btuh Level 2 Heavy Industry	365.8945993
Room AC EER greater or equal to 20,000 Btuh Level 2 Hotel / Motel	365.8945993
Room AC EER greater or equal to 20,000 Btuh Level 2 K-12 School	365.8945993
Room AC EER greater or equal to 20,000 Btuh Level 2 Light Industry	365.8945993
Room AC EER greater or equal to 20,000 Btuh Level 2 Medical	365.8945993
Room AC EER greater or equal to 20,000 Btuh Level 2 Miscellaneous	365.8945993
Room AC EER greater or equal to 20,000 Btuh Level 2 Office	365.8945993
Room AC EER greater or equal to 20,000 Btuh Level 2 Retail/Service	365.8945993
Sash Stops - Chiller - less than 50 percent - 12'	13361.18617
Sash Stops - Chiller - less than 50 percent - 18'	8350.741354
Sash Stops - Chiller - 50-79 percent - 12'	7351.054431
Sash Stops - Chiller - 50-79 percent - 18'	4687.994944
Sash Stops - DX - less than 50 percent - 12'	14240.61849
Sash Stops - DX - less than 50 percent - 18'	8900.386554
Sash Stops - DX - 50-79 percent - 12'	7850.776949
Sash Stops - DX - 50-79 percent - 18'	5003.55916
Sash Stops - Other - less than 50 percent - 12'	13721.11204
Sash Stops - Other - less than 50 percent - 18'	8575.695028
Sash Stops - Other - 50-79 percent - 12'	7560.1894
Sash Stops - Other - 50-79 percent - 18'	4819.180291
Scroll or Helical Rotary less than 75	1399.01678
Scroll or Helical Rotary 150 to 299	1287.983702
Scroll or Helical Rotary 75 to 149	1365.706857
Scroll or Helical Rotary grtr than equal to 300	1199.15724
Sensor Controlled Parking Garage Bi-Level Fixture College / University	8009.897308
Sensor Controlled Parking Garage Bi-Level Fixture Grocery	7208.907577
Sensor Controlled Parking Garage Bi-Level Fixture Heavy Industry	7208.907577
Sensor Controlled Parking Garage Bi-Level Fixture Hotel/Motel	7208.907577
Sensor Controlled Parking Garage Bi-Level Fixture K-12 School	7208.907577
Sensor Controlled Parking Garage Bi-Level Fixture Light Industry	7208.907577
Sensor Controlled Parking Garage Bi-Level Fixture Medical	7208.907577
Sensor Controlled Parking Garage Bi-Level Fixture Miscellaneous	7208.907577
Sensor Controlled Parking Garage Bi-Level Fixture Office	7208.907577
Sensor Controlled Parking Garage Bi-Level Fixture Restaurant	7208.907577
Sensor Controlled Parking Garage Bi-Level Fixture Retail/Service	7208.907577
Sensor Controlled Parking Garage Bi-Level Fixture Warehouse	7208.907577
Sensor Controlled Wall Pack Fixture College / University	0
Sensor Controlled Wall Pack Fixture Grocery	0
Sensor Controlled Wall Pack Fixture Heavy Industry	0
Sensor Controlled Wall Pack Fixture Hotel/Motel	0
Sensor Controlled Wall Pack Fixture K-12 School	0
Sensor Controlled Wall Pack Fixture Light Industry	0
Sensor Controlled Wall Pack Fixture Medical	0
Sensor Controlled Wall Pack Fixture Miscellaneous	0
Sensor Controlled Wall Pack Fixture Office	0
Sensor Controlled Wall Pack Fixture Restaurant	0
Sensor Controlled Wall Pack Fixture Retail/Service	0
Sensor Controlled Wall Pack Fixture Warehouse	0
Shaded pole to ECM with evaporator fan controls Grocery	12987.80173
Shaded pole to ECM with evaporator fan controls Hotel/Motel	12987.80173
Shaded pole to ECM with evaporator fan controls Medical	12987.80173
Shaded pole to ECM with evaporator fan controls Miscellaneous	12987.80173
Shaded pole to ECM with evaporator fan controls Restaurant	12987.80173
Shaded pole to ECM with evaporator fan controls Retail/Service	12987.80173
Solid Door Freezers - ENERGY STAR Grocery	14448.88027
Solid Door Freezers - ENERGY STAR Hotel/Motel	14448.88027
Solid Door Freezers - ENERGY STAR Miscellaneous	14448.88027
Solid Door Freezers - ENERGY STAR Restaurant	14448.88027
Solid Door Freezers - ENERGY STAR Retail/Service	14448.88027
Special Doors with Low/No Anti-Sweat Heat (ASH) on Cooler Display Cases Grocery	15039.1935
Special Doors with Low/No Anti-Sweat Heat (ASH) on Cooler Display Cases Hotel/Motel	15039.1935
Special Doors with Low/No Anti-Sweat Heat (ASH) on Cooler Display Cases Miscellaneous	15039.1935
Special Doors with Low/No Anti-Sweat Heat (ASH) on Cooler Display Cases Restaurant	15039.1935
Special Doors with Low/No Anti-Sweat Heat (ASH) on Cooler Display Cases Retail/Service	15039.1935
Special Doors with Low/No Anti-Sweat Heat (ASH) on Freezer Display Cases Grocery	27318.53899
Special Doors with Low/No Anti-Sweat Heat (ASH) on Freezer Display Cases Hotel/Motel	27318.53899

Special Doors with Low/No Anti-Sweat Heat (ASH) on Freezer Display Cases Miscellaneous	27318.53899
Special Doors with Low/No Anti-Sweat Heat (ASH) on Freezer Display Cases Restaurant	27318.53899
Special Doors with Low/No Anti-Sweat Heat (ASH) on Freezer Display Cases Retail/Service	27318.53899
Steam Cooker Hotel/Motel	250137.65
Steam Cooker Medical	250137.65
Steam Cooker Restaurant	250137.65
Steam Cooker Retail/Service	250137.65
UPS, Cooling Equipment	12.40
Vending Controllers Beverage College / University	7896.944791
Vending Controllers Beverage Heavy Industry	7896.944791
Vending Controllers Beverage Hotel/Motel	7896.944791
Vending Controllers Beverage K-12 School	7896.944791
Vending Controllers Beverage Light Industry	7896.944791
Vending Controllers Beverage Medical	7896.944791
Vending Controllers Beverage Miscellaneous	7896.944791
Vending Controllers Beverage Office	7896.944791
Vending Controllers Beverage Retail/Service	7896.944791
Vending Controllers Beverage WareHouse	7896.944791
Vending Controllers Snacks College / University	1678.100768
Vending Controllers Snacks Heavy Industry	1678.100768
Vending Controllers Snacks Hotel/Motel	1678.100768
Vending Controllers Snacks K-12 School	1678.100768
Vending Controllers Snacks Light Industry	1678.100768
Vending Controllers Snacks Medical	1678.100768
Vending Controllers Snacks Miscellaneous	1678.100768
Vending Controllers Snacks Office	1678.100768
Vending Controllers Snacks Retail/Service	1678.100768
Vending Controllers Snacks WareHouse	1678.100768
VFD	12.40
VFD, Controls	12.40
VFD, Controls, UPS	8.75
VFD, Economization	8.75
VFD, Temperature	12.40
VSD	56.89
VSD for HVAC Chillers College / University	5098.602818
VSD for HVAC Chillers Grocery	8512.247128
VSD for HVAC Chillers Heavy Industry	6384.185346
VSD for HVAC Chillers Hotel / Motel	4912.033018
VSD for HVAC Chillers K-12 School	2753.362128
VSD for HVAC Chillers Light Industry	4390.220608
VSD for HVAC Chillers Medical	3868.408198
VSD for HVAC Chillers Miscellaneous	5000.945188
VSD for HVAC Chillers Office	1779.700984
VSD for HVAC Chillers Restaurant	7714.952748
VSD for HVAC Chillers Retail/Service	4893.084522
VSD for HVAC Chillers WareHouse	4703.599569
VSD on Boiler Feed Water Pump, , Light Industry	9116.722883
VSD on Boiler Feed Water Pump, , Medical	25412.17157
VSD on Boiler Feed Water Pump, , Miscellaneous	15174.81298
VSD on Building Exhaust Fan, Backward Inclined Fan, Bypass Hotel / Motel	28210.56114
VSD on Building Exhaust Fan, Backward Inclined Fan, Bypass Office	7249.687279
VSD on Building Exhaust Fan, Backward Inclined Fan, Discharge Damper Office	3076.035537
VSD on Building Exhaust Fan, Backward Inclined Fan, Discharge Damper WareHouse	5612.110136
VSD on Building Exhaust Fan, Backward Inclined Fan, Inlet Guide Vanes Miscellaneous	7146.644286
VSD on Building Exhaust Fan, Backward Inclined Fan, On/Off Light Industry	10119.18411
VSD on Building Exhaust Fan, Backward Inclined Fan, On/Off Miscellaneous	16843.41274
VSD on Building Exhaust Fan, Backward Inclined Fan, Other (specify) Medical	11967.97292
VSD on Building Exhaust Fan, Backward Inclined Fan, Other (specify) Miscellaneous	7146.644286
VSD on Building Exhaust Fan, Forward Curved Fan, On/Off Miscellaneous	16843.41274
VSD on Building Exhaust Fan, Forward Curved Fan, Other (specify) Office	1836.13575
VSD on Building Exhaust Fan, Other (specify), Other (specify) Heavy Industry	4566.379904
VSD on Building Exhaust Fan, Other (specify), Other (specify) Medical	8751.909712
VSD on Building Exhaust Fan, Other (specify), Other (specify) Miscellaneous	5226.180403
VSD on Building Exhaust Fan, Other (specify), Other (specify) Office	2249.435679
VSD on Chilled Water Pump, , Bypass Heavy Industry	11883.59107
VSD on Chilled Water Pump, , Bypass Medical	22776.05419
VSD on Chilled Water Pump, , Bypass Miscellaneous	13600.66225

VSD on Chilled Water Pump, , Bypass Office	5853.953093
VSD on Chilled Water Pump, , Other (specify) Heavy Industry	11883.59107
VSD on Chilled Water Pump, , Other (specify) Hotel / Motel	22779.369
VSD on Chilled Water Pump, , Other (specify) Medical	22776.05419
VSD on Chilled Water Pump, , Other (specify) Miscellaneous	13600.66225
VSD on Chilled Water Pump, , Other (specify) Office	5853.953093
VSD on Chilled Water Pump, , Outlet Control Valve Heavy Industry	11883.59107
VSD on Chilled Water Pump, , Outlet Control Valve Light Industry	8171.004741
VSD on Chilled Water Pump, , Outlet Control Valve Miscellaneous	13600.66225
VSD on Chilled Water Pump, , Outlet Control Valve Office	5853.953093
VSD on Condenser Water Pump, , Heavy Industry	11883.59107
VSD on Condenser Water Pump, , Light Industry	8171.004741
VSD on Condenser Water Pump, , Medical	22776.05419
VSD on Condenser Water Pump, , Miscellaneous	13600.66225
VSD on Condenser Water Pump, , Office	5853.953093
VSD on Cooling Tower Fan, , Heavy Industry	3052.528629
VSD on Cooling Tower Fan, , Hotel / Motel	9006.991288
VSD on Cooling Tower Fan, , Light Industry	3052.528629
VSD on Cooling Tower Fan, , Medical	8226.5288
VSD on Cooling Tower Fan, , Miscellaneous	5528.309158
VSD on Cooling Tower Fan, , Office	2869.663758
VSD on Cooling Tower Fan, , WareHouse	4278.79894
VSD on Hot Water Circulation Pump, , Heavy Industry	13259.00671
VSD on Hot Water Circulation Pump, , Hotel / Motel	25415.87004
VSD on Hot Water Circulation Pump, , Light Industry	9116.722883
VSD on Hot Water Circulation Pump, , Medical	25412.17157
VSD on Hot Water Circulation Pump, , Miscellaneous	15174.81298
VSD on Hot Water Circulation Pump, , Office	6531.49396
VSD on HVAC Boiler Draft Fan, Backward Inclined Fan, Inlet Guide Vanes Medical	5983.98646
VSD on HVAC Boiler Draft Fan, Backward Inclined Fan, On/Off Heavy Industry	7358.47364
VSD on HVAC Boiler Draft Fan, Backward Inclined Fan, On/Off Hotel / Motel	14105.28057
VSD on HVAC Boiler Draft Fan, Backward Inclined Fan, On/Off Light Industry	5059.592056
VSD on HVAC Boiler Draft Fan, Backward Inclined Fan, On/Off Medical	14103.228
VSD on HVAC Boiler Draft Fan, Backward Inclined Fan, Other (specify) Medical	5983.98646
VSD on HVAC Return Air Fan, Backward Inclined Fan, Bypass Miscellaneous	16843.41274
VSD on HVAC Return Air Fan, Backward Inclined Fan, Bypass Office	7249.687279
VSD on HVAC Return Air Fan, Backward Inclined Fan, Discharge Damper Light Industry	4293.560362
VSD on HVAC Return Air Fan, Backward Inclined Fan, Discharge Damper Medical	11967.97292
VSD on HVAC Return Air Fan, Backward Inclined Fan, Discharge Damper Office	3076.035537
VSD on HVAC Return Air Fan, Backward Inclined Fan, Inlet Guide Vanes Medical	11967.97292
VSD on HVAC Return Air Fan, Backward Inclined Fan, Inlet Guide Vanes Miscellaneous	7146.644286
VSD on HVAC Return Air Fan, Backward Inclined Fan, Inlet Guide Vanes Office	3076.035537
VSD on HVAC Return Air Fan, Backward Inclined Fan, On/Off Light Industry	10119.18411
VSD on HVAC Return Air Fan, Backward Inclined Fan, On/Off Medical	28206.456
VSD on HVAC Return Air Fan, Backward Inclined Fan, On/Off Miscellaneous	16843.41274
VSD on HVAC Return Air Fan, Backward Inclined Fan, On/Off Office	7249.687279
VSD on HVAC Return Air Fan, Backward Inclined Fan, Other (specify) Medical	11967.97292
VSD on HVAC Return Air Fan, Backward Inclined Fan, Other (specify) Miscellaneous	7146.644286
VSD on HVAC Return Air Fan, Backward Inclined Fan, Other (specify) Office	3076.035537
VSD on HVAC Return Air Fan, Forward Curved Fan, Bypass Miscellaneous	16843.41274
VSD on HVAC Return Air Fan, Forward Curved Fan, Discharge Damper Heavy Industry	4923.987968
VSD on HVAC Return Air Fan, Forward Curved Fan, Discharge Damper Office	2425.596305
VSD on HVAC Return Air Fan, Forward Curved Fan, Inlet Guide Vanes Hotel / Motel	4851.161916
VSD on HVAC Return Air Fan, Forward Curved Fan, Inlet Guide Vanes Medical	4850.455985
VSD on HVAC Return Air Fan, Forward Curved Fan, Inlet Guide Vanes Miscellaneous	2896.437332
VSD on HVAC Return Air Fan, Forward Curved Fan, Inlet Guide Vanes Office	1246.675196
VSD on HVAC Return Air Fan, Forward Curved Fan, On/Off Heavy Industry	14716.94728
VSD on HVAC Return Air Fan, Forward Curved Fan, On/Off Medical	28206.456
VSD on HVAC Return Air Fan, Forward Curved Fan, On/Off Miscellaneous	16843.41274
VSD on HVAC Return Air Fan, Forward Curved Fan, On/Off Office	7249.687279
VSD on HVAC Return Air Fan, Forward Curved Fan, Other (specify) Medical	7143.878108
VSD on HVAC Return Air Fan, Forward Curved Fan, Other (specify) Office	1836.13575
VSD on HVAC Return Air Fan, Other (specify), Discharge Damper Miscellaneous	5635.459591
VSD on HVAC Return Air Fan, Other (specify), Discharge Damper Office	2425.596305
VSD on HVAC Return Air Fan, Other (specify), Inlet Guide Vanes Miscellaneous	5021.540809
VSD on HVAC Return Air Fan, Other (specify), Inlet Guide Vanes Office	2161.355366
VSD on HVAC Return Air Fan, Other (specify), On/Off Medical	28206.456

VSD on HVAC Supply Air Fan, Backward Inclined Fan, Bypass Miscellaneous	16843.41274
VSD on HVAC Supply Air Fan, Backward Inclined Fan, Discharge Damper Heavy Industry	6244.386977
VSD on HVAC Supply Air Fan, Backward Inclined Fan, Discharge Damper Light Industry	4293.560362
VSD on HVAC Supply Air Fan, Backward Inclined Fan, Discharge Damper Medical	11967.97292
VSD on HVAC Supply Air Fan, Backward Inclined Fan, Discharge Damper Miscellaneous	7146.644286
VSD on HVAC Supply Air Fan, Backward Inclined Fan, Discharge Damper Office	3076.035537
VSD on HVAC Supply Air Fan, Backward Inclined Fan, Inlet Guide Vanes Light Industry	4293.560362
VSD on HVAC Supply Air Fan, Backward Inclined Fan, Inlet Guide Vanes Medical	11967.97292
VSD on HVAC Supply Air Fan, Backward Inclined Fan, Inlet Guide Vanes Miscellaneous	7146.644286
VSD on HVAC Supply Air Fan, Backward Inclined Fan, Inlet Guide Vanes Office	3076.035537
VSD on HVAC Supply Air Fan, Backward Inclined Fan, Inlet Guide Vanes Warehouse	5612.110136
VSD on HVAC Supply Air Fan, Backward Inclined Fan, On/Off Grocery	23974.0508
VSD on HVAC Supply Air Fan, Backward Inclined Fan, On/Off Heavy Industry	14716.94728
VSD on HVAC Supply Air Fan, Backward Inclined Fan, On/Off Light Industry	10119.18411
VSD on HVAC Supply Air Fan, Backward Inclined Fan, On/Off Medical	28206.456
VSD on HVAC Supply Air Fan, Backward Inclined Fan, On/Off Miscellaneous	16843.41274
VSD on HVAC Supply Air Fan, Backward Inclined Fan, On/Off Office	7249.687279
VSD on HVAC Supply Air Fan, Backward Inclined Fan, On/Off Restaurant	19105.34802
VSD on HVAC Supply Air Fan, Backward Inclined Fan, Other (specify) Medical	11967.97292
VSD on HVAC Supply Air Fan, Backward Inclined Fan, Other (specify) Miscellaneous	7146.644286
VSD on HVAC Supply Air Fan, Backward Inclined Fan, Other (specify) Office	3076.035537
VSD on HVAC Supply Air Fan, Forward Curved Fan, Bypass Hotel / Motel	28210.56114
VSD on HVAC Supply Air Fan, Forward Curved Fan, Bypass Medical	28206.456
VSD on HVAC Supply Air Fan, Forward Curved Fan, Bypass Office	7249.687279
VSD on HVAC Supply Air Fan, Forward Curved Fan, Discharge Damper Heavy Industry	4923.987968
VSD on HVAC Supply Air Fan, Forward Curved Fan, Discharge Damper Medical	9437.300231
VSD on HVAC Supply Air Fan, Forward Curved Fan, Discharge Damper Office	2425.596305
VSD on HVAC Supply Air Fan, Forward Curved Fan, Inlet Guide Vanes Hotel / Motel	4851.161916
VSD on HVAC Supply Air Fan, Forward Curved Fan, Inlet Guide Vanes Medical	4850.455985
VSD on HVAC Supply Air Fan, Forward Curved Fan, Inlet Guide Vanes Miscellaneous	2896.437332
VSD on HVAC Supply Air Fan, Forward Curved Fan, Inlet Guide Vanes Office	1246.675196
VSD on HVAC Supply Air Fan, Forward Curved Fan, On/Off Grocery	23974.0508
VSD on HVAC Supply Air Fan, Forward Curved Fan, On/Off Heavy Industry	14716.94728
VSD on HVAC Supply Air Fan, Forward Curved Fan, On/Off Hotel / Motel	28210.56114
VSD on HVAC Supply Air Fan, Forward Curved Fan, On/Off Medical	28206.456
VSD on HVAC Supply Air Fan, Forward Curved Fan, On/Off Miscellaneous	16843.41274
VSD on HVAC Supply Air Fan, Forward Curved Fan, On/Off Office	7249.687279
VSD on HVAC Supply Air Fan, Forward Curved Fan, Other (specify) Medical	7143.878108
VSD on HVAC Supply Air Fan, Forward Curved Fan, Other (specify) Office	1836.13575
VSD on HVAC Supply Air Fan, Forward Curved Fan, Other (specify) Restaurant	4838.831133
VSD on HVAC Supply Air Fan, Other (specify), Bypass Hotel / Motel	28210.56114
VSD on HVAC Supply Air Fan, Other (specify), Discharge Damper Miscellaneous	5635.459591
VSD on HVAC Supply Air Fan, Other (specify), Inlet Guide Vanes Medical	8409.214452
VSD on HVAC Supply Air Fan, Other (specify), Inlet Guide Vanes Office	2161.355366
VSD on HVAC Supply Air Fan, Other (specify), On/Off Grocery	23974.0508
VSD on HVAC Supply Air Fan, Other (specify), On/Off Light Industry	10119.18411
VSD on HVAC Supply Air Fan, Other (specify), On/Off Medical	28206.456
VSD on HVAC Supply Air Fan, Other (specify), On/Off Miscellaneous	16843.41274
VSD on HVAC Supply Air Fan, Other (specify), On/Off Office	7249.687279
VSD on HVAC Supply Air Fan, Other (specify), Other (specify) Light Industry	3139.784229
VSD on HVAC Supply Air Fan, Other (specify), Other (specify) Medical	8751.909712
VSD on HVAC Supply Air Fan, Other (specify), Other (specify) Office	2249.435679
VSD on Make-up Air Fan, Backward Inclined Fan, On/Off Miscellaneous	16843.41274
VSD on Make-up Air Fan, Forward Curved Fan, Bypass Office	7249.687279
VSD on Make-up Air Fan, Forward Curved Fan, On/Off Hotel / Motel	28210.56114
VSD on Make-up Air Fan, Forward Curved Fan, On/Off Miscellaneous	16843.41274
VSD on Make-up Air Fan, Forward Curved Fan, On/Off Office	7249.687279
VSD on Make-up Air Fan, Other (specify), On/Off Light Industry	10119.18411
VSD on Make-up Air Fan, Other (specify), Other (specify) Light Industry	3139.784229
VSD on Make-up Air Fan, Other (specify), Other (specify) Miscellaneous	5226.180403
VSD on Other Fan (specify), , Heavy Industry	8570.912765
VSD on Other Fan (specify), , Light Industry	8570.912765
VSD on Other Fan (specify), , Medical	8570.912765
VSD on Other Fan (specify), , Miscellaneous	8570.912765
VSD on Other Fan (specify), , Office	8570.912765
VSD on Other Fan (specify), , Warehouse	8570.912765
VSD on Other Pump (specify), , Heavy Industry	8570.912765

VSD on Other Pump (specify) , , Light Industry	8570.912765
VSD on Other Pump (specify) , , Medical	8570.912765
VSD on Other Pump (specify) , , Miscellaneous	8570.912765
VSD on Other Pump (specify) , , Office	8570.912765
VSD on Water Supply or Waste Water Pump , , Heavy Industry	8843.236193
VSD on Water Supply or Waste Water Pump , , Hotel / Motel	8843.236193
VSD on Water Supply or Waste Water Pump , , Light Industry	8843.236193
VSD on Water Supply or Waste Water Pump , , Medical	8843.236193
VSD on Water Supply or Waste Water Pump , , Miscellaneous	8843.236193
VSD on Water Supply or Waste Water Pump , , Office	8843.236193
Water Heater Timers Hotel/Motel	5453.332719
Water Heater Timers Medical	2712.356337
Water Heater Timers Restaurant	2136.416396
Water Heater Timers Retail/Service	11574.6145

ICC Docket No. 13-0495

**Commonwealth Edison Company's Response to
Natural Resources Defense Council ("NRDC") Data Requests**

NRDC 2.01 – 2.20

Date Received: September 20, 2013

Date Served: October 3, 2013

REQUEST NO. NRDC 2.02:

Regarding banking of savings, for each of the past and current Program Years (PY1 through PY6):

- a. What was the savings goal?
- b. How much verified savings was achieved (for PY5 and any other year for which verification has not been completed, just provide the best current estimate; for PY6 provide the best forecast)?
- c. What has been the volume of banked savings carried forward to count toward compliance with the next year's savings target?
- d. If banked savings were lower than the amount by which the goals in a given year were exceeded, please explain why.

RESPONSE:

ComEd objects to this request on the grounds that the phrases "savings goal", "goals" and "carried forward to count toward compliance" are vague and ambiguous. ComEd also objects to this request on the grounds that Plan Year 1 through Plan Year 6 are outside the scope of ComEd's 2014-2016 Energy Efficiency and Demand Response Plan ("Plan 3") at issue in this proceeding, and the information requested for these Plan Years is neither relevant nor likely to lead to the discovery of admissible evidence in this docket. ComEd further objects to this request to the extent it calls for speculation and mischaracterizes the Commission's orders regarding the banking of energy savings. Without waiving these foregoing objections or any of ComEd's General Objections, ComEd states as follows.

For purposes of this Request, ComEd interprets the phrase "savings goal" to mean ComEd's portion of the applicable annual energy savings goal as approved by the Commission in either ICC Docket No. 07-0540 or ICC Docket No. 10-0570.

- a. Please see the attachment labeled as NRDC 2.02_Attach 1.
- b. Please see ComEd's response to subpart (a) of this request. Because Plan Year 2 is the most recent Plan year for which the Commission has concluded its goal compliance investigation and issued a final order, energy savings and banked savings for Plan Year 3 through Plan Year 6 reflect estimates or projections. *See Commonwealth Edison Co., Final Order, ICC Docket No. 10-0520.*

- c. **Please see ComEd's response to subpart (a) of this request, which, based on actual and estimated banked savings, shows the total amount of banked savings through Plan Year 6 that may be applied to future Plan years.**
- d. **During PY1-PY3, the amount of energy savings that could be banked in a given year was limited to 10% of the total combined energy savings goal for that year.**

Commonwealth Edison Banking Calculations PY1 - PY6 (Net MWh)

Plan Year	Net results (MWh)	Statutory Goal (MWh)	Allowed Banking (MWh)	Cumulative Banked (MWh)
PY1	181,094	188,739	0	0
PY2	506,208	393,691	39,369	39,369
PY3	659,549	584,077	58,408	97,777
PY4	1,046,802	727,985	318,817	416,594
PY5	1,000,000	942,209	57,791	474,385
PY6⁽³⁾	920,000	902,690	17,310	491,695
Total	4,313,653	3,739,391	491,695	491,695

Notes

PY5 and PY6 results and calculated banking are preliminary estimates (highlighted in yellow) .